

地区 ..003

作業 .. 72 原図番号 .. N1 54-1

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -44,800.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,150.00 -44,800.00)	50.05	(21,200.05 -44,799.97)	50.00	(21,250.05 -44,800.05)	49.95
		(21,300.00 -44,800.07)	50.00	(21,300.03 -44,750.07)	50.05	(21,299.95 -44,700.02)	49.90
		(21,299.98 -44,650.12)	50.00	(21,299.98 -44,600.12)	50.03	(21,249.95 -44,600.05)	49.95
		(21,200.00 -44,600.02)	50.00	(21,150.00 -44,600.05)	50.00	(21,149.98 -44,650.05)	49.95
		(21,149.95 -44,700.00)	50.05	(21,149.98 -44,750.05)	49.95		
138	707	(21,150.00 -44,800.00)	33.08	(21,183.08 -44,800.07)	1.31	(21,183.70 -44,798.92)	6.50
		(21,186.35 -44,792.99)	36.08	(21,159.62 -44,768.75)	3.49	(21,157.76 -44,765.80)	3.43
		(21,155.95 -44,768.71)	6.44	(21,150.03 -44,771.25)	28.75		
138	710- 2	(21,150.03 -44,771.25)	6.44	(21,155.95 -44,768.71)	3.43	(21,157.76 -44,765.80)	3.18
		(21,159.16 -44,762.95)	6.42	(21,160.89 -44,756.77)	10.96	(21,149.99 -44,757.90)	13.35
138	001- 4	(21,149.99 -44,757.90)	10.96	(21,160.89 -44,756.77)	43.31	(21,204.02 -44,752.80)	23.28
		(21,227.18 -44,750.46)	9.88	(21,229.62 -44,740.89)	4.29	(21,225.35 -44,741.31)	36.09
		(21,189.43 -44,744.84)	24.10	(21,165.45 -44,747.20)	1.05	(21,164.42 -44,746.99)	14.46
		(21,150.02 -44,748.30)	9.60				
138	710- 1	(21,150.02 -44,748.30)	14.46	(21,164.42 -44,746.99)	1.05	(21,165.45 -44,747.20)	6.11
		(21,164.68 -44,741.14)	16.66	(21,163.51 -44,724.52)	0.91	(21,163.41 -44,723.62)	9.03
		(21,164.69 -44,714.68)	14.89	(21,149.98 -44,712.35)	35.95		
138	002- 5	(21,149.98 -44,712.35)	14.89	(21,164.69 -44,714.68)	1.73	(21,166.26 -44,713.96)	4.18
		(21,169.43 -44,711.23)	3.90	(21,172.92 -44,709.49)	4.06	(21,176.97 -44,709.28)	12.25
		(21,189.15 -44,710.63)	4.64	(21,193.78 -44,710.32)	5.16	(21,198.75 -44,708.93)	5.91
		(21,204.12 -44,706.46)	5.86	(21,209.01 -44,703.23)	3.61	(21,212.30 -44,701.74)	2.93
		(21,211.01 -44,699.11)	2.42	(21,208.66 -44,699.69)	4.79	(21,203.95 -44,700.58)	3.28
		(21,201.46 -44,702.72)	4.45	(21,197.46 -44,704.66)	3.65	(21,193.96 -44,705.69)	9.34
		(21,184.62 -44,705.99)	7.17	(21,177.46 -44,705.71)	9.24	(21,168.22 -44,706.00)	10.03
		(21,158.34 -44,707.75)	5.74	(21,152.60 -44,707.89)	2.69	(21,149.92 -44,707.70)	4.65
138	701	(21,149.92 -44,707.70)	2.69	(21,152.60 -44,707.89)	20.62	(21,153.52 -44,687.29)	12.55
		(21,153.84 -44,674.74)	9.45	(21,153.79 -44,665.29)	5.93	(21,153.85 -44,659.36)	10.62
		(21,153.26 -44,648.76)	3.30	(21,149.97 -44,648.50)	59.20		
138	698	(21,149.97 -44,648.50)	3.30	(21,153.26 -44,648.76)	1.77	(21,155.02 -44,648.91)	1.92
		(21,155.08 -44,646.99)	0.73	(21,155.12 -44,646.26)	5.15	(21,149.97 -44,646.05)	2.45
138	697	(21,149.97 -44,646.05)	5.15	(21,155.12 -44,646.26)	0.73	(21,155.08 -44,646.99)	37.51
		(21,192.59 -44,647.32)	2.25	(21,194.57 -44,646.26)	2.55	(21,196.88 -44,645.18)	2.21
		(21,198.41 -44,643.58)	18.03	(21,209.80 -44,629.60)	13.39	(21,218.57 -44,619.48)	1.97
		(21,219.28 -44,617.64)	5.78	(21,213.52 -44,618.07)	17.72	(21,195.80 -44,618.26)	9.31
		(21,186.50 -44,618.71)	11.57	(21,175.08 -44,620.59)	4.99	(21,170.10 -44,620.85)	8.71
		(21,161.40 -44,620.52)	6.55	(21,154.85 -44,620.59)	3.36	(21,151.50 -44,620.85)	1.58
		(21,149.95 -44,621.15)	24.90				
137	001- 3	(21,149.95 -44,621.15)	1.58	(21,151.50 -44,620.85)	3.36	(21,154.85 -44,620.59)	6.55
		(21,161.40 -44,620.52)	8.71	(21,170.10 -44,620.85)	4.99	(21,175.08 -44,620.59)	11.57
		(21,186.50 -44,618.71)	9.31	(21,195.80 -44,618.26)	17.72	(21,213.52 -44,618.07)	5.78
		(21,219.28 -44,617.64)	3.58	(21,222.80 -44,618.28)	10.37	(21,233.16 -44,617.80)	3.57
		(21,231.82 -44,614.49)	2.70	(21,229.19 -44,615.10)	4.87	(21,224.32 -44,615.08)	3.13

地区..003

作業.. 72

原図番号.. N1 54-1

縮尺..1/ 500

基準点..X 21,150.00..Y -44,800.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,221.19 -44,614.92)	7.94	(21,213.26 -44,615.32)	17.45	(21,195.81 -44,615.73)	5.72
		(21,190.09 -44,615.60)	6.83	(21,183.34 -44,616.62)	11.93	(21,171.52 -44,618.25)	16.03
		(21,155.49 -44,617.91)	4.39	(21,151.12 -44,618.37)	1.14	(21,150.00 -44,618.60)	2.55
137	002- 2	(21,150.00 -44,618.60)	1.14	(21,151.12 -44,618.37)	4.39	(21,155.49 -44,617.91)	16.03
		(21,171.52 -44,618.25)	11.93	(21,183.34 -44,616.62)	6.83	(21,190.09 -44,615.60)	5.72
		(21,195.81 -44,615.73)	17.45	(21,213.26 -44,615.32)	7.94	(21,221.19 -44,614.92)	3.13
		(21,224.32 -44,615.08)	5.19	(21,227.93 -44,611.35)	2.67	(21,229.75 -44,609.40)	7.67
		(21,235.11 -44,603.91)	6.08	(21,239.83 -44,600.07)	5.83	(21,234.00 -44,600.09)	9.99
		(21,227.07 -44,607.28)	5.55	(21,222.68 -44,610.67)	8.19	(21,214.53 -44,611.46)	19.00
		(21,195.53 -44,611.41)	3.35	(21,192.18 -44,611.39)	4.47	(21,187.73 -44,611.81)	3.92
		(21,183.88 -44,612.54)	6.55	(21,177.51 -44,614.06)	6.81	(21,170.74 -44,614.77)	12.90
		(21,157.86 -44,614.05)	7.37	(21,150.49 -44,614.20)	0.51	(21,149.99 -44,614.30)	4.30
137	676	(1/ 4)					
		(21,149.99 -44,614.30)	0.51	(21,150.49 -44,614.20)	7.37	(21,157.86 -44,614.05)	12.90
		(21,170.74 -44,614.77)	6.81	(21,177.51 -44,614.06)	6.55	(21,183.88 -44,612.54)	3.92
		(21,187.73 -44,611.81)	4.47	(21,192.18 -44,611.39)	10.11	(21,192.50 -44,601.29)	1.22
		(21,192.48 -44,600.07)	42.48	(21,150.00 -44,600.05)	14.25		
137	675- 1	(1/ 2)					
		(21,192.48 -44,600.07)	1.22	(21,192.50 -44,601.29)	10.11	(21,192.18 -44,611.39)	3.35
		(21,195.53 -44,611.41)	19.00	(21,214.53 -44,611.46)	8.19	(21,222.68 -44,610.67)	5.55
		(21,227.07 -44,607.28)	9.99	(21,234.00 -44,600.09)	41.52		
137	675- 2	(1/ 2)					
		(21,239.83 -44,600.07)	6.08	(21,235.11 -44,603.91)	7.67	(21,229.75 -44,609.40)	2.67
		(21,227.93 -44,611.35)	5.19	(21,224.32 -44,615.08)	4.87	(21,229.19 -44,615.10)	2.70
		(21,231.82 -44,614.49)	2.37	(21,233.83 -44,613.24)	3.53	(21,236.50 -44,610.93)	6.09
		(21,240.42 -44,606.27)	5.04	(21,243.99 -44,602.71)	2.82	(21,244.95 -44,600.06)	5.12
134	582- 2	(1/ 2)					
		(21,244.95 -44,600.06)	2.82	(21,243.99 -44,602.71)	3.90	(21,247.18 -44,600.46)	0.83
		(21,247.90 -44,600.05)	2.95				
134	001- 1						
		(21,247.90 -44,600.05)	0.83	(21,247.18 -44,600.46)	3.90	(21,243.99 -44,602.71)	5.04
		(21,240.42 -44,606.27)	6.09	(21,236.50 -44,610.93)	3.53	(21,233.83 -44,613.24)	2.37
		(21,231.82 -44,614.49)	3.57	(21,233.16 -44,617.80)	18.33	(21,245.51 -44,604.26)	2.18
		(21,247.26 -44,602.96)	0.66	(21,247.78 -44,602.55)	3.56	(21,251.05 -44,601.15)	4.15
		(21,255.13 -44,600.39)	6.13	(21,261.10 -44,601.77)	6.48	(21,266.81 -44,604.83)	6.17
		(21,271.85 -44,608.39)	9.46	(21,278.44 -44,615.18)	15.53	(21,287.92 -44,627.48)	6.42
		(21,292.13 -44,632.33)	6.15	(21,296.92 -44,636.18)	1.99	(21,298.61 -44,637.24)	1.43
		(21,299.99 -44,637.60)	3.48	(21,299.96 -44,634.12)	2.66	(21,297.53 -44,633.03)	4.70
		(21,293.90 -44,630.04)	6.03	(21,289.76 -44,625.65)	15.55	(21,280.41 -44,613.22)	10.78
		(21,272.91 -44,605.48)	5.66	(21,268.36 -44,602.12)	4.69	(21,264.15 -44,600.06)	16.25
134	583	(1/ 2)					
		(21,264.15 -44,600.06)	4.69	(21,268.36 -44,602.12)	1.15	(21,269.51 -44,602.18)	1.70
		(21,270.65 -44,600.92)	1.15	(21,271.45 -44,600.10)	7.30		
134	001- 2						
		(21,271.45 -44,600.10)	1.15	(21,270.65 -44,600.92)	1.70	(21,269.51 -44,602.18)	1.15
		(21,268.36 -44,602.12)	5.66	(21,272.91 -44,605.48)	2.45	(21,272.66 -44,603.04)	3.45
		(21,274.45 -44,600.09)	3.00				
134	585	(3/ 4)					
		(21,274.45 -44,600.09)	3.45	(21,272.66 -44,603.04)	2.45	(21,272.91 -44,605.48)	10.78
		(21,280.41 -44,613.22)	15.55	(21,289.76 -44,625.65)	6.03	(21,293.90 -44,630.04)	4.70
		(21,297.53 -44,633.03)	2.66	(21,299.96 -44,634.12)	34.00	(21,299.98 -44,600.12)	25.53

地区 ..003

作業 .. 72

原図番号 .. N1 54-1

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -44,800.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

134	579	(2/ 2)									
		(21,299.99	-44,637.60)	1.43	(21,298.61	-44,637.24)	5.56	(21,300.01	-44,642.62)	5.02	
134	580	(2/ 2)									
		(21,300.01	-44,642.62)	5.56	(21,298.61	-44,637.24)	1.99	(21,296.92	-44,636.18)	6.15	
		(21,292.13	-44,632.33)	5.15	(21,290.79	-44,637.30)	13.41	(21,296.82	-44,649.28)	6.42	
		(21,299.11	-44,655.28)	1.33	(21,299.94	-44,656.32)	13.70				
134	002-	1									
		(21,299.94	-44,656.32)	1.33	(21,299.11	-44,655.28)	6.42	(21,296.82	-44,649.28)	13.41	
		(21,290.79	-44,637.30)	15.25	(21,280.64	-44,625.92)	11.21	(21,273.54	-44,617.24)	10.82	
		(21,265.15	-44,610.41)	5.72	(21,261.37	-44,606.12)	7.78	(21,254.51	-44,602.46)	7.27	
		(21,247.26	-44,602.96)	2.18	(21,245.51	-44,604.26)	18.33	(21,233.16	-44,617.80)	5.41	
		(21,238.02	-44,620.18)	12.33	(21,245.98	-44,610.76)	7.12	(21,252.22	-44,607.34)	8.57	
		(21,260.18	-44,610.52)	6.27	(21,265.06	-44,614.46)	7.73	(21,270.53	-44,619.92)	26.28	
		(21,287.45	-44,640.03)	13.66	(21,293.36	-44,652.34)	7.71	(21,297.05	-44,659.11)	4.65	
		(21,299.98	-44,662.72)	6.40							
111	002-	6									
		(21,299.98	-44,662.72)	4.65	(21,297.05	-44,659.11)	7.71	(21,293.36	-44,652.34)	13.66	
		(21,287.45	-44,640.03)	26.28	(21,270.53	-44,619.92)	7.73	(21,265.06	-44,614.46)	6.27	
		(21,260.18	-44,610.52)	8.57	(21,252.22	-44,607.34)	7.12	(21,245.98	-44,610.76)	12.33	
		(21,238.02	-44,620.18)	16.08	(21,230.91	-44,634.60)	20.43	(21,220.83	-44,652.37)	8.20	
		(21,217.60	-44,659.91)	6.38	(21,217.29	-44,666.28)	8.30	(21,218.16	-44,674.53)	24.50	
		(21,215.15	-44,698.84)	1.73	(21,215.93	-44,700.38)	9.93	(21,219.67	-44,709.58)	22.08	
		(21,230.35	-44,728.90)	9.09	(21,233.77	-44,737.32)	16.51	(21,229.73	-44,753.33)	8.01	
		(21,226.70	-44,760.74)	4.69	(21,231.39	-44,760.67)	6.57	(21,233.04	-44,754.31)	4.75	
		(21,234.42	-44,749.77)	10.79	(21,237.50	-44,739.43)	4.17	(21,238.14	-44,735.31)	26.78	
		(21,225.20	-44,711.86)	14.84	(21,219.25	-44,698.26)	24.71	(21,222.53	-44,673.77)	2.25	
		(21,222.20	-44,671.54)	11.27	(21,222.10	-44,660.27)	6.48	(21,224.06	-44,654.09)	38.53	
		(21,243.53	-44,620.84)	9.27	(21,249.38	-44,613.65)	4.19	(21,253.23	-44,611.99)	4.64	
		(21,257.61	-44,613.53)	4.15	(21,260.49	-44,616.52)	2.65	(21,263.09	-44,617.02)	35.29	
		(21,285.31	-44,644.44)	2.98	(21,286.49	-44,647.18)	7.66	(21,289.49	-44,654.23)	10.47	
		(21,295.11	-44,663.06)	7.84	(21,300.02	-44,669.17)	6.45				
111	468	(2/ 2)									
		(21,300.02	-44,669.17)	7.84	(21,295.11	-44,663.06)	10.47	(21,289.49	-44,654.23)	7.66	
		(21,286.49	-44,647.18)	2.98	(21,285.31	-44,644.44)	35.29	(21,263.09	-44,617.02)	2.65	
		(21,260.49	-44,616.52)	12.27	(21,250.61	-44,623.80)	4.91	(21,247.42	-44,627.53)	5.08	
		(21,244.68	-44,631.81)	61.22	(21,280.34	-44,681.57)	20.07	(21,299.99	-44,677.47)	8.30	
111	469	(2/ 2)									
		(21,299.99	-44,677.47)	20.07	(21,280.34	-44,681.57)	0.84	(21,280.66	-44,682.35)	0.54	
		(21,280.21	-44,682.65)	1.05	(21,279.92	-44,683.66)	25.36	(21,273.39	-44,708.16)	2.78	
		(21,272.81	-44,710.88)	27.50	(21,300.02	-44,706.92)	29.45				
111	470	(2/ 2)									
		(21,300.02	-44,706.92)	27.50	(21,272.81	-44,710.88)	0.61	(21,272.20	-44,710.84)	26.94	
		(21,265.19	-44,736.85)	29.04	(21,294.05	-44,733.65)	3.96	(21,293.90	-44,729.69)	6.16	
		(21,300.02	-44,729.02)	22.10							
111	472-	2	(2/ 2)								
		(21,300.02	-44,729.02)	6.16	(21,293.90	-44,729.69)	3.96	(21,294.05	-44,733.65)	6.01	
		(21,300.03	-44,733.02)	4.00							
111	001-	5									
		(21,300.03	-44,733.02)	6.01	(21,294.05	-44,733.65)	29.04	(21,265.19	-44,736.85)	27.81	
		(21,237.50	-44,739.43)	10.79	(21,234.42	-44,749.77)	25.33	(21,259.63	-44,747.28)	35.04	
		(21,294.51	-44,743.92)	5.52	(21,300.01	-44,743.42)	10.40				
111	474	(2/ 2)									

地区 ..003

作業 .. 72

原図番号 .. N1 54-1

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -44,800.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(@ 21,300.01 -44,743.42)	5.52	(21,294.51 -44,743.92)	30.91	(21,295.89 -44,774.80)	4.26
		(21,299.98 -44,773.62)	30.20				
111	002- 8	(21,299.98 -44,773.62)	4.26	(21,295.89 -44,774.80)	7.39	(21,289.17 -44,777.88)	2.73
		(21,286.57 -44,778.71)	2.43	(21,284.15 -44,778.51)	12.18	(21,272.54 -44,774.82)	9.38
		(21,264.25 -44,770.44)	10.29	(21,255.68 -44,764.75)	2.70	(21,253.57 -44,763.06)	22.32
		(@ 21,233.04 -44,754.31)	6.57	(21,231.39 -44,760.67)	2.76	(21,234.15 -44,760.59)	6.97
		(21,240.86 -44,762.47)	3.62	(21,244.36 -44,763.41)	6.26	(21,250.21 -44,765.65)	4.27
		(21,254.19 -44,767.19)	3.79	(21,257.47 -44,769.08)	6.74	(21,263.27 -44,772.52)	4.23
		(21,266.89 -44,774.71)	5.13	(21,271.54 -44,776.87)	16.22	(21,287.30 -44,780.71)	1.88
		(21,289.15 -44,780.40)	2.01	(21,291.07 -44,779.82)	3.34	(21,293.97 -44,778.16)	5.11
		(21,298.84 -44,776.60)	1.26	(21,300.04 -44,776.22)	2.60		
110	449- 1	(3/ 3)					
		(@ 21,300.04 -44,776.22)	1.26	(21,298.84 -44,776.60)	5.11	(21,293.97 -44,778.16)	3.34
		(21,291.07 -44,779.82)	2.01	(21,289.15 -44,780.40)	3.18	(21,288.26 -44,783.45)	0.94
		(21,287.99 -44,784.35)	8.10	(21,295.72 -44,786.76)	2.86	(21,298.27 -44,788.05)	2.00
		(21,299.72 -44,789.43)	0.62	(21,300.03 -44,789.97)	13.75		
110	452	(4/ 4)					
		(21,300.03 -44,789.97)	0.62	(21,299.72 -44,789.43)	2.00	(21,298.27 -44,788.05)	2.86
		(21,295.72 -44,786.76)	8.10	(21,287.99 -44,784.35)	0.94	(21,288.26 -44,783.45)	15.46
		(@ 21,273.40 -44,779.19)	0.97	(21,272.60 -44,779.74)	5.00	(21,270.84 -44,784.42)	5.78
		(21,268.93 -44,789.88)	6.78	(21,265.84 -44,795.91)	2.54	(21,265.00 -44,798.31)	1.75
		(21,265.10 -44,800.06)	34.90	(21,300.00 -44,800.07)	10.10		
110	453	(2/ 2)					
		(21,265.10 -44,800.06)	1.75	(21,265.00 -44,798.31)	2.54	(21,265.84 -44,795.91)	6.78
		(21,268.93 -44,789.88)	5.78	(21,270.84 -44,784.42)	5.00	(21,272.60 -44,779.74)	0.97
		(21,273.40 -44,779.19)	15.46	(21,288.26 -44,783.45)	3.18	(21,289.15 -44,780.40)	1.88
		(21,287.30 -44,780.71)	16.22	(21,271.54 -44,776.87)	5.13	(21,266.89 -44,774.71)	4.23
		(@ 21,263.27 -44,772.52)	18.18	(21,257.17 -44,789.65)	5.57	(21,260.04 -44,794.42)	4.36
		(21,262.05 -44,798.29)	1.93	(21,262.80 -44,800.07)	2.30		
110	454- 1	(2/ 2)					
		(21,262.80 -44,800.07)	1.93	(21,262.05 -44,798.29)	4.36	(21,260.04 -44,794.42)	5.57
		(21,257.17 -44,789.65)	5.25	(21,254.36 -44,785.21)	3.37	(21,252.19 -44,782.63)	3.44
		(21,249.50 -44,780.48)	3.50	(21,246.40 -44,778.86)	3.33	(@ 21,243.17 -44,778.04)	3.12
		(21,240.05 -44,778.05)	2.66	(21,237.45 -44,778.63)	3.61	(21,234.15 -44,780.09)	3.56
		(21,231.05 -44,781.85)	4.52	(21,227.36 -44,784.46)	5.84	(21,222.81 -44,788.12)	6.06
		(21,218.27 -44,792.14)	11.53	(21,226.65 -44,800.06)	36.15		
110	460	(2/ 2)					
		(21,226.65 -44,800.06)	11.53	(21,218.27 -44,792.14)	0.54	(21,217.88 -44,792.51)	4.70
		(@ 21,213.56 -44,790.66)	11.64	(21,206.70 -44,800.06)	19.95		
110	002- 9						
		(21,206.70 -44,800.06)	11.64	(21,213.56 -44,790.66)	9.52	(21,218.61 -44,782.59)	2.96
		(21,219.45 -44,779.75)	1.81	(21,220.42 -44,778.22)	20.70	(@ 21,231.39 -44,760.67)	4.69
		(21,226.70 -44,760.74)	4.18	(21,225.11 -44,764.61)	16.58	(21,216.02 -44,778.48)	8.55
		(21,212.12 -44,786.09)	15.23	(21,203.32 -44,798.52)	1.88	(21,202.25 -44,800.07)	4.45
138	002- 4						
		(21,202.25 -44,800.07)	1.88	(21,203.32 -44,798.52)	15.23	(21,212.12 -44,786.09)	8.55
		(21,216.02 -44,778.48)	16.58	(21,225.11 -44,764.61)	4.18	(21,226.70 -44,760.74)	8.01
		(21,229.73 -44,753.33)	16.51	(21,233.77 -44,737.32)	9.09	(21,230.35 -44,728.90)	22.08
		(21,219.67 -44,709.58)	9.93	(21,215.93 -44,700.38)	1.73	(21,215.15 -44,698.84)	24.50
		(21,218.16 -44,674.53)	8.30	(21,217.29 -44,666.28)	6.38	(21,217.60 -44,659.91)	8.20
		(21,220.83 -44,652.37)	20.43	(21,230.91 -44,634.60)	16.08	(21,238.02 -44,620.18)	5.41

地区 ..003

作業 .. 72

原図番号 .. N1 54-1

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -44,800.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(@ 21,233.16 -44,617.80)	4.53	(21,232.06 -44,622.19)	4.90	(21,230.47 -44,626.82)	6.94
		(21,227.33 -44,633.01)	26.71	(21,214.24 -44,656.29)	5.29	(21,212.75 -44,661.37)	4.98
		(21,212.44 -44,666.34)	9.31	(21,213.86 -44,675.54)	8.82	(21,213.31 -44,684.34)	9.29
		(21,211.48 -44,693.45)	5.68	(21,211.01 -44,699.11)	2.93	(21,212.30 -44,701.74)	5.67
		(21,213.74 -44,707.22)	8.33	(21,217.59 -44,714.61)	18.77	(21,227.38 -44,730.63)	7.19
		(21,229.57 -44,737.48)	3.41	(21,229.62 -44,740.89)	9.88	(21,227.18 -44,750.46)	6.91
		(21,224.58 -44,756.86)	6.54	(21,222.06 -44,762.89)	17.61	(21,212.59 -44,777.74)	7.50
		(21,209.15 -44,784.40)	14.37	(21,200.69 -44,796.02)	4.91	(21,197.85 -44,800.03)	4.40
138	706	(2 / 2)					
		(21,197.85 -44,800.03)	4.91	(21,200.69 -44,796.02)	14.37	(@ 21,209.15 -44,784.40)	17.79
		(21,191.36 -44,784.71)	1.43	(21,190.69 -44,785.97)	8.25	(21,186.35 -44,792.99)	6.50
		(21,183.70 -44,798.92)	1.31	(21,183.08 -44,800.07)	14.77		
138	704-	1					
		(21,186.35 -44,792.99)	8.25	(21,190.69 -44,785.97)	1.43	(21,191.36 -44,784.71)	5.66
		(21,194.07 -44,779.74)	14.68	(21,199.32 -44,766.03)	7.30	(21,201.78 -44,759.16)	6.74
		(@ 21,204.02 -44,752.80)	43.31	(21,160.89 -44,756.77)	6.42	(21,159.16 -44,762.95)	3.18
		(21,157.76 -44,765.80)	3.49	(21,159.62 -44,768.75)	36.08		
138	705						
		(21,199.32 -44,766.03)	14.68	(21,194.07 -44,779.74)	5.66	(21,191.36 -44,784.71)	17.79
		(21,209.15 -44,784.40)	7.50	(21,212.59 -44,777.74)	17.61	(21,222.06 -44,762.89)	6.54
		(@ 21,224.58 -44,756.86)	22.92	(21,201.78 -44,759.16)	7.30		
138	703-	3					
		(21,201.78 -44,759.16)	22.92	(21,224.58 -44,756.86)	6.91	(@ 21,227.18 -44,750.46)	23.28
		(21,204.02 -44,752.80)	6.74				
138	703-	5					
		(21,189.43 -44,744.84)	36.09	(21,225.35 -44,741.31)	6.70	(21,225.44 -44,734.61)	37.40
		(@ 21,188.54 -44,728.52)	16.34				
138	703-	2					
		(21,188.54 -44,728.52)	25.40	(@ 21,163.46 -44,724.52)	16.66	(21,164.68 -44,741.14)	6.11
		(21,165.45 -44,747.20)	24.10	(21,189.43 -44,744.84)	16.34		
138	703-	1					
		(21,188.54 -44,728.52)	37.40	(21,225.44 -44,734.61)	6.70	(21,225.35 -44,741.31)	4.29
		(21,229.62 -44,740.89)	3.41	(21,229.57 -44,737.48)	7.19	(21,227.38 -44,730.63)	18.77
		(21,217.59 -44,714.61)	8.33	(21,213.74 -44,707.22)	5.67	(@ 21,212.30 -44,701.74)	3.61
		(21,209.01 -44,703.23)	5.86	(21,204.12 -44,706.46)	5.91	(21,198.75 -44,708.93)	5.16
		(21,193.78 -44,710.32)	4.64	(21,189.15 -44,710.63)	12.25	(21,176.97 -44,709.28)	4.06
		(21,172.92 -44,709.49)	3.90	(21,169.43 -44,711.23)	4.18	(21,166.26 -44,713.96)	1.73
		(21,164.69 -44,714.68)	9.03	(21,163.41 -44,723.62)	0.91	(21,163.51 -44,724.52)	25.35
138	700						
		(21,152.60 -44,707.89)	5.74	(21,158.34 -44,707.75)	10.03	(21,168.22 -44,706.00)	9.24
		(21,177.46 -44,705.71)	7.17	(21,184.62 -44,705.99)	9.34	(21,193.96 -44,705.69)	3.65
		(21,197.46 -44,704.66)	4.45	(21,201.46 -44,702.72)	3.28	(21,203.95 -44,700.58)	1.45
		(21,204.15 -44,699.14)	6.07	(21,201.73 -44,693.57)	6.81	(21,198.14 -44,687.78)	2.83
		(21,196.56 -44,685.43)	3.90	(21,194.36 -44,682.21)	5.74	(21,191.87 -44,677.04)	5.45
		(21,190.58 -44,671.75)	7.39	(21,189.79 -44,664.40)	5.49	(21,190.12 -44,658.92)	5.38
		(21,191.78 -44,653.80)	8.19	(21,195.67 -44,646.59)	1.86	(@ 21,196.88 -44,645.18)	2.55
		(21,194.57 -44,646.26)	2.25	(21,192.59 -44,647.32)	37.51	(21,155.08 -44,646.99)	1.92
		(21,155.02 -44,648.91)	1.77	(21,153.26 -44,648.76)	10.62	(21,153.85 -44,659.36)	5.93
		(21,153.79 -44,665.29)	9.45	(21,153.84 -44,674.74)	12.55	(21,153.52 -44,687.29)	20.62
138	699						
		(21,211.01 -44,699.11)	5.68	(21,211.48 -44,693.45)	9.29	(21,213.31 -44,684.34)	8.82
		(21,213.86 -44,675.54)	9.31	(21,212.44 -44,666.34)	4.98	(21,212.75 -44,661.37)	5.29

地区 ..003

作業 .. 72

原図番号 .. N1 54-1

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -44,800.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,214.24 -44,656.29)	26.71	(21,227.33 -44,633.01)	6.94	(21,230.47 -44,626.82)	4.90
		(21,232.06 -44,622.19)	4.53	(21,233.16 -44,617.80)	10.37	(21,222.80 -44,618.28)	5.81
		(21,219.31 -44,622.93)	18.13	(21,207.44 -44,636.63)	20.13	(21,196.13 -44,653.28)	5.48
		(21,193.42 -44,658.04)	3.94	(21,192.15 -44,661.77)	4.27	(21,192.02 -44,666.04)	5.49
		(21,193.03 -44,671.44)	6.58	(21,195.04 -44,677.71)	6.02	(21,198.01 -44,682.95)	9.41
		(21,203.80 -44,690.37)	4.57	(21,206.19 -44,694.26)	5.97	(21,208.66 -44,699.69)	2.42
138	002- 3	(21,208.66 -44,699.69)	5.97	(21,206.19 -44,694.26)	4.57	(21,203.80 -44,690.37)	9.41
		(21,198.01 -44,682.95)	6.02	(21,195.04 -44,677.71)	6.58	(21,193.03 -44,671.44)	5.49
		(21,192.02 -44,666.04)	4.27	(21,192.15 -44,661.77)	3.94	(21,193.42 -44,658.04)	5.48
		(21,196.13 -44,653.28)	20.13	(21,207.44 -44,636.63)	18.13	(21,219.31 -44,622.93)	5.81
		(21,222.80 -44,618.28)	3.58	(21,219.28 -44,617.64)	1.97	(21,218.57 -44,619.48)	13.39
		(21,209.80 -44,629.60)	18.03	(21,198.41 -44,643.58)	2.21	(21,196.88 -44,645.18)	1.86
		(21,195.67 -44,646.59)	8.19	(21,191.78 -44,653.80)	5.38	(21,190.12 -44,658.92)	5.49
		(21,189.79 -44,664.40)	7.39	(21,190.58 -44,671.75)	5.45	(21,191.87 -44,677.04)	5.74
		(21,194.36 -44,682.21)	3.90	(21,196.56 -44,685.43)	2.83	(21,198.14 -44,687.78)	6.81
		(21,201.73 -44,693.57)	6.07	(21,204.15 -44,699.14)	1.45	(21,203.95 -44,700.58)	4.79
111	462	(21,234.42 -44,749.77)	4.75	(21,233.04 -44,754.31)	22.32	(21,253.57 -44,763.06)	13.10
		(21,257.63 -44,750.61)	0.84	(21,258.43 -44,750.88)	3.79	(21,259.63 -44,747.28)	25.33
111	471- 1	(21,259.63 -44,747.28)	3.79	(21,258.43 -44,750.88)	0.59	(21,258.98 -44,751.08)	8.01
		(21,256.55 -44,758.71)	6.10	(21,255.68 -44,764.75)	10.29	(21,264.25 -44,770.44)	9.38
		(21,272.54 -44,774.82)	12.18	(21,284.15 -44,778.51)	2.43	(21,286.57 -44,778.71)	2.73
		(21,289.17 -44,777.88)	7.39	(21,295.89 -44,774.80)	30.91	(21,294.51 -44,743.92)	35.04
111	002- 7	(21,255.68 -44,764.75)	6.10	(21,256.55 -44,758.71)	8.01	(21,258.98 -44,751.08)	0.59
		(21,258.43 -44,750.88)	0.84	(21,257.63 -44,750.61)	13.10	(21,253.57 -44,763.06)	2.70
111	463- 1	(21,237.50 -44,739.43)	27.81	(21,265.19 -44,736.85)	26.94	(21,272.20 -44,710.84)	0.61
		(21,272.81 -44,710.88)	2.78	(21,273.39 -44,708.16)	18.03	(21,255.63 -44,705.04)	11.51
		(21,252.24 -44,716.04)	6.98	(21,249.73 -44,722.55)	7.20	(21,246.65 -44,729.06)	4.83
		(21,243.78 -44,732.94)	4.12	(21,240.24 -44,735.05)	2.12	(21,238.14 -44,735.31)	4.17
111	464	(21,238.14 -44,735.31)	2.12	(21,240.24 -44,735.05)	4.12	(21,243.78 -44,732.94)	4.83
		(21,246.65 -44,729.06)	7.20	(21,249.73 -44,722.55)	6.98	(21,252.24 -44,716.04)	11.51
		(21,255.63 -44,705.04)	13.39	(21,242.65 -44,701.74)	11.34	(21,231.47 -44,699.85)	12.32
		(21,219.25 -44,698.26)	14.84	(21,225.20 -44,711.86)	26.78		
111	465	(21,219.25 -44,698.26)	12.32	(21,231.47 -44,699.85)	11.34	(21,242.65 -44,701.74)	13.39
		(21,255.63 -44,705.04)	18.03	(21,273.39 -44,708.16)	25.36	(21,279.92 -44,683.66)	27.94
		(21,252.64 -44,677.64)	9.77	(21,243.04 -44,675.84)	11.07	(21,232.07 -44,674.39)	9.56
		(21,222.53 -44,673.77)	24.71				
111	466	(21,222.53 -44,673.77)	9.56	(21,232.07 -44,674.39)	9.22	(21,233.39 -44,665.27)	9.17
		(21,235.34 -44,656.31)	8.65	(21,238.00 -44,648.08)	8.68	(21,241.10 -44,639.97)	8.91
		(21,244.68 -44,631.81)	5.08	(21,247.42 -44,627.53)	4.91	(21,250.61 -44,623.80)	12.27
		(21,260.49 -44,616.52)	4.15	(21,257.61 -44,613.53)	4.64	(21,253.23 -44,611.99)	4.19
		(21,249.38 -44,613.65)	9.27	(21,243.53 -44,620.84)	38.53	(21,224.06 -44,654.09)	6.48
		(21,222.10 -44,660.27)	11.27	(21,222.20 -44,671.54)	2.25		
111	467	(21,232.07 -44,674.39)	11.07	(21,243.04 -44,675.84)	9.77	(21,252.64 -44,677.64)	27.94

地区 ..003

作業 .. 72

原図番号 .. N1 54-1

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -44,800.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,279.92 -44,683.66)	1.05	(21,280.21 -44,682.65)	0.54	(21,280.66 -44,682.35)	0.84
		(21,280.34 -44,681.57)	61.22	(21,244.68 -44,631.81)	8.91	(21,241.10 -44,639.97)	8.68
		(21,238.00 -44,648.08)	8.65	(21,235.34 -44,656.31)	9.17	(21,233.39 -44,665.27)	9.22
134	581	(21,247.26 -44,602.96)	7.27	(21,254.51 -44,602.46)	7.78	(21,261.37 -44,606.12)	5.72
		(21,265.15 -44,610.41)	10.82	(21,273.54 -44,617.24)	11.21	(21,280.64 -44,625.92)	15.25
		(21,290.79 -44,637.30)	5.15	(21,292.13 -44,632.33)	6.42	(21,287.92 -44,627.48)	15.53
		(21,278.44 -44,615.18)	9.46	(21,271.85 -44,608.39)	6.17	(21,266.81 -44,604.83)	6.48
		(21,261.10 -44,601.77)	6.13	(21,255.13 -44,600.39)	4.15	(21,251.05 -44,601.15)	3.56
		(21,247.78 -44,602.55)	0.66				
110	461-	1		(21,252.19 -44,782.63)	3.37	(21,254.36 -44,785.21)	5.25
				(21,257.17 -44,789.65)	18.18		
		(21,263.27 -44,772.52)	6.74	(21,257.47 -44,769.08)	14.54		
110	461-	2					
		(21,257.47 -44,769.08)	3.79	(21,254.19 -44,767.19)	4.27	(21,250.21 -44,765.65)	6.26
		(21,244.36 -44,763.41)	3.62	(21,240.86 -44,762.47)	6.97	(21,234.15 -44,760.59)	2.76
		(21,231.39 -44,760.67)	20.70	(21,220.42 -44,778.22)	1.81	(21,219.45 -44,779.75)	2.96
		(21,218.61 -44,782.59)	1.89	(21,219.21 -44,784.38)	5.19	(21,222.81 -44,788.12)	5.84
		(21,227.36 -44,784.46)	4.52	(21,231.05 -44,781.85)	3.56	(21,234.15 -44,780.09)	3.61
		(21,237.45 -44,778.63)	2.66	(21,240.05 -44,778.05)	3.12	(21,243.17 -44,778.04)	3.33
		(21,246.40 -44,778.86)	3.50	(21,249.50 -44,780.48)	3.44	(21,252.19 -44,782.63)	14.54
110	454-	2					
		(21,217.88 -44,792.51)	0.54	(21,218.27 -44,792.14)	6.06	(21,222.81 -44,788.12)	5.19
		(21,219.21 -44,784.38)	1.89	(21,218.61 -44,782.59)	9.52	(21,213.56 -44,790.66)	4.70