

地区..003 作業..73 原図番号..N1 54-2 縮尺..1/ 500 基準点..X 21,150.00..Y -44,600.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,150.00 -44,600.00)	50.05	(21,200.05 -44,599.99)	50.00	(21,250.05 -44,600.06)	49.98
		(21,300.03 -44,600.13)	50.00	(21,300.02 -44,550.13)	50.05	(21,300.04 -44,500.08)	49.95
		(21,300.01 -44,450.13)	50.00	(21,300.03 -44,400.13)	50.00	(21,250.03 -44,400.11)	50.00
		(21,200.03 -44,400.04)	50.03	(21,150.00 -44,400.02)	49.95	(21,150.01 -44,449.97)	50.00
		(21,149.99 -44,499.97)	50.05	(21,150.02 -44,550.02)	49.98		
137	676	(2 / 4)					
		(21,150.00 -44,600.00)	42.50	(21,192.50 -44,600.03)	3.74	(21,192.26 -44,596.30)	9.76
		(21,190.37 -44,586.72)	4.09	(21,186.38 -44,587.61)	4.27	(21,182.18 -44,588.40)	7.50
		(21,174.70 -44,588.88)	2.24	(21,172.50 -44,588.45)	1.16	(21,171.40 -44,588.08)	1.51
		(21,170.43 -44,586.92)	2.49	(21,169.69 -44,584.54)	1.64	(21,168.09 -44,584.17)	8.59
		(21,159.51 -44,583.70)	7.51	(21,152.00 -44,583.61)	6.50	(21,150.35 -44,589.90)	0.85
		(21,150.00 -44,590.67)	9.33				
137	002- 5						
		(21,150.00 -44,590.67)	0.85	(21,150.35 -44,589.90)	6.50	(21,152.00 -44,583.61)	2.02
		(21,150.32 -44,582.48)	0.35	(21,149.99 -44,582.37)	8.30		
137	677	(1 / 2)					
		(21,149.99 -44,582.37)	0.35	(21,150.32 -44,582.48)	2.02	(21,152.00 -44,583.61)	7.51
		(21,159.51 -44,583.70)	8.59	(21,168.09 -44,584.17)	1.64	(21,169.69 -44,584.54)	5.21
		(21,171.12 -44,579.53)	7.99	(21,173.07 -44,571.78)	8.55	(21,164.59 -44,570.66)	9.05
		(21,155.62 -44,569.46)	5.73	(21,149.97 -44,568.52)	13.85		
137	671- 1	(1 / 2)					
		(21,149.97 -44,568.52)	5.73	(21,155.62 -44,569.46)	9.05	(21,164.59 -44,570.66)	8.55
		(21,173.07 -44,571.78)	3.78	(21,176.79 -44,572.44)	2.90	(21,179.69 -44,572.42)	2.38
		(21,182.02 -44,571.94)	7.01	(21,183.31 -44,565.05)	4.16	(21,183.84 -44,560.92)	34.06
		(21,150.26 -44,555.23)	0.55	(21,150.01 -44,555.72)	12.80		
137	001- 5						
		(21,150.01 -44,555.72)	0.55	(21,150.26 -44,555.23)	3.85	(21,151.91 -44,551.75)	6.95
		(21,155.08 -44,545.57)	8.30	(21,157.62 -44,537.67)	6.89	(21,158.99 -44,530.92)	5.04
		(21,160.10 -44,526.00)	4.09	(21,161.48 -44,522.15)	5.14	(21,163.80 -44,517.56)	7.01
		(21,168.81 -44,512.65)	2.55	(21,170.61 -44,510.85)	3.74	(21,172.67 -44,507.73)	3.79
		(21,174.20 -44,504.26)	3.18	(21,175.37 -44,501.30)	18.92	(21,182.45 -44,483.75)	7.24
		(21,185.37 -44,477.13)	2.94	(21,186.60 -44,474.46)	6.14	(21,190.68 -44,469.87)	11.04
		(21,198.23 -44,461.81)	20.28	(21,211.17 -44,446.19)	1.42	(21,211.98 -44,445.02)	13.25
		(21,219.64 -44,434.21)	4.71	(21,221.74 -44,429.99)	5.49	(21,223.39 -44,424.75)	10.22
		(21,229.34 -44,416.44)	10.85	(21,235.38 -44,407.43)	3.83	(21,234.69 -44,403.66)	4.13
		(21,232.44 -44,407.12)	8.40	(21,228.14 -44,414.34)	11.46	(21,221.62 -44,423.76)	4.94
		(21,219.66 -44,428.29)	5.56	(21,217.57 -44,433.44)	6.29	(21,213.83 -44,438.50)	9.02
		(21,208.52 -44,445.79)	17.58	(21,197.16 -44,459.21)	6.70	(21,192.72 -44,464.23)	9.50
		(21,186.11 -44,471.06)	1.83	(21,184.93 -44,472.46)	2.26	(21,183.62 -44,474.30)	29.48
		(21,172.68 -44,501.68)	5.38	(21,170.32 -44,506.52)	4.42	(21,167.86 -44,510.19)	5.52
		(21,163.80 -44,513.93)	3.26	(21,161.60 -44,516.33)	3.25	(21,159.77 -44,519.02)	4.17
		(21,158.43 -44,522.97)	11.67	(21,155.66 -44,534.31)	2.72	(21,155.05 -44,536.96)	4.14
		(21,154.19 -44,541.01)	3.50	(21,153.03 -44,544.31)	6.43	(21,149.97 -44,549.97)	5.75
137	002- 6						
		(21,149.97 -44,549.97)	6.43	(21,153.03 -44,544.31)	3.50	(21,154.19 -44,541.01)	4.14
		(21,155.05 -44,536.96)	2.72	(21,155.66 -44,534.31)	11.67	(21,158.43 -44,522.97)	4.17
		(21,159.77 -44,519.02)	3.25	(21,161.60 -44,516.33)	3.26	(21,163.80 -44,513.93)	5.52
		(21,167.86 -44,510.19)	4.42	(21,170.32 -44,506.52)	5.38	(21,172.68 -44,501.68)	29.48
		(21,183.62 -44,474.30)	2.26	(21,184.93 -44,472.46)	1.83	(21,186.11 -44,471.06)	9.50
		(21,192.72 -44,464.23)	6.70	(21,197.16 -44,459.21)	17.58	(21,208.52 -44,445.79)	9.02
		(21,213.83 -44,438.50)	6.29	(21,217.57 -44,433.44)	5.56	(21,219.66 -44,428.29)	4.94

地区 ..003

作業 .. 73 原図番号 .. N1 54-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -44,600.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,221.62 -44,423.76)	2.50	(21,219.20 -44,423.14)	4.66	(21,216.31 -44,419.48)	1.61
		(21,214.84 -44,420.13)	7.38	(21,219.96 -44,425.44)	2.65	(21,218.94 -44,427.89)	5.18
		(21,216.85 -44,432.63)	6.63	(21,213.06 -44,438.07)	9.06	(21,207.24 -44,445.01)	17.52
		(21,195.89 -44,458.36)	6.26	(21,191.88 -44,463.17)	7.40	(21,186.11 -44,467.81)	3.04
		(21,183.69 -44,469.65)	12.73	(21,178.90 -44,481.44)	12.02	(21,174.36 -44,492.57)	9.28
		(21,170.93 -44,501.19)	5.05	(21,168.85 -44,505.79)	4.54	(21,166.36 -44,509.59)	4.83
		(21,162.81 -44,512.86)	4.92	(21,159.42 -44,516.42)	3.89	(21,157.87 -44,519.99)	5.60
		(21,156.20 -44,525.34)	1.97	(21,155.91 -44,527.29)	3.73	(21,155.43 -44,530.99)	7.27
137	670- 1	(21,153.72 -44,538.06)	6.33	(21,151.65 -44,544.04)	3.33	(21,150.03 -44,546.95)	3.02
		(1/ 2)					
137	668	(21,150.03 -44,546.95)	3.33	(21,151.65 -44,544.04)	1.67	(21,150.01 -44,543.72)	3.23
		(1/ 2)					
		(21,150.01 -44,543.72)	1.67	(21,151.65 -44,544.04)	6.33	(21,153.72 -44,538.06)	7.27
		(21,155.43 -44,530.99)	5.51	(21,150.02 -44,529.97)	13.75		
137	667- 1	(21,150.02 -44,529.97)	5.51	(21,155.43 -44,530.99)	3.73	(21,155.91 -44,527.29)	6.00
		(21,150.03 -44,526.12)	3.85				
137	661	(1/ 2)					
		(21,150.03 -44,526.12)	6.00	(21,155.91 -44,527.29)	1.97	(21,156.20 -44,525.34)	5.60
		(21,157.87 -44,519.99)	3.89	(21,159.42 -44,516.42)	4.92	(21,162.81 -44,512.86)	4.83
		(21,166.36 -44,509.59)	4.54	(21,168.85 -44,505.79)	5.05	(21,170.93 -44,501.19)	21.17
		(21,149.94 -44,498.47)	27.65				
137	660	(1/ 2)					
		(21,149.94 -44,498.47)	21.17	(21,170.93 -44,501.19)	9.28	(21,174.36 -44,492.57)	24.52
		(21,150.01 -44,489.67)	8.80				
137	659- 1	(1/ 2)					
		(21,150.01 -44,489.67)	24.52	(21,174.36 -44,492.57)	12.02	(21,178.90 -44,481.44)	25.80
		(21,153.24 -44,478.75)	4.31	(21,150.03 -44,481.62)	8.05		
137	001- 7	(21,150.03 -44,481.62)	4.31	(21,153.24 -44,478.75)	5.13	(21,157.07 -44,475.34)	9.02
		(21,162.51 -44,468.15)	5.87	(21,165.84 -44,463.31)	5.51	(21,168.96 -44,458.77)	14.14
		(21,175.17 -44,446.07)	5.44	(21,178.83 -44,442.04)	5.60	(21,183.43 -44,438.85)	11.02
		(21,192.85 -44,433.14)	23.51	(21,212.93 -44,420.92)	2.07	(21,214.84 -44,420.13)	1.61
		(21,216.31 -44,419.48)	11.64	(21,226.02 -44,413.06)	8.75	(21,232.44 -44,407.12)	4.13
		(21,234.69 -44,403.66)	12.70	(21,225.37 -44,412.28)	11.57	(21,215.73 -44,418.68)	3.71
		(21,212.30 -44,420.10)	34.55	(21,182.78 -44,438.05)	5.55	(21,178.23 -44,441.22)	5.64
		(21,174.47 -44,445.43)	14.24	(21,168.11 -44,458.17)	11.23	(21,161.76 -44,467.43)	8.93
		(21,156.45 -44,474.61)	8.59	(21,150.01 -44,480.30)	1.32		
118	71	(1/ 2)					
		(21,149.98 -44,472.62)	2.54	(21,151.93 -44,471.00)	19.92	(21,163.74 -44,454.96)	6.56
		(21,166.71 -44,449.11)	7.81	(21,170.35 -44,442.20)	4.15	(21,172.93 -44,438.95)	6.60
		(21,177.99 -44,434.72)	12.43	(21,188.33 -44,427.82)	16.17	(21,202.48 -44,420.00)	7.25
		(21,208.59 -44,416.10)	6.61	(21,203.33 -44,412.09)	3.52	(21,200.14 -44,413.57)	5.26
		(21,195.66 -44,416.33)	5.43	(21,190.78 -44,418.70)	5.70	(21,185.77 -44,421.41)	4.07
		(21,182.27 -44,423.48)	2.08	(21,180.64 -44,424.77)	9.40	(21,174.67 -44,432.03)	14.39
		(21,166.00 -44,443.51)	6.03	(21,162.06 -44,448.08)	2.53	(21,160.21 -44,449.80)	14.11
		(21,149.98 -44,459.52)	13.10				
118	72	(1/ 2)					
		(21,149.98 -44,459.52)	14.11	(21,160.21 -44,449.80)	2.53	(21,162.06 -44,448.08)	6.03
		(21,166.00 -44,443.51)	14.39	(21,174.67 -44,432.03)	9.40	(21,180.64 -44,424.77)	2.08
		(21,182.27 -44,423.48)	4.07	(21,185.77 -44,421.41)	5.70	(21,190.78 -44,418.70)	5.43
		(21,195.66 -44,416.33)	5.26	(21,200.14 -44,413.57)	3.52	(21,203.33 -44,412.09)	7.71

地区 ..003

作業 .. 73

原図番号 .. N1 54-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -44,600.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

118	73-	4	(21,197.36 -44,407.21)	7.28	(@ 21,192.51 -44,401.78)	45.98	(21,150.03 -44,419.37)	40.15
			(21,150.03 -44,419.37)	45.98	(21,192.51 -44,401.78)	1.49	(21,193.87 -44,401.18)	1.22
118	73-	3	(@ 21,193.40 -44,400.05)	6.17	(21,187.23 -44,400.06)	40.32	(21,149.99 -44,415.52)	3.85
			(21,149.99 -44,415.52)	40.32	(21,187.23 -44,400.06)	7.68	(@ 21,179.55 -44,400.04)	32.02
118	73-	2	(21,150.00 -44,412.37)	3.15				
			(21,150.01 -44,406.87)	5.50				
118	002-	9	(21,150.01 -44,406.87)	11.66	(21,159.45 -44,400.02)	7.35	(@ 21,152.10 -44,400.00)	2.61
			(21,150.02 -44,401.57)	5.30				
118	001-	10	(21,150.02 -44,401.57)	2.61	(@ 21,152.10 -44,400.00)	1.73	(21,150.37 -44,400.03)	0.45
			(21,150.02 -44,400.32)	1.25				
118	64		(21,150.02 -44,400.32)	0.45	(21,150.37 -44,400.03)	0.37	(@ 21,150.00 -44,400.02)	0.30
118	001-	8	(21,192.51 -44,401.78)	7.28	(21,197.36 -44,407.21)	7.71	(21,203.33 -44,412.09)	6.61
			(21,208.59 -44,416.10)	2.96	(21,211.21 -44,414.72)	9.67	(21,203.30 -44,409.15)	5.77
			(21,199.06 -44,405.24)	6.14	(@ 21,194.79 -44,400.83)	0.98	(21,193.87 -44,401.18)	1.49
118	001-	9	(@ 21,193.40 -44,400.05)	1.22	(21,193.87 -44,401.18)	0.98	(21,194.79 -44,400.83)	1.61
			(21,196.23 -44,400.12)	0.00	(21,196.23 -44,400.12)	2.83		
118	002-	8	(21,194.79 -44,400.83)	6.14	(21,199.06 -44,405.24)	5.77	(21,203.30 -44,409.15)	9.67
			(21,211.21 -44,414.72)	1.00	(21,212.11 -44,414.29)	10.03	(21,204.03 -44,408.35)	7.48
			(21,198.57 -44,403.24)	3.90	(21,196.23 -44,400.12)	0.00	(@ 21,196.23 -44,400.12)	1.61
118	75-	1	(21,196.23 -44,400.12)	0.00	(21,196.23 -44,400.12)	3.90	(21,198.57 -44,403.24)	7.48
			(21,204.03 -44,408.35)	10.03	(21,212.11 -44,414.29)	11.31	(21,222.13 -44,409.05)	7.98
			(21,227.72 -44,403.36)	4.00	(@ 21,229.98 -44,400.06)	33.75		
118	002-	7	(@ 21,229.98 -44,400.06)	4.00	(21,227.72 -44,403.36)	7.98	(21,222.13 -44,409.05)	11.31
			(21,212.11 -44,414.29)	1.00	(21,211.21 -44,414.72)	2.96	(21,208.59 -44,416.10)	7.25
			(21,202.48 -44,420.00)	16.17	(21,188.33 -44,427.82)	12.43	(21,177.99 -44,434.72)	6.60
			(21,172.93 -44,438.95)	4.15	(21,170.35 -44,442.20)	7.81	(21,166.71 -44,449.11)	6.56
			(21,163.74 -44,454.96)	19.92	(21,151.93 -44,471.00)	2.54	(21,149.98 -44,472.62)	7.68
			(21,150.01 -44,480.30)	8.59	(21,156.45 -44,474.61)	8.93	(21,161.76 -44,467.43)	11.23
			(21,168.11 -44,458.17)	14.24	(21,174.47 -44,445.43)	5.64	(21,178.23 -44,441.22)	5.55
			(21,182.78 -44,438.05)	34.55	(21,212.30 -44,420.10)	3.71	(21,215.73 -44,418.68)	11.57
			(21,225.37 -44,412.28)	12.70	(21,234.69 -44,403.66)	4.30	(21,237.08 -44,400.08)	7.10
136	001-	1	(@ 21,237.08 -44,400.08)	4.30	(21,234.69 -44,403.66)	3.83	(21,235.38 -44,407.43)	1.25
			(21,236.09 -44,406.40)	7.72	(21,240.53 -44,400.09)	3.45		
136	649-	1	(21,240.53 -44,400.09)	7.72	(21,236.09 -44,406.40)	1.25	(21,235.38 -44,407.43)	5.60
			(21,233.69 -44,412.77)	7.38	(21,229.75 -44,419.01)	42.40	(21,272.15 -44,418.76)	7.61
			(21,272.18 -44,411.15)	11.04	(21,272.23 -44,400.11)	31.70		
136	634		(@ 21,272.23 -44,400.11)	11.04	(21,272.18 -44,411.15)	27.84	(21,300.02 -44,411.13)	11.00

地区 ..003

作業 .. 73

原図番号 .. N1 54-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -44,600.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

136	633	(21,300.03 (2/ 2)	-44,400.13)	27.80							
		(@ 21,300.02	-44,411.13)	27.84	(21,272.18	-44,411.15)	7.61	(21,272.15	-44,418.76)	26.75	
		(21,272.13	-44,445.51)	5.50	(21,277.62	-44,445.80)	18.11	(21,295.72	-44,445.20)	4.33	
136	632	(21,300.02 (2/ 2)	-44,445.73)	34.60							
		(21,300.02	-44,445.73)	4.33	(21,295.72	-44,445.20)	18.11	(21,277.62	-44,445.80)	5.50	
		(21,272.13	-44,445.51)	11.32	(21,260.82	-44,444.94)	4.25	(21,256.62	-44,444.30)	10.22	
		(21,246.63	-44,442.13)	3.46	(@ 21,243.18	-44,441.85)	6.37	(21,236.89	-44,442.83)	0.98	
		(21,237.57	-44,443.53)	4.93	(21,241.39	-44,446.64)	4.12	(21,244.33	-44,449.52)	4.76	
		(21,246.60	-44,453.70)	5.98	(21,247.48	-44,459.61)	5.15	(21,246.92	-44,464.73)	9.63	
		(21,243.68	-44,473.80)	8.68	(21,240.11	-44,481.71)	4.52	(21,244.63	-44,481.85)	4.50	
		(21,249.03	-44,482.81)	9.51	(21,257.25	-44,487.59)	4.91	(21,262.14	-44,487.99)	12.03	
		(21,274.14	-44,487.17)	13.82	(21,287.82	-44,485.20)	12.38	(21,300.03	-44,483.13)	37.40	
136	002- 1	(@ 21,300.03	-44,483.13)	12.38	(21,287.82	-44,485.20)	13.82	(21,274.14	-44,487.17)	12.03	
		(21,262.14	-44,487.99)	4.91	(21,257.25	-44,487.59)	6.33	(21,256.24	-44,493.84)	2.12	
		(21,257.73	-44,492.33)	3.82	(21,261.53	-44,491.96)	14.83	(21,276.29	-44,490.55)	17.13	
136	618	(21,293.27 (2/ 2)	-44,488.26)	6.83	(21,300.02	-44,487.23)	4.10				
		(@ 21,300.02	-44,487.23)	6.83	(21,293.27	-44,488.26)	17.13	(21,276.29	-44,490.55)	14.83	
		(21,261.53	-44,491.96)	3.82	(21,257.73	-44,492.33)	2.12	(21,256.24	-44,493.84)	5.56	
136	617	(21,255.74 (2/ 2)	-44,499.38)	8.93	(21,257.77	-44,508.08)	42.40	(21,299.96	-44,512.33)	25.10	
		(21,299.96	-44,512.33)	42.40	(@ 21,257.77	-44,508.08)	4.06	(21,258.91	-44,511.98)	9.58	
		(21,263.92	-44,520.15)	33.18	(21,296.78	-44,524.77)	6.20	(21,298.92	-44,518.95)	2.88	
136	001- 2	(21,300.00	-44,516.28)	3.95							
		(@ 21,300.00	-44,516.28)	2.88	(21,298.92	-44,518.95)	6.20	(21,296.78	-44,524.77)	7.73	
		(21,294.11	-44,532.02)	15.18	(21,288.68	-44,546.20)	2.41	(21,290.87	-44,547.21)	15.05	
136	614	(21,296.11 (2/ 2)	-44,533.10)	11.32	(21,300.03	-44,522.48)	6.20				
		(@ 21,300.03	-44,522.48)	11.32	(21,296.11	-44,533.10)	15.05	(21,290.87	-44,547.21)	8.84	
		(21,298.69	-44,551.33)	1.45	(21,300.01	-44,551.93)	29.45				
134	002- 2	(21,300.01	-44,551.93)	1.45	(21,298.69	-44,551.33)	8.84	(@ 21,290.87	-44,547.21)	1.95	
134	584	(21,290.01 (2/ 2)	-44,548.96)	9.10	(21,298.04	-44,553.25)	2.10	(21,300.01	-44,553.98)	2.05	
		(21,300.01	-44,553.98)	2.10	(21,298.04	-44,553.25)	9.10	(@ 21,290.01	-44,548.96)	2.17	
		(21,288.99	-44,550.88)	11.71	(21,284.32	-44,561.62)	8.99	(21,281.37	-44,570.11)	5.15	
		(21,280.46	-44,575.18)	6.66	(21,280.09	-44,581.83)	5.47	(21,279.63	-44,587.28)	9.58	
		(21,288.67	-44,590.45)	5.80	(21,294.22	-44,592.12)	6.09	(21,300.07	-44,593.83)	39.85	
134	585	(4/ 4)									
		(21,300.03	-44,600.13)	6.30	(21,300.07	-44,593.83)	6.09	(21,294.22	-44,592.12)	5.80	
		(21,288.67	-44,590.45)	9.58	(@ 21,279.63	-44,587.28)	11.64	(21,275.65	-44,598.22)	2.15	
		(21,274.55	-44,600.07)	25.48							
134	001- 3	(21,274.55	-44,600.07)	2.15	(21,275.65	-44,598.22)	11.64	(21,279.63	-44,587.28)	5.47	
		(21,280.09	-44,581.83)	6.66	(21,280.46	-44,575.18)	5.15	(21,281.37	-44,570.11)	8.99	
		(21,284.32	-44,561.62)	11.71	(21,288.99	-44,550.88)	2.17	(21,290.01	-44,548.96)	1.95	
		(21,290.87	-44,547.21)	2.41	(@ 21,288.68	-44,546.20)	1.87	(21,287.79	-44,547.85)	2.47	
		(21,286.62	-44,550.02)	11.58	(21,282.12	-44,560.69)	9.58	(21,278.80	-44,569.68)	5.36	

地区 ..003

作業 .. 73

原図番号 .. N1 54-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -44,600.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,278.01 -44,574.98)	3.97	(21,278.38 -44,578.93)	8.73	(21,277.03 -44,587.55)	10.32
		(21,273.18 -44,597.12)	2.85	(21,271.85 -44,599.64)	0.62	(21,271.45 -44,600.11)	3.10
134	583	(2/ 2)					
		(21,271.45 -44,600.11)	0.62	(21,271.85 -44,599.64)	2.85	(21,273.18 -44,597.12)	10.32
		(21,277.03 -44,587.55)	8.73	(21,278.38 -44,578.93)	3.97	(21,278.01 -44,574.98)	5.36
		(21,278.80 -44,569.68)	9.58	(21,282.12 -44,560.69)	11.58	(21,286.62 -44,550.02)	2.47
		(21,287.79 -44,547.85)	21.56	(21,266.80 -44,542.94)	11.62	(21,263.31 -44,554.02)	8.72
		(21,260.54 -44,562.29)	8.86	(21,258.99 -44,571.01)	5.94	(21,257.96 -44,576.86)	5.94
		(21,256.04 -44,582.48)	5.62	(21,253.28 -44,587.37)	5.11	(21,250.64 -44,591.74)	3.95
		(21,247.48 -44,594.11)	5.66	(21,251.14 -44,598.43)	3.08	(21,254.16 -44,597.82)	4.71
		(21,258.85 -44,598.26)	3.38	(21,262.13 -44,599.09)	2.30	(21,264.20 -44,600.10)	7.25
134	001-	4					
		(21,264.20 -44,600.10)	2.30	(21,262.13 -44,599.09)	3.38	(21,258.85 -44,598.26)	4.71
		(21,254.16 -44,597.82)	3.08	(21,251.14 -44,598.43)	3.49	(21,248.05 -44,600.06)	16.15
134	582-	2	(2/ 2)				
		(21,248.05 -44,600.06)	3.49	(21,251.14 -44,598.43)	5.66	(21,247.48 -44,594.11)	6.39
		(21,245.13 -44,600.05)	2.92				
137	675-	2	(2/ 2)				
		(21,245.13 -44,600.05)	6.39	(21,247.48 -44,594.11)	5.90	(21,242.78 -44,597.67)	3.80
		(21,239.85 -44,600.09)	5.28				
137	002-	4					
		(21,239.85 -44,600.09)	3.80	(21,242.78 -44,597.67)	5.90	(21,247.48 -44,594.11)	3.95
		(21,250.64 -44,591.74)	5.11	(21,253.28 -44,587.37)	5.62	(21,256.04 -44,582.48)	5.94
		(21,257.96 -44,576.86)	5.94	(21,258.99 -44,571.01)	8.86	(21,260.54 -44,562.29)	8.72
		(21,263.31 -44,554.02)	11.62	(21,266.80 -44,542.94)	2.68	(21,266.16 -44,540.34)	7.72
		(21,266.79 -44,532.65)	8.58	(21,265.83 -44,524.12)	4.41	(21,263.92 -44,520.15)	9.58
		(21,258.91 -44,511.98)	4.06	(21,257.77 -44,508.08)	8.93	(21,255.74 -44,499.38)	5.56
		(21,256.24 -44,493.84)	6.33	(21,257.25 -44,487.59)	9.51	(21,249.03 -44,482.81)	4.50
		(21,244.63 -44,481.85)	4.52	(21,240.11 -44,481.71)	8.68	(21,243.68 -44,473.80)	9.63
		(21,246.92 -44,464.73)	5.15	(21,247.48 -44,459.61)	5.98	(21,246.60 -44,453.70)	4.76
		(21,244.33 -44,449.52)	4.12	(21,241.39 -44,446.64)	4.93	(21,237.57 -44,443.53)	0.98
		(21,236.89 -44,442.83)	2.82	(21,234.95 -44,440.78)	5.85	(21,232.49 -44,435.47)	3.86
		(21,230.45 -44,432.19)	5.08	(21,227.06 -44,428.41)	2.16	(21,226.24 -44,426.41)	3.30
		(21,227.22 -44,423.26)	4.95	(21,229.75 -44,419.01)	7.38	(21,233.69 -44,412.77)	5.60
		(21,235.38 -44,407.43)	10.85	(21,229.34 -44,416.44)	10.22	(21,223.39 -44,424.75)	5.49
		(21,221.74 -44,429.99)	8.39	(21,227.99 -44,435.58)	6.92	(21,230.98 -44,441.82)	4.23
		(21,233.02 -44,445.52)	1.34	(21,234.13 -44,446.27)	1.14	(21,235.11 -44,446.85)	3.31
		(21,238.09 -44,448.28)	3.46	(21,240.71 -44,450.54)	3.31	(21,242.42 -44,453.37)	2.57
		(21,242.87 -44,455.90)	5.28	(21,243.76 -44,461.10)	6.42	(21,241.82 -44,467.22)	10.85
		(21,237.89 -44,477.33)	8.12	(21,233.39 -44,484.09)	6.13	(21,238.79 -44,486.99)	12.25
		(21,250.71 -44,489.81)	3.15	(21,250.33 -44,492.94)	4.26	(21,248.45 -44,496.76)	1.16
		(21,249.34 -44,497.51)	2.58	(21,251.36 -44,499.12)	5.69	(21,251.78 -44,504.79)	7.13
		(21,254.44 -44,511.40)	9.92	(21,259.42 -44,519.98)	5.55	(21,262.10 -44,524.84)	4.86
		(21,263.34 -44,529.54)	4.40	(21,263.26 -44,533.94)	9.27	(21,262.69 -44,543.19)	7.03
		(21,260.14 -44,549.74)	7.59	(21,257.80 -44,556.96)	7.32	(21,255.96 -44,564.05)	6.26
		(21,255.30 -44,570.28)	4.09	(21,254.38 -44,574.27)	3.75	(21,253.45 -44,577.90)	5.50
		(21,250.97 -44,582.81)	8.37	(21,245.68 -44,589.30)	12.27	(21,236.58 -44,597.53)	3.55
		(21,234.10 -44,600.07)	5.75				
137	675-	1	(2/ 2)				
		(21,234.10 -44,600.07)	3.55	(21,236.58 -44,597.53)	12.27	(21,245.68 -44,589.30)	8.37
		(21,250.97 -44,582.81)	5.50	(21,253.45 -44,577.90)	3.75	(21,254.38 -44,574.27)	6.21
		(21,248.34 -44,572.81)	5.29	(21,243.37 -44,571.00)	3.69	(21,240.05 -44,569.39)	4.68

地区 ..003

作業 .. 73

原図番号 .. N1 54-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -44,600.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,236.00 -44,567.05)	4.07	(21,232.95 -44,564.36)	4.56	(21,230.25 -44,568.04)	4.76
		(21,226.94 -44,571.46)	4.26	(21,223.56 -44,574.05)	6.96	(21,217.40 -44,577.29)	4.28
		(21,213.45 -44,578.93)	9.89	(21,204.39 -44,582.90)	8.06	(21,196.73 -44,585.41)	5.60
		(21,191.23 -44,586.47)	0.90	(21,190.37 -44,586.72)	9.76	(21,192.26 -44,596.30)	3.74
		(21,192.50 -44,600.03)	41.60				
137	671- 2	(21,185.47 -44,548.94)	30.58	(21,155.08 -44,545.57)	6.95	(21,151.91 -44,551.75)	3.85
		(21,150.26 -44,555.23)	34.06	(21,183.84 -44,560.92)	12.09		
137	673	(21,212.19 -44,550.35)	1.31	(21,210.89 -44,550.17)	1.85	(21,209.04 -44,550.27)	1.62
		(21,207.47 -44,550.66)	1.44	(21,206.04 -44,550.83)	4.33	(21,201.72 -44,551.05)	5.03
		(21,196.69 -44,551.19)	3.21	(21,193.49 -44,550.93)	2.79	(21,190.74 -44,550.45)	5.48
		(21,185.47 -44,548.94)	12.09	(21,183.84 -44,560.92)	4.16	(21,183.31 -44,565.05)	7.01
		(21,182.02 -44,571.94)	15.87	(21,196.63 -44,565.74)	14.97	(21,210.57 -44,560.29)	11.37
		(21,220.26 -44,554.34)	9.00				
137	674	(21,220.26 -44,554.34)	11.37	(21,210.57 -44,560.29)	14.97	(21,196.63 -44,565.74)	15.87
		(21,182.02 -44,571.94)	2.38	(21,179.69 -44,572.42)	2.90	(21,176.79 -44,572.44)	3.78
		(21,173.07 -44,571.78)	7.99	(21,171.12 -44,579.53)	5.21	(21,169.69 -44,584.54)	2.49
		(21,170.43 -44,586.92)	1.51	(21,171.40 -44,588.08)	1.16	(21,172.50 -44,588.45)	2.24
		(21,174.70 -44,588.88)	7.50	(21,182.18 -44,588.40)	4.27	(21,186.38 -44,587.61)	4.09
		(21,190.37 -44,586.72)	0.90	(21,191.23 -44,586.47)	5.60	(21,196.73 -44,585.41)	8.06
		(21,204.39 -44,582.90)	9.89	(21,213.45 -44,578.93)	4.28	(21,217.40 -44,577.29)	6.96
		(21,223.56 -44,574.05)	4.26	(21,226.94 -44,571.46)	4.76	(21,230.25 -44,568.04)	4.56
		(21,232.95 -44,564.36)	0.41	(21,232.66 -44,564.07)	2.32	(21,234.04 -44,562.20)	2.03
		(21,235.04 -44,560.43)	3.04	(21,236.10 -44,557.58)	2.32	(21,236.67 -44,555.33)	7.39
		(21,229.33 -44,554.46)	4.62	(21,224.71 -44,554.30)	3.40	(21,221.31 -44,554.42)	1.05
137	663	(21,236.10 -44,557.58)	3.04	(21,235.04 -44,560.43)	2.03	(21,234.04 -44,562.20)	2.32
		(21,232.66 -44,564.07)	0.41	(21,232.95 -44,564.36)	4.07	(21,236.00 -44,567.05)	4.68
		(21,240.05 -44,569.39)	3.69	(21,243.37 -44,571.00)	5.29	(21,248.34 -44,572.81)	6.21
		(21,254.38 -44,574.27)	4.09	(21,255.30 -44,570.28)	6.26	(21,255.96 -44,564.05)	7.32
		(21,257.80 -44,556.96)	7.59	(21,260.14 -44,549.74)	7.03	(21,262.69 -44,543.19)	9.27
		(21,263.26 -44,533.94)	4.40	(21,263.34 -44,529.54)	4.86	(21,262.10 -44,524.84)	5.55
		(21,259.42 -44,519.98)	9.92	(21,254.44 -44,511.40)	7.13	(21,251.78 -44,504.79)	5.69
		(21,251.36 -44,499.12)	2.58	(21,249.34 -44,497.51)	3.85	(21,247.39 -44,500.83)	3.56
		(21,245.78 -44,504.00)	4.56	(21,244.12 -44,508.25)	3.28	(21,243.04 -44,511.35)	2.03
		(21,242.66 -44,513.34)	10.86	(21,241.08 -44,524.08)	9.93	(21,239.92 -44,533.94)	7.98
		(21,239.24 -44,541.89)	13.66	(21,237.26 -44,555.41)	0.60	(21,236.67 -44,555.33)	2.32
134	002- 3	(21,266.80 -44,542.94)	21.56	(21,287.79 -44,547.85)	1.87	(21,288.68 -44,546.20)	14.51
		(21,274.56 -44,542.85)	8.77	(21,266.16 -44,540.34)	2.68		
136	616	(21,263.92 -44,520.15)	4.41	(21,265.83 -44,524.12)	8.58	(21,266.79 -44,532.65)	7.72
		(21,266.16 -44,540.34)	8.77	(21,274.56 -44,542.85)	14.51	(21,288.68 -44,546.20)	15.18
		(21,294.11 -44,532.02)	7.73	(21,296.78 -44,524.77)	33.18		
136	651	(21,272.15 -44,418.76)	42.40	(21,229.75 -44,419.01)	4.95	(21,227.22 -44,423.26)	3.30
		(21,226.24 -44,426.41)	2.16	(21,227.06 -44,428.41)	5.08	(21,230.45 -44,432.19)	3.86
		(21,232.49 -44,435.47)	5.85	(21,234.95 -44,440.78)	2.82	(21,236.89 -44,442.83)	6.37
		(21,243.18 -44,441.85)	3.46	(21,246.63 -44,442.13)	10.22	(21,256.62 -44,444.30)	4.25
		(21,260.82 -44,444.94)	11.32	(21,272.13 -44,445.51)	26.75		

地区 ..003

作業 .. 73

原図番号 .. N1 54-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -44,600.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

137	653-	2	(21,183.43 -44,438.85)	5.60	(21,178.83 -44,442.04)	5.44	(21,175.17 -44,446.07)	21.90
		(@ 21,192.85 -44,433.14)	11.02					
137	659-	2	(21,162.51 -44,468.15)	9.02	(21,157.07 -44,475.34)	5.13	(21,153.24 -44,478.75)	25.80
		(21,178.90 -44,481.44)	12.73	(21,183.69 -44,469.65)	6.10	(21,177.63 -44,470.32)	2.52	
		(21,175.13 -44,470.03)	1.82	(21,173.38 -44,469.53)	2.03	(21,171.71 -44,468.38)	5.87	
		(21,167.42 -44,464.37)	1.90	(@ 21,165.84 -44,463.31)	5.87			
137	653-	1	(21,192.85 -44,433.14)	21.90	(21,175.17 -44,446.07)	14.14	(21,168.96 -44,458.77)	5.51
		(21,165.84 -44,463.31)	1.90	(21,167.42 -44,464.37)	5.87	(21,171.71 -44,468.38)	2.03	
		(21,173.38 -44,469.53)	1.82	(21,175.13 -44,470.03)	2.52	(21,177.63 -44,470.32)	6.10	
		(21,183.69 -44,469.65)	3.04	(21,186.11 -44,467.81)	7.40	(21,191.88 -44,463.17)	6.26	
		(21,195.89 -44,458.36)	17.52	(21,207.24 -44,445.01)	9.06	(21,213.06 -44,438.07)	6.63	
		(21,216.85 -44,432.63)	5.18	(21,218.94 -44,427.89)	9.20	(@ 21,212.93 -44,420.92)	23.51	
137	001-	6	(21,212.93 -44,420.92)	9.20	(21,218.94 -44,427.89)	2.65	(21,219.96 -44,425.44)	7.38
		(@ 21,214.84 -44,420.13)	2.07					
137	652-	1	(21,216.31 -44,419.48)	4.66	(21,219.20 -44,423.14)	2.50	(21,221.62 -44,423.76)	11.46
		(21,228.14 -44,414.34)	8.40	(@ 21,232.44 -44,407.12)	8.75	(21,226.02 -44,413.06)	11.64	
137	655	(@ 21,211.98 -44,445.02)	1.42	(21,211.17 -44,446.19)	20.28	(21,198.23 -44,461.81)	11.04	
		(21,190.68 -44,469.87)	6.14	(21,186.60 -44,474.46)	28.09	(21,213.62 -44,482.14)	5.64	
		(21,216.72 -44,477.43)	4.37	(21,218.80 -44,473.59)	4.04	(21,220.18 -44,469.79)	3.98	
		(21,221.29 -44,465.97)	4.32	(21,222.08 -44,461.72)	3.55	(21,222.69 -44,458.22)	2.39	
		(21,223.02 -44,455.85)	2.04	(21,223.00 -44,453.81)	14.10			
137	656	(21,223.00 -44,453.81)	2.04	(21,223.02 -44,455.85)	2.39	(21,222.69 -44,458.22)	3.55	
		(21,222.08 -44,461.72)	4.32	(21,221.29 -44,465.97)	3.98	(21,220.18 -44,469.79)	4.04	
		(21,218.80 -44,473.59)	4.37	(21,216.72 -44,477.43)	5.64	(21,213.62 -44,482.14)	13.95	
		(21,227.12 -44,485.66)	2.86	(21,229.95 -44,486.06)	3.45	(21,233.35 -44,485.47)	1.38	
		(21,233.39 -44,484.09)	8.12	(21,237.89 -44,477.33)	10.85	(21,241.82 -44,467.22)	6.42	
		(21,243.76 -44,461.10)	5.28	(21,242.87 -44,455.90)	2.57	(21,242.42 -44,453.37)	3.31	
		(21,240.71 -44,450.54)	3.46	(21,238.09 -44,448.28)	3.31	(21,235.11 -44,446.85)	1.14	
		(@ 21,234.13 -44,446.27)	4.87	(21,229.54 -44,447.89)	3.30	(21,226.71 -44,449.58)	2.64	
		(21,224.90 -44,451.50)	2.99					
137	654	(21,223.00 -44,453.81)	2.99	(21,224.90 -44,451.50)	2.64	(21,226.71 -44,449.58)	3.30	
		(21,229.54 -44,447.89)	4.87	(21,234.13 -44,446.27)	1.34	(21,233.02 -44,445.52)	4.23	
		(21,230.98 -44,441.82)	6.92	(21,227.99 -44,435.58)	8.39	(@ 21,221.74 -44,429.99)	4.71	
		(21,219.64 -44,434.21)	13.25	(21,211.98 -44,445.02)	14.10			
137	657	(21,242.66 -44,513.34)	2.03	(21,243.04 -44,511.35)	3.28	(21,244.12 -44,508.25)	4.56	
		(21,245.78 -44,504.00)	3.56	(21,247.39 -44,500.83)	3.85	(21,249.34 -44,497.51)	1.16	
		(21,248.45 -44,496.76)	4.26	(21,250.33 -44,492.94)	3.15	(21,250.71 -44,489.81)	12.25	
		(21,238.79 -44,486.99)	6.13	(21,233.39 -44,484.09)	1.38	(21,233.35 -44,485.47)	3.45	
		(21,229.95 -44,486.06)	2.86	(21,227.12 -44,485.66)	13.95	(21,213.62 -44,482.14)	28.09	
		(@ 21,186.60 -44,474.46)	2.94	(21,185.37 -44,477.13)	7.24	(21,182.45 -44,483.75)	18.92	
		(21,175.37 -44,501.30)	68.36					
137	662	(@ 21,175.37 -44,501.30)	3.18	(21,174.20 -44,504.26)	3.79	(21,172.67 -44,507.73)	3.74	

地区 ..003 作業 .. 73 原図番号 .. N1 54-2 縮尺 ..1/ 500 基準点 ..X 21,150.00..Y -44,600.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,170.61 -44,510.85)	2.55	(21,168.81 -44,512.65)	73.17	(21,241.08 -44,524.08)	10.86
		(21,242.66 -44,513.34)	68.36				
137	665	(21,239.92 -44,533.94)	9.93	(21,241.08 -44,524.08)	73.17	(21,168.81 -44,512.65)	7.01
		(21,163.80 -44,517.56)	5.14	(21,161.48 -44,522.15)	79.32		
137	664	(21,161.48 -44,522.15)	4.09	(21,160.10 -44,526.00)	5.04	(21,158.99 -44,530.92)	6.89
		(21,157.62 -44,537.67)	8.30	(21,155.08 -44,545.57)	30.58	(21,185.47 -44,548.94)	5.48
		(21,190.74 -44,550.45)	2.79	(21,193.49 -44,550.93)	3.21	(21,196.69 -44,551.19)	5.03
		(21,201.72 -44,551.05)	4.33	(21,206.04 -44,550.83)	1.44	(21,207.47 -44,550.66)	1.62
		(21,209.04 -44,550.27)	1.85	(21,210.89 -44,550.17)	1.31	(21,212.19 -44,550.35)	9.00
		(21,220.26 -44,554.34)	1.05	(21,221.31 -44,554.42)	3.40	(21,224.71 -44,554.30)	4.62
		(21,229.33 -44,554.46)	7.39	(21,236.67 -44,555.33)	0.60	(21,237.26 -44,555.41)	13.66
		(21,239.24 -44,541.89)	7.98	(21,239.92 -44,533.94)	79.32		