

地区..003 作業..74 原図番号..N1 54-3 縮尺..1/ 500 基準点..X 21,000.00..Y -44,800.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,000.00 -44,800.00)	50.03	(21,050.03 -44,800.01)	49.94	(21,099.97 -44,800.07)	50.03
		(21,150.00 -44,800.14)	49.95	(21,150.04 -44,750.19)	50.05	(21,150.05 -44,700.14)	49.95
		(21,150.01 -44,650.19)	50.05	(21,150.02 -44,600.14)	49.95	(21,100.07 -44,600.12)	50.05
		(21,050.02 -44,600.06)	50.02	(21,000.00 -44,600.00)	50.00	(20,999.96 -44,650.00)	50.00
		(21,000.00 -44,700.00)	50.00	(20,999.99 -44,750.00)	50.00		
139	766- 6	(21,037.75 -44,780.15)	2.56	(21,036.15 -44,778.15)	11.00	(21,028.56 -44,770.19)	13.09
		(21,015.55 -44,771.63)	5.44	(21,015.70 -44,777.07)	2.28	(21,013.55 -44,777.82)	4.77
		(21,008.93 -44,778.99)	3.55	(21,005.40 -44,779.41)	16.90	(21,007.39 -44,796.19)	11.20
		(21,017.44 -44,791.25)	4.29	(21,021.11 -44,789.03)	17.68	(21,036.70 -44,780.70)	1.19
139	769- 2	(21,036.70 -44,780.70)	13.19	(21,045.51 -44,790.51)	0.99	(21,046.34 -44,789.97)	11.08
		(21,038.97 -44,781.70)	1.97	(21,037.75 -44,780.15)	1.19		
139	002- 8	(21,055.42 -44,800.04)	3.40	(21,054.08 -44,796.92)	10.23	(21,048.59 -44,788.29)	25.01
		(21,031.74 -44,769.81)	12.75	(21,023.27 -44,760.28)	2.66	(21,020.64 -44,760.68)	12.38
		(21,028.56 -44,770.19)	11.00	(21,036.15 -44,778.15)	2.56	(21,037.75 -44,780.15)	1.97
		(21,038.97 -44,781.70)	11.08	(21,046.34 -44,789.97)	1.00	(21,047.01 -44,790.71)	10.21
		(21,052.06 -44,799.58)	0.52	(21,052.22 -44,800.07)	3.20		
139	770	(21,052.22 -44,800.07)	0.52	(21,052.06 -44,799.58)	1.10	(21,051.07 -44,800.06)	1.15
139	769- 1	(21,051.07 -44,800.06)	1.10	(21,052.06 -44,799.58)	10.21	(21,047.01 -44,790.71)	1.00
		(21,046.34 -44,789.97)	0.99	(21,045.51 -44,790.51)	13.19	(21,036.70 -44,780.70)	17.68
		(21,021.11 -44,789.03)	4.29	(21,017.44 -44,791.25)	11.20	(21,007.39 -44,796.19)	3.52
		(21,004.18 -44,797.63)	2.75	(21,001.53 -44,798.35)	1.50	(21,000.03 -44,798.33)	1.67
		(21,000.00 -44,800.00)	51.07				
139	766- 2	(21,000.03 -44,798.33)	1.50	(21,001.53 -44,798.35)	2.75	(21,004.18 -44,797.63)	3.52
		(21,007.39 -44,796.19)	16.90	(21,005.40 -44,779.41)	3.55	(21,008.93 -44,778.99)	4.77
		(21,013.55 -44,777.82)	2.28	(21,015.70 -44,777.07)	5.44	(21,015.55 -44,771.63)	0.89
		(21,014.66 -44,771.54)	14.72	(21,000.01 -44,772.95)	25.38		
139	001- 10	(21,000.01 -44,772.95)	14.72	(21,014.66 -44,771.54)	0.89	(21,015.55 -44,771.63)	13.09
		(21,028.56 -44,770.19)	12.38	(21,020.64 -44,760.68)	20.70	(21,000.02 -44,762.50)	10.45
139	766- 1	(21,000.02 -44,762.50)	20.70	(21,020.64 -44,760.68)	3.75	(21,018.58 -44,757.55)	7.49
		(21,013.46 -44,752.09)	2.27	(21,012.74 -44,749.94)	4.66	(21,012.34 -44,745.30)	7.27
		(21,005.09 -44,745.89)	5.03	(21,002.59 -44,750.25)	5.36	(21,000.21 -44,755.05)	0.60
		(20,999.98 -44,755.60)	6.90				
139	001- 11	(20,999.98 -44,755.60)	0.60	(21,000.21 -44,755.05)	5.36	(21,002.59 -44,750.25)	5.03
		(21,005.09 -44,745.89)	3.75	(21,007.00 -44,742.66)	3.72	(21,008.50 -44,739.26)	7.65
		(21,011.03 -44,732.04)	3.93	(21,012.78 -44,728.52)	4.09	(21,011.57 -44,724.61)	4.59
		(21,009.41 -44,728.66)	4.93	(21,007.63 -44,733.26)	5.38	(21,005.93 -44,738.36)	5.77
		(21,003.12 -44,743.40)	6.28	(20,999.99 -44,748.85)	6.75		
139	002- 7	(20,999.99 -44,748.85)	6.28	(21,003.12 -44,743.40)	5.77	(21,005.93 -44,738.36)	5.38
		(21,007.63 -44,733.26)	4.93	(21,009.41 -44,728.66)	4.59	(21,011.57 -44,724.61)	3.78
		(21,011.12 -44,720.86)	12.17	(21,012.21 -44,708.74)	11.97	(21,012.20 -44,696.77)	18.58
		(21,014.78 -44,678.37)	7.28	(21,015.61 -44,671.14)	4.27	(21,016.84 -44,667.05)	4.26

地区 ..003

作業 .. 74

原図番号 .. N1 54-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -44,800.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,019.23 -44,663.52)	6.54	(@ 21,013.25 -44,660.87)	10.22	(21,008.89 -44,670.11)	14.45
		(21,007.67 -44,684.51)	1.38	(21,006.88 -44,685.64)	7.65	(21,007.58 -44,693.26)	9.60
		(21,007.70 -44,702.86)	9.98	(21,007.28 -44,712.83)	7.21	(21,006.33 -44,719.98)	4.15
		(21,005.32 -44,724.01)	5.41	(21,004.69 -44,729.38)	9.37	(21,002.55 -44,738.50)	1.05
		(21,001.92 -44,739.34)	3.04	(21,000.00 -44,741.70)	7.15		
139	724- 2	(1/ 2)					
139	724- 1	(1/ 2)		(@ 21,001.92 -44,739.34)	1.92	(21,000.00 -44,739.40)	2.30
		(21,000.00 -44,739.40)	1.92	(21,001.92 -44,739.34)	1.05	(21,002.55 -44,738.50)	9.37
		(21,004.69 -44,729.38)	5.41	(21,005.32 -44,724.01)	4.15	(21,006.33 -44,719.98)	7.21
		(21,007.28 -44,712.83)	9.98	(21,007.70 -44,702.86)	9.60	(21,007.58 -44,693.26)	7.65
		(21,006.88 -44,685.64)	6.88	(@ 21,000.02 -44,685.15)	54.25		
139	002- 6						
		(21,000.02 -44,685.15)	6.88	(21,006.88 -44,685.64)	1.38	(21,007.67 -44,684.51)	7.67
139	722	(1/ 2)					
		(21,000.02 -44,684.00)	7.67	(21,007.67 -44,684.51)	14.45	(21,008.89 -44,670.11)	10.22
		(21,013.25 -44,660.87)	3.44	(21,010.00 -44,659.74)	6.02	(@ 21,003.98 -44,659.55)	3.99
117	22	(1/ 2)					
		(21,000.01 -44,654.15)	2.99	(21,002.98 -44,653.83)	4.00	(21,006.98 -44,653.76)	4.12
		(21,011.06 -44,654.36)	5.70	(21,016.61 -44,655.67)	2.98	(21,019.48 -44,654.85)	3.50
		(21,021.56 -44,652.03)	6.45	(21,022.15 -44,645.61)	1.07	(21,021.22 -44,646.13)	2.38
		(21,019.32 -44,647.57)	1.76	(21,017.57 -44,647.77)	8.57	(21,009.49 -44,644.91)	7.30
		(21,002.72 -44,642.18)	3.10	(@ 20,999.97 -44,640.75)	13.40		
117	23- 2	(1/ 2)					
		(20,999.97 -44,640.75)	3.10	(21,002.72 -44,642.18)	7.30	(21,009.49 -44,644.91)	8.57
		(21,017.57 -44,647.77)	1.76	(21,019.32 -44,647.57)	2.38	(21,021.22 -44,646.13)	1.07
		(21,022.15 -44,645.61)	3.68	(21,022.42 -44,641.94)	24.57	(@ 20,999.99 -44,631.90)	8.85
117	23- 1	(1/ 2)					
		(20,999.99 -44,631.90)	24.57	(21,022.42 -44,641.94)	5.79	(21,024.84 -44,636.68)	27.74
		(@ 20,999.99 -44,624.35)	7.55				
117	001- 6						
		(20,999.99 -44,624.35)	27.74	(21,024.84 -44,636.68)	2.74	(21,026.72 -44,634.68)	29.73
117	24	(1/ 2)					
		(21,000.00 -44,621.65)	29.73	(21,026.72 -44,634.68)	9.61	(21,032.48 -44,626.99)	15.04
		(21,018.75 -44,620.86)	0.94	(21,017.90 -44,620.46)	15.99	(@ 21,003.17 -44,614.24)	7.56
		(21,000.00 -44,621.10)	0.55				
117	42- 1	(1/ 4)					
		(@ 21,000.00 -44,600.00)	12.82	(21,000.01 -44,612.82)	14.24	(21,006.22 -44,600.01)	6.22
117	001- 5						
		(@ 21,006.22 -44,600.01)	14.24	(21,000.01 -44,612.82)	2.45	(21,000.01 -44,615.27)	16.92
		(21,007.32 -44,600.01)	1.10				
117	002- 5						
		(@ 21,007.32 -44,600.01)	16.92	(21,000.01 -44,615.27)	5.83	(21,000.00 -44,621.10)	7.56
		(21,003.17 -44,614.24)	15.62	(21,009.62 -44,600.01)	2.30		
117	25	(1/ 2)					
		(@ 21,009.62 -44,600.01)	15.62	(21,003.17 -44,614.24)	15.99	(21,017.90 -44,620.46)	17.46
		(21,025.27 -44,604.63)	11.93	(21,014.27 -44,600.02)	4.65		
117	28- 2	(1/ 2)					
		(@ 21,014.27 -44,600.02)	11.93	(21,025.27 -44,604.63)	3.70	(21,027.17 -44,601.46)	1.61

字 地番及び座標 (X ; Y) & 座標間距離 (m)

[illegible]

地区 ..003

作業 .. 74

原図番号 .. N1 54-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -44,800.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,055.84 -44,627.74)	13.18	(21,053.32 -44,640.68)	1.55	(21,054.87 -44,640.67)	9.93
		(21,064.75 -44,639.63)	6.66	(21,071.33 -44,638.59)	4.70	(21,075.91 -44,637.54)	19.77
		(21,083.30 -44,619.20)	4.99	(21,087.93 -44,621.06)	1.68	(21,088.57 -44,619.51)	13.37
		(21,093.67 -44,607.15)	4.92	(21,095.47 -44,602.57)	6.58	(21,089.37 -44,600.11)	15.25
137	683-	2 (1/ 2)					
		(21,089.37 -44,600.11)	6.58	(21,095.47 -44,602.57)	9.65	(21,104.38 -44,606.28)	6.70
137	681-	1 (1/ 2)					
		(21,106.92 -44,600.08)	17.55				
		(21,106.92 -44,600.08)	6.70	(21,104.38 -44,606.28)	7.35	(21,111.15 -44,609.14)	0.66
		(21,111.76 -44,609.39)	11.28	(21,122.16 -44,613.77)	14.94	(21,128.22 -44,600.11)	21.30
137	001-	2 (1/ 2)					
		(21,128.22 -44,600.11)	14.94	(21,122.16 -44,613.77)	5.03	(21,120.19 -44,618.40)	11.63
		(21,115.74 -44,629.14)	3.64	(21,112.99 -44,631.52)	1.86	(21,111.27 -44,632.24)	6.60
		(21,117.80 -44,631.30)	0.56	(21,117.54 -44,630.80)	13.75	(21,123.15 -44,618.25)	4.26
		(21,124.88 -44,614.36)	15.53	(21,131.17 -44,600.16)	2.95		
137	679	(1/ 2)					
		(21,131.17 -44,600.16)	15.53	(21,124.88 -44,614.36)	4.26	(21,123.15 -44,618.25)	10.52
		(21,131.71 -44,624.36)	4.02	(21,132.80 -44,620.49)	4.88	(21,135.10 -44,616.19)	10.84
		(21,140.52 -44,606.80)	7.29	(21,143.47 -44,600.13)	12.30		
137	002-	2 (1/ 2)					
		(21,143.47 -44,600.13)	7.29	(21,140.52 -44,606.80)	10.84	(21,135.10 -44,616.19)	4.88
		(21,132.80 -44,620.49)	4.02	(21,131.71 -44,624.36)	0.56	(21,131.59 -44,624.91)	2.53
		(21,132.54 -44,627.25)	6.57	(21,138.72 -44,625.03)	2.90	(21,139.15 -44,622.16)	2.64
		(21,136.63 -44,622.96)	1.71	(21,134.97 -44,623.39)	4.76	(21,136.80 -44,619.00)	9.03
		(21,141.31 -44,611.18)	7.75	(21,144.59 -44,604.16)	4.36	(21,146.25 -44,600.13)	2.78
137	676	(3/ 4)					
		(21,150.02 -44,600.14)	3.77	(21,146.25 -44,600.13)	4.36	(21,144.59 -44,604.16)	7.75
		(21,141.31 -44,611.18)	9.03	(21,136.80 -44,619.00)	4.76	(21,134.97 -44,623.39)	1.71
		(21,136.63 -44,622.96)	3.31	(21,138.30 -44,620.10)	3.10	(21,140.48 -44,617.90)	2.98
		(21,142.95 -44,616.23)	3.98	(21,146.68 -44,614.83)	3.37	(21,150.01 -44,614.34)	14.20
137	002-	1 (1/ 2)					
		(21,150.01 -44,614.34)	3.37	(21,146.68 -44,614.83)	3.98	(21,142.95 -44,616.23)	2.98
		(21,140.48 -44,617.90)	3.10	(21,138.30 -44,620.10)	3.31	(21,136.63 -44,622.96)	2.64
		(21,139.15 -44,622.16)	8.11	(21,146.75 -44,619.33)	3.31	(21,150.00 -44,618.69)	4.35
137	001-	1 (1/ 2)					
		(21,150.00 -44,618.69)	3.31	(21,146.75 -44,619.33)	8.11	(21,139.15 -44,622.16)	2.90
		(21,138.72 -44,625.03)	3.05	(21,141.56 -44,623.93)	5.96	(21,147.17 -44,621.93)	2.94
		(21,150.05 -44,621.34)	2.65				
138	697	(2/ 2)					
		(21,150.05 -44,621.34)	2.94	(21,147.17 -44,621.93)	5.96	(21,141.56 -44,623.93)	1.84
		(21,140.99 -44,625.68)	2.55	(21,140.61 -44,628.20)	2.98	(21,140.51 -44,631.18)	4.40
		(21,141.43 -44,635.48)	6.12	(21,143.05 -44,641.38)	2.95	(21,143.99 -44,644.18)	1.68
		(21,145.02 -44,645.51)	1.60	(21,146.54 -44,646.01)	3.53	(21,150.07 -44,646.19)	24.85
138	698	(2/ 2)					
		(21,150.07 -44,646.19)	3.53	(21,146.54 -44,646.01)	1.60	(21,145.02 -44,645.51)	1.68
		(21,143.99 -44,644.18)	2.95	(21,143.05 -44,641.38)	6.12	(21,141.43 -44,635.48)	4.40
		(21,140.51 -44,631.18)	2.98	(21,140.61 -44,628.20)	2.55	(21,140.99 -44,625.68)	1.84
		(21,141.56 -44,623.93)	3.05	(21,138.72 -44,625.03)	3.79	(21,138.34 -44,628.80)	7.95
		(21,139.78 -44,636.62)	7.76	(21,141.90 -44,644.08)	4.02	(21,142.67 -44,648.03)	7.36
		(21,150.01 -44,648.59)	2.40				
138	701	(2/ 2)					
		(21,150.01 -44,648.59)	7.36	(21,142.67 -44,648.03)	9.35	(21,142.68 -44,657.38)	17.21

地区 ..003

作業 .. 74

原図番号 .. N1 54-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -44,800.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,140.71 -44,674.48)	6.21	(21,140.35 -44,680.68)	5.49	(21,140.87 -44,686.15)	9.44
		(21,143.18 -44,695.30)	3.79	(21,142.95 -44,699.08)	7.16	(21,141.52 -44,706.10)	1.60
		(21,142.41 -44,707.43)	7.64	(21,150.04 -44,707.89)	59.30		
138	002- 10	(21,150.04 -44,707.89)	7.64	(21,142.41 -44,707.43)	10.34	(21,132.16 -44,706.10)	5.55
		(21,126.72 -44,707.18)	7.72	(21,119.06 -44,708.15)	7.75	(21,111.31 -44,708.34)	11.51
		(21,099.84 -44,707.37)	21.70	(21,078.55 -44,703.15)	3.95	(21,074.77 -44,701.99)	10.20
		(21,065.03 -44,705.02)	8.32	(21,058.36 -44,710.00)	4.27	(21,054.51 -44,711.84)	2.18
		(21,052.68 -44,713.03)	3.90	(21,049.41 -44,715.16)	3.10	(21,046.78 -44,716.81)	14.87
		(21,032.92 -44,722.19)	6.83	(21,026.64 -44,724.88)	5.16	(21,022.37 -44,727.78)	5.88
		(21,017.96 -44,731.67)	5.30	(21,014.86 -44,735.97)	6.40	(21,012.92 -44,742.07)	3.28
		(21,012.34 -44,745.30)	4.66	(21,012.74 -44,749.94)	2.27	(21,013.46 -44,752.09)	7.49
		(21,018.58 -44,757.55)	3.75	(21,020.64 -44,760.68)	2.66	(21,023.27 -44,760.28)	2.65
		(21,025.90 -44,759.98)	6.63	(21,021.73 -44,754.83)	5.35	(21,018.96 -44,750.25)	5.02
		(21,018.02 -44,745.32)	4.71	(21,018.75 -44,740.67)	5.18	(21,021.05 -44,736.03)	6.12
		(21,025.14 -44,731.48)	12.08	(21,035.77 -44,725.74)	23.15	(21,057.16 -44,716.89)	10.12
		(21,065.26 -44,710.83)	6.28	(21,071.11 -44,708.54)	5.31	(21,076.37 -44,707.85)	5.36
		(21,081.69 -44,708.50)	5.97	(21,087.51 -44,709.81)	4.34	(21,091.49 -44,711.54)	3.91
		(21,095.33 -44,712.27)	6.65	(21,101.97 -44,712.63)	10.19	(21,112.13 -44,713.37)	10.79
		(21,122.92 -44,713.37)	24.08	(21,146.96 -44,712.06)	3.12	(21,150.03 -44,712.59)	4.70
138	710- 1	(2/ 2)					
		(21,150.03 -44,712.59)	3.12	(21,146.96 -44,712.06)	24.08	(21,122.92 -44,713.37)	37.67
		(21,121.24 -44,751.00)	28.86	(21,149.99 -44,748.44)	35.85		
138	001- 8	(21,149.99 -44,748.44)	28.86	(21,121.24 -44,751.00)	21.52	(21,099.82 -44,753.12)	41.10
		(21,058.87 -44,756.66)	13.65	(21,068.74 -44,766.09)	72.21	(21,140.59 -44,758.91)	9.48
		(21,150.03 -44,758.04)	9.60				
138	710- 2	(2/ 2)					
		(21,150.03 -44,758.04)	9.48	(21,140.59 -44,758.91)	6.43	(21,139.12 -44,765.17)	2.68
		(21,138.62 -44,767.80)	2.43	(21,138.39 -44,770.22)	2.53	(21,138.53 -44,772.75)	2.85
		(21,139.54 -44,775.42)	11.24	(21,150.01 -44,771.34)	13.30		
138	707	(4/ 4)					
		(21,150.01 -44,771.34)	11.24	(21,139.54 -44,775.42)	1.76	(21,138.08 -44,776.40)	1.88
		(21,136.37 -44,777.17)	23.80	(21,142.62 -44,800.13)	7.38	(21,150.00 -44,800.14)	28.80
138	708	(2/ 2)					
		(21,142.62 -44,800.13)	23.80	(21,136.37 -44,777.17)	13.14	(21,123.60 -44,780.25)	10.53
		(21,113.50 -44,783.22)	7.56	(21,106.39 -44,785.78)	4.83	(21,101.84 -44,787.40)	5.58
		(21,096.76 -44,789.72)	2.57	(21,094.54 -44,791.02)	9.59	(21,097.57 -44,800.12)	45.05
108	422	(3/ 3)					
		(21,097.57 -44,800.12)	9.59	(21,094.54 -44,791.02)	4.07	(21,091.01 -44,793.04)	5.01
		(21,086.53 -44,795.28)	4.44	(21,082.60 -44,797.35)	4.03	(21,079.50 -44,799.92)	0.20
		(21,079.42 -44,800.10)	18.15				
108	425	(2/ 2)					
		(21,079.42 -44,800.10)	0.20	(21,079.50 -44,799.92)	4.03	(21,082.60 -44,797.35)	4.44
		(21,086.53 -44,795.28)	5.01	(21,091.01 -44,793.04)	4.07	(21,094.54 -44,791.02)	5.07
		(21,091.87 -44,786.71)	4.48	(21,089.20 -44,783.11)	4.67	(21,085.90 -44,779.81)	3.10
		(21,083.44 -44,777.92)	34.14	(21,049.88 -44,784.21)	12.93	(21,056.66 -44,795.22)	5.25
		(21,058.67 -44,800.07)	20.75				
108	002- 9						
		(21,058.67 -44,800.07)	5.25	(21,056.66 -44,795.22)	12.93	(21,049.88 -44,784.21)	9.29
		(21,043.80 -44,777.18)	11.76	(21,034.90 -44,769.49)	13.09	(21,025.90 -44,759.98)	2.65
		(21,023.27 -44,760.28)	12.75	(21,031.74 -44,769.81)	25.01	(21,048.59 -44,788.29)	10.23

地区 ..003

作業 .. 74

原図番号 .. N1 54-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -44,800.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

108	426-	2	(21,054.08 -44,796.92)	3.40	(21,055.42 -44,800.04)	3.25			
			(21,053.74 -44,751.67)	4.91	(21,050.41 -44,748.06)	4.07	(21,048.09 -44,744.71)	7.93	
			(21,041.21 -44,748.65)	4.41	(21,037.61 -44,751.20)	10.88	(21,029.15 -44,758.04)	1.69	
			(21,029.79 -44,759.60)	29.23	(21,058.87 -44,756.66)	7.16			
108	001-	9	(21,058.87 -44,756.66)	29.23	(21,029.79 -44,759.60)	3.91	(21,025.90 -44,759.98)	13.09	
			(21,034.90 -44,769.49)	34.01	(21,068.74 -44,766.09)	13.65			
108	426-	1	(21,068.74 -44,766.09)	34.01	(21,034.90 -44,769.49)	11.76	(21,043.80 -44,777.18)	9.29	
			(21,049.88 -44,784.21)	34.14	(21,083.44 -44,777.92)	1.88	(21,081.93 -44,776.80)	4.94	
			(21,078.11 -44,773.67)	4.60	(21,074.19 -44,771.27)	4.78	(21,070.56 -44,768.16)	2.76	
138	709		(21,068.74 -44,766.09)	2.76	(21,070.56 -44,768.16)	4.78	(21,074.19 -44,771.27)	4.60	
			(21,078.11 -44,773.67)	4.94	(21,081.93 -44,776.80)	1.88	(21,083.44 -44,777.92)	3.10	
			(21,085.90 -44,779.81)	4.67	(21,089.20 -44,783.11)	4.48	(21,091.87 -44,786.71)	5.07	
			(21,094.54 -44,791.02)	2.57	(21,096.76 -44,789.72)	5.58	(21,101.84 -44,787.40)	4.83	
			(21,106.39 -44,785.78)	7.56	(21,113.50 -44,783.22)	10.53	(21,123.60 -44,780.25)	13.14	
			(21,136.37 -44,777.17)	1.88	(21,138.08 -44,776.40)	1.76	(21,139.54 -44,775.42)	2.85	
			(21,138.53 -44,772.75)	2.53	(21,138.39 -44,770.22)	2.43	(21,138.62 -44,767.80)	2.68	
			(21,139.12 -44,765.17)	6.43	(21,140.59 -44,758.91)	72.21			
138	711-	6	(21,121.24 -44,751.00)	37.67	(21,122.92 -44,713.37)	10.79	(21,112.13 -44,713.37)	10.19	
			(21,101.97 -44,712.63)	9.69	(21,101.30 -44,722.30)	8.45	(21,101.11 -44,730.75)	7.89	
			(21,100.68 -44,738.63)	14.52	(21,099.82 -44,753.12)	21.52			
138	713		(21,099.82 -44,753.12)	14.52	(21,100.68 -44,738.63)	7.89	(21,101.11 -44,730.75)	8.45	
			(21,101.30 -44,722.30)	9.69	(21,101.97 -44,712.63)	6.65	(21,095.33 -44,712.27)	3.91	
			(21,091.49 -44,711.54)	4.34	(21,087.51 -44,709.81)	5.97	(21,081.69 -44,708.50)	5.36	
			(21,076.37 -44,707.85)	5.31	(21,071.11 -44,708.54)	6.28	(21,065.26 -44,710.83)	10.12	
			(21,057.16 -44,716.89)	12.68	(21,057.01 -44,729.57)	10.75	(21,057.07 -44,740.32)	0.87	
			(21,056.32 -44,740.77)	6.92	(21,049.82 -44,743.14)	2.35	(21,047.60 -44,743.91)	0.94	
			(21,048.09 -44,744.71)	4.07	(21,050.41 -44,748.06)	4.91	(21,053.74 -44,751.67)	7.16	
			(21,058.87 -44,756.66)	41.10					
138	002-	11	(21,142.41 -44,707.43)	1.60	(21,141.52 -44,706.10)	7.16	(21,142.95 -44,699.08)	3.79	
			(21,143.18 -44,695.30)	9.44	(21,140.87 -44,686.15)	5.49	(21,140.35 -44,680.68)	6.21	
			(21,140.71 -44,674.48)	17.21	(21,142.68 -44,657.38)	9.35	(21,142.67 -44,648.03)	4.02	
			(21,141.90 -44,644.08)	7.76	(21,139.78 -44,636.62)	7.95	(21,138.34 -44,628.80)	3.79	
			(21,138.72 -44,625.03)	6.57	(21,132.54 -44,627.25)	16.79	(21,136.95 -44,643.45)	5.68	
			(21,137.74 -44,649.07)	5.30	(21,137.83 -44,654.37)	15.47	(21,136.14 -44,669.75)	12.49	
			(21,135.07 -44,682.19)	5.68	(21,134.60 -44,687.85)	3.02	(21,136.49 -44,690.20)	3.06	
			(21,137.46 -44,693.10)	4.80	(21,138.18 -44,697.85)	3.80	(21,137.12 -44,701.50)	3.34	
			(21,135.12 -44,704.17)	3.53	(21,132.16 -44,706.10)	10.34			
138	694		(21,116.64 -44,670.02)	6.02	(21,110.84 -44,671.64)	4.46	(21,106.76 -44,673.43)	2.76	
			(21,104.33 -44,674.73)	1.65	(21,102.95 -44,675.63)	3.41	(21,100.00 -44,677.35)	6.56	
			(21,094.87 -44,681.44)	5.02	(21,091.02 -44,684.66)	5.09	(21,087.44 -44,688.28)	3.70	
			(21,085.06 -44,691.11)	3.45	(21,083.03 -44,693.90)	3.43	(21,081.45 -44,696.95)	6.84	
			(21,078.55 -44,703.15)	21.70	(21,099.84 -44,707.37)	11.51	(21,111.31 -44,708.34)	7.75	
			(21,119.06 -44,708.15)	7.72	(21,126.72 -44,707.18)	5.55	(21,132.16 -44,706.10)	3.53	
			(21,135.12 -44,704.17)	3.34	(21,137.12 -44,701.50)	3.80	(21,138.18 -44,697.85)	4.80	

地区 ..003

作業 .. 74

原図番号 .. N1 54-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -44,800.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,137.46 -44,693.10)	3.06	(21,136.49 -44,690.20)	3.02	(21,134.60 -44,687.85)	20.85
		(21,113.87 -44,685.59)	15.81				
138	696	(21,113.87 -44,685.59)	20.85	(21,134.60 -44,687.85)	5.68	(21,135.07 -44,682.19)	12.49
		(21,136.14 -44,669.75)	15.47	(21,137.83 -44,654.37)	5.30	(21,137.74 -44,649.07)	5.68
		(21,136.95 -44,643.45)	16.79	(21,132.54 -44,627.25)	3.03	(21,130.10 -44,629.05)	8.15
		(21,130.90 -44,637.16)	4.85	(21,130.77 -44,642.01)	6.75	(21,129.61 -44,648.66)	6.54
		(21,128.06 -44,655.01)	6.34	(21,126.00 -44,661.01)	4.16	(21,123.99 -44,664.65)	2.94
		(21,122.44 -44,667.15)	3.83	(21,119.14 -44,669.10)	2.66	(21,116.64 -44,670.02)	15.81
138	691	(21,116.64 -44,670.02)	2.66	(21,119.14 -44,669.10)	3.83	(21,122.44 -44,667.15)	2.94
		(21,123.99 -44,664.65)	4.16	(21,126.00 -44,661.01)	6.34	(21,128.06 -44,655.01)	6.54
		(21,129.61 -44,648.66)	6.75	(21,130.77 -44,642.01)	4.85	(21,130.90 -44,637.16)	8.15
		(21,130.10 -44,629.05)	0.86	(21,129.31 -44,629.39)	6.24	(21,123.83 -44,632.38)	5.07
		(21,118.93 -44,633.67)	7.09	(21,111.91 -44,634.64)	16.41	(21,095.56 -44,636.02)	7.21
		(21,088.45 -44,637.24)	9.17	(21,079.53 -44,639.38)	10.59	(21,084.01 -44,648.98)	9.46
		(21,088.09 -44,657.51)	8.30	(21,092.97 -44,664.22)	6.27	(21,096.94 -44,669.07)	0.74
		(21,097.64 -44,668.82)	8.64	(21,102.95 -44,675.63)	1.65	(21,104.33 -44,674.73)	2.76
		(21,106.76 -44,673.43)	4.46	(21,110.84 -44,671.64)	6.02	(21,116.64 -44,670.02)	0.00
138	689	(21,084.01 -44,648.98)	10.59	(21,079.53 -44,639.38)	7.97	(21,071.75 -44,641.09)	6.75
		(21,065.05 -44,641.93)	7.08	(21,058.00 -44,642.62)	2.53	(21,055.57 -44,643.32)	3.54
		(21,052.97 -44,645.72)	2.54	(21,052.29 -44,648.17)	10.75	(21,051.13 -44,658.86)	14.45
		(21,048.48 -44,673.06)	2.75	(21,051.18 -44,672.56)	3.93	(21,054.91 -44,671.32)	6.29
		(21,060.76 -44,669.00)	7.96	(21,068.04 -44,665.78)	21.69	(21,088.09 -44,657.51)	9.46
138	690	(21,088.09 -44,657.51)	21.69	(21,068.04 -44,665.78)	7.96	(21,060.76 -44,669.00)	6.29
		(21,054.91 -44,671.32)	3.93	(21,051.18 -44,672.56)	2.75	(21,048.48 -44,673.06)	19.93
		(21,045.06 -44,692.69)	10.32	(21,054.68 -44,696.42)	2.38	(21,056.75 -44,697.60)	3.64
		(21,059.78 -44,699.62)	4.23	(21,062.85 -44,702.53)	3.31	(21,065.03 -44,705.02)	10.20
		(21,074.77 -44,701.99)	3.95	(21,078.55 -44,703.15)	6.84	(21,081.45 -44,696.95)	3.43
		(21,083.03 -44,693.90)	3.45	(21,085.06 -44,691.11)	3.70	(21,087.44 -44,688.28)	5.09
		(21,091.02 -44,684.66)	5.02	(21,094.87 -44,681.44)	6.56	(21,100.00 -44,677.35)	3.41
		(21,102.95 -44,675.63)	8.64	(21,097.64 -44,668.82)	0.74	(21,096.94 -44,669.07)	6.27
		(21,092.97 -44,664.22)	8.30				
138	714- 1	(21,035.77 -44,725.74)	12.08	(21,025.14 -44,731.48)	6.12	(21,021.05 -44,736.03)	5.18
		(21,018.75 -44,740.67)	4.71	(21,018.02 -44,745.32)	5.02	(21,018.96 -44,750.25)	5.35
		(21,021.73 -44,754.83)	6.63	(21,025.90 -44,759.98)	3.91	(21,029.79 -44,759.60)	1.69
		(21,029.15 -44,758.04)	10.88	(21,037.61 -44,751.20)	4.41	(21,041.21 -44,748.65)	7.93
		(21,048.09 -44,744.71)	0.94	(21,047.60 -44,743.91)	2.35	(21,049.82 -44,743.14)	6.92
		(21,056.32 -44,740.77)	0.87	(21,057.07 -44,740.32)	10.75	(21,057.01 -44,729.57)	12.68
		(21,057.16 -44,716.89)	23.15				
138	716	(21,054.51 -44,711.84)	4.27	(21,058.36 -44,710.00)	8.32	(21,065.03 -44,705.02)	3.31
		(21,062.85 -44,702.53)	4.23	(21,059.78 -44,699.62)	3.64	(21,056.75 -44,697.60)	2.38
		(21,054.68 -44,696.42)	10.32	(21,045.06 -44,692.69)	2.06	(21,044.66 -44,694.71)	5.51
		(21,043.30 -44,700.05)	4.83	(21,041.49 -44,704.53)	5.17	(21,038.99 -44,709.05)	3.07
		(21,037.21 -44,711.55)	3.22	(21,035.28 -44,714.13)	2.53	(21,037.53 -44,712.97)	1.82
		(21,039.31 -44,712.57)	1.77	(21,041.08 -44,712.55)	11.61	(21,052.68 -44,713.03)	2.18
138	715	(21,052.68 -44,713.03)	11.61	(21,041.08 -44,712.55)	1.77	(21,039.31 -44,712.57)	1.82

地区 ..003

作業 .. 74

原図番号 .. N1 54-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -44,800.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,037.53 -44,712.97)	2.53	(21,035.28 -44,714.13)	12.91	(21,023.68 -44,719.80)	3.07
		(21,020.92 -44,721.15)	5.09	(21,016.79 -44,724.12)	5.95	(21,012.78 -44,728.52)	3.93
		(21,011.03 -44,732.04)	7.65	(21,008.50 -44,739.26)	3.72	(21,007.00 -44,742.66)	3.75
		(21,005.09 -44,745.89)	7.27	(21,012.34 -44,745.30)	3.28	(21,012.92 -44,742.07)	6.40
		(21,014.86 -44,735.97)	5.30	(21,017.96 -44,731.67)	5.88	(21,022.37 -44,727.78)	5.16
		(21,026.64 -44,724.88)	6.83	(21,032.92 -44,722.19)	14.87	(21,046.78 -44,716.81)	3.10
		(21,049.41 -44,715.16)	3.90				
138	718- 1	(21,044.17 -44,684.41)	11.56	(21,046.38 -44,673.06)	6.69	(21,047.54 -44,666.47)	4.50
		(21,043.14 -44,665.54)	2.10	(21,042.64 -44,667.58)	13.29	(21,034.44 -44,678.04)	4.23
		(21,038.55 -44,679.05)	3.89	(21,037.52 -44,682.80)	6.84		
138	718- 2	(21,037.52 -44,682.80)	3.89	(21,038.55 -44,679.05)	4.23	(21,034.44 -44,678.04)	3.92
		(21,033.40 -44,681.82)	4.23				
138	717	(21,031.38 -44,639.44)	1.93	(21,029.49 -44,639.04)	8.45	(21,027.22 -44,647.18)	7.62
		(21,026.61 -44,654.78)	3.41	(21,025.58 -44,658.03)	8.39	(21,019.23 -44,663.52)	4.26
		(21,016.84 -44,667.05)	4.27	(21,015.61 -44,671.14)	7.28	(21,014.78 -44,678.37)	18.58
		(21,012.20 -44,696.77)	11.97	(21,012.21 -44,708.74)	12.17	(21,011.12 -44,720.86)	3.78
		(21,011.57 -44,724.61)	2.30	(21,013.32 -44,723.12)	4.02	(21,016.45 -44,720.60)	4.87
		(21,020.53 -44,717.95)	8.97	(21,028.46 -44,713.76)	4.76	(21,032.61 -44,711.42)	3.87
		(21,035.66 -44,709.04)	2.00	(21,036.94 -44,707.50)	4.63	(21,039.35 -44,703.55)	4.36
		(21,040.90 -44,699.48)	5.53	(21,042.28 -44,694.13)	9.90	(21,044.17 -44,684.41)	6.84
		(21,037.52 -44,682.80)	4.23	(21,033.40 -44,681.82)	3.92	(21,034.44 -44,678.04)	13.29
		(21,042.64 -44,667.58)	2.10	(21,043.14 -44,665.54)	4.80	(21,043.75 -44,660.78)	3.08
		(21,043.68 -44,657.70)	3.12	(21,042.88 -44,654.68)	2.29	(21,041.58 -44,652.80)	2.38
		(21,039.91 -44,651.10)	2.49	(21,037.96 -44,649.55)	2.74	(21,035.49 -44,648.37)	4.85
		(21,036.15 -44,643.57)	2.83	(21,036.72 -44,640.80)	5.51		
138	719	(21,047.54 -44,666.47)	8.17	(21,048.90 -44,658.41)	14.32	(21,050.77 -44,644.21)	1.11
		(21,050.14 -44,643.30)	7.18	(21,043.12 -44,641.78)	6.47	(21,036.72 -44,640.80)	2.83
		(21,036.15 -44,643.57)	4.85	(21,035.49 -44,648.37)	2.74	(21,037.96 -44,649.55)	2.49
		(21,039.91 -44,651.10)	2.38	(21,041.58 -44,652.80)	2.29	(21,042.88 -44,654.68)	3.12
		(21,043.68 -44,657.70)	3.08	(21,043.75 -44,660.78)	4.80	(21,043.14 -44,665.54)	4.50
138	001- 7	(21,050.14 -44,643.30)	1.11	(21,050.77 -44,644.21)	14.32	(21,048.90 -44,658.41)	8.17
		(21,047.54 -44,666.47)	6.69	(21,046.38 -44,673.06)	11.56	(21,044.17 -44,684.41)	9.90
		(21,042.28 -44,694.13)	5.53	(21,040.90 -44,699.48)	4.36	(21,039.35 -44,703.55)	4.63
		(21,036.94 -44,707.50)	2.00	(21,035.66 -44,709.04)	3.87	(21,032.61 -44,711.42)	4.76
		(21,028.46 -44,713.76)	8.97	(21,020.53 -44,717.95)	4.87	(21,016.45 -44,720.60)	4.02
		(21,013.32 -44,723.12)	2.30	(21,011.57 -44,724.61)	4.09	(21,012.78 -44,728.52)	5.95
		(21,016.79 -44,724.12)	5.09	(21,020.92 -44,721.15)	3.07	(21,023.68 -44,719.80)	12.91
		(21,035.28 -44,714.13)	3.22	(21,037.21 -44,711.55)	3.07	(21,038.99 -44,709.05)	5.17
		(21,041.49 -44,704.53)	4.83	(21,043.30 -44,700.05)	5.51	(21,044.66 -44,694.71)	2.06
		(21,045.06 -44,692.69)	19.93	(21,048.48 -44,673.06)	14.45	(21,051.13 -44,658.86)	10.75
		(21,052.29 -44,648.17)	2.54	(21,052.97 -44,645.72)	3.63	(21,055.62 -44,643.24)	5.48
137	001- 4	(21,030.40 -44,636.44)	2.75	(21,029.49 -44,639.04)	1.93	(21,031.38 -44,639.44)	5.51
		(21,036.72 -44,640.80)	6.47	(21,043.12 -44,641.78)	7.18	(21,050.14 -44,643.30)	5.48
		(21,055.62 -44,643.24)	2.46	(21,058.00 -44,642.62)	7.08	(21,065.05 -44,641.93)	6.75
		(21,071.75 -44,641.09)	7.97	(21,079.53 -44,639.38)	9.17	(21,088.45 -44,637.24)	7.21
		(21,095.56 -44,636.02)	16.41	(21,111.91 -44,634.64)	7.09	(21,118.93 -44,633.67)	5.07

地区 ..003

作業 .. 74

原図番号 .. N1 54-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -44,800.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,123.83 -44,632.38)	6.24	(21,129.31 -44,629.39)	0.86	(21,130.10 -44,629.05)	3.03
		(21,132.54 -44,627.25)	2.53	(21,131.59 -44,624.91)	4.47	(21,127.89 -44,627.41)	5.58
		(21,122.99 -44,630.08)	5.33	(21,117.80 -44,631.30)	6.60	(21,111.27 -44,632.24)	2.64
		(21,108.66 -44,632.66)	13.42	(21,095.28 -44,633.74)	7.65	(21,087.73 -44,634.96)	6.07
		(21,081.78 -44,636.17)	6.03	(21,075.91 -44,637.54)	4.70	(21,071.33 -44,638.59)	6.66
		(21,064.75 -44,639.63)	9.93	(21,054.87 -44,640.67)	1.55	(21,053.32 -44,640.68)	1.05
		(21,052.27 -44,640.77)	8.90	(21,043.45 -44,639.55)	6.51	(21,037.03 -44,638.50)	3.27
		(21,033.91 -44,637.51)	3.67				
137	688	(21,033.91 -44,637.51)	3.27	(21,037.03 -44,638.50)	6.51	(21,043.45 -44,639.55)	8.90
		(21,052.27 -44,640.77)	7.57	(21,053.73 -44,633.34)	6.00	(21,054.89 -44,627.45)	2.93
		(21,052.39 -44,625.92)	6.96	(21,048.01 -44,631.33)	5.45	(21,043.43 -44,634.28)	5.63
		(21,038.10 -44,636.10)	4.42				
137	686- 3	(21,083.30 -44,619.20)	19.77	(21,075.91 -44,637.54)	6.03	(21,081.78 -44,636.17)	16.31
		(21,087.93 -44,621.06)	4.99				
137	686- 1	(21,087.93 -44,621.06)	16.31	(21,081.78 -44,636.17)	6.07	(21,087.73 -44,634.96)	7.65
		(21,095.28 -44,633.74)	13.42	(21,108.66 -44,632.66)	2.64	(21,111.27 -44,632.24)	1.86
		(21,112.99 -44,631.52)	3.64	(21,115.74 -44,629.14)	28.83	(21,088.57 -44,619.51)	1.68
137	686- 2	(21,088.57 -44,619.51)	28.83	(21,115.74 -44,629.14)	11.63	(21,120.19 -44,618.40)	11.28
		(21,109.81 -44,613.99)	0.70	(21,109.16 -44,613.74)	16.83	(21,093.67 -44,607.15)	13.37
137	687- 2	(21,104.38 -44,606.28)	9.65	(21,095.47 -44,602.57)	4.92	(21,093.67 -44,607.15)	16.83
		(21,109.16 -44,613.74)	5.01	(21,111.15 -44,609.14)	7.35		
137	683- 3	(21,111.15 -44,609.14)	5.01	(21,109.16 -44,613.74)	0.70	(21,109.81 -44,613.99)	5.00
		(21,111.76 -44,609.39)	0.66				
137	681- 2	(21,111.76 -44,609.39)	5.00	(21,109.81 -44,613.99)	11.28	(21,120.19 -44,618.40)	5.03
		(21,122.16 -44,613.77)	11.28				
137	680	(21,123.15 -44,618.25)	13.75	(21,117.54 -44,630.80)	0.56	(21,117.80 -44,631.30)	5.33
		(21,122.99 -44,630.08)	5.58	(21,127.89 -44,627.41)	4.47	(21,131.59 -44,624.91)	0.56
		(21,131.71 -44,624.36)	10.52				