

地区 ..003 作業 .. 77 原図番号 .. N1 55-2 縮尺 ..1/ 500 基準点 ..X 21,150.00..Y -44,200.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,150.00 -44,200.00)	50.03	(21,200.03 -44,200.03)	50.00	(21,250.03 -44,200.06)	50.00
		(21,300.03 -44,200.07)	50.03	(21,300.01 -44,150.04)	50.00	(21,299.99 -44,100.04)	49.95
		(21,300.02 -44,050.09)	49.97	(21,300.03 -44,000.12)	49.98	(21,250.05 -44,000.11)	50.05
		(21,200.00 -44,000.08)	50.00	(21,150.00 -44,000.05)	50.00	(21,150.02 -44,050.05)	49.95
		(21,149.99 -44,100.00)	50.00	(21,150.01 -44,150.00)	50.00		
120	162	(2/ 4)					
		(21,150.00 -44,200.00)	16.03	(21,166.03 -44,200.04)	8.29	(21,165.56 -44,191.76)	15.58
		(21,150.01 -44,192.70)	7.30				
120	161	(1/ 2)					
		(21,150.01 -44,192.70)	15.58	(21,165.56 -44,191.76)	9.84	(21,165.08 -44,181.93)	15.06
		(21,150.03 -44,182.60)	10.10				
120	147-	1 (1/ 2)					
		(21,150.03 -44,182.60)	15.06	(21,165.08 -44,181.93)	29.19	(21,163.76 -44,152.77)	13.81
		(21,149.96 -44,153.40)	29.20				
120	001-	4					
		(21,149.96 -44,153.40)	13.81	(21,163.76 -44,152.77)	1.41	(21,165.16 -44,152.61)	2.25
		(21,167.41 -44,152.59)	47.51	(21,214.87 -44,150.35)	2.22	(21,216.71 -44,151.59)	5.11
		(21,216.43 -44,146.49)	1.63	(21,214.95 -44,147.17)	46.69	(21,168.33 -44,149.66)	18.34
		(21,150.01 -44,150.50)	2.90				
120	002-	5					
		(21,150.01 -44,150.50)	18.34	(21,168.33 -44,149.66)	46.69	(21,214.95 -44,147.17)	1.63
		(21,216.43 -44,146.49)	19.81	(21,215.75 -44,126.69)	25.71	(21,214.79 -44,101.00)	1.71
		(21,213.52 -44,099.85)	0.68	(21,213.50 -44,100.53)	1.82	(21,213.59 -44,102.35)	24.61
		(21,214.35 -44,126.95)	18.35	(21,214.52 -44,145.30)	0.81	(21,213.90 -44,145.82)	47.40
		(21,166.55 -44,148.00)	16.62	(21,149.95 -44,148.85)	1.65		
120	148	(1/ 2)					
		(21,149.95 -44,148.85)	16.62	(21,166.55 -44,148.00)	39.31	(21,165.21 -44,108.71)	14.24
		(21,151.38 -44,105.30)	1.51	(21,149.95 -44,104.80)	44.05		
119	146-	3 (1/ 2)					
		(21,149.95 -44,104.80)	1.51	(21,151.38 -44,105.30)	14.24	(21,165.21 -44,108.71)	1.82
		(21,167.03 -44,108.66)	8.40	(21,175.11 -44,110.94)	5.74	(21,180.49 -44,112.95)	2.06
		(21,182.49 -44,113.45)	0.75	(21,183.19 -44,113.17)	7.14	(21,188.37 -44,108.26)	40.24
		(21,149.98 -44,096.20)	8.60				
119	146-	1 (1/ 2)					
		(21,149.98 -44,096.20)	40.24	(21,188.37 -44,108.26)	4.65	(21,191.85 -44,105.18)	2.77
		(21,194.30 -44,103.89)	5.45	(21,199.70 -44,103.18)	13.91	(21,213.59 -44,102.35)	1.82
		(21,213.50 -44,100.53)	13.94	(21,199.59 -44,101.41)	1.84	(21,199.41 -44,099.58)	1.72
		(21,198.48 -44,098.13)	2.03	(21,196.98 -44,096.76)	5.36	(21,192.62 -44,093.65)	6.46
		(21,187.60 -44,089.58)	4.73	(21,184.13 -44,086.37)	3.06	(21,181.73 -44,084.47)	3.56
		(21,178.62 -44,082.73)	3.87	(21,175.12 -44,081.09)	5.04	(21,170.46 -44,079.18)	3.91
		(21,166.69 -44,078.16)	3.37	(21,163.38 -44,077.52)	6.28	(21,157.13 -44,076.87)	7.33
		(21,149.98 -44,075.25)	20.95				
119	142	(1/ 2)					
		(21,149.98 -44,075.25)	7.33	(21,157.13 -44,076.87)	3.61	(21,157.85 -44,073.33)	7.90
		(21,160.38 -44,065.85)	7.10	(21,163.04 -44,059.27)	10.96	(21,167.50 -44,049.26)	25.48
		(21,177.26 -44,025.72)	9.64	(21,168.44 -44,021.84)	5.32	(21,164.66 -44,025.59)	8.63
		(21,157.92 -44,030.98)	6.08	(21,153.03 -44,034.59)	2.66	(21,151.06 -44,036.37)	1.79
		(21,149.99 -44,037.80)	37.45				
119	129	(1/ 4)					
		(21,149.99 -44,037.80)	1.79	(21,151.06 -44,036.37)	2.66	(21,153.03 -44,034.59)	6.08
		(21,157.92 -44,030.98)	8.63	(21,164.66 -44,025.59)	5.32	(21,168.44 -44,021.84)	1.74

地区 ..003

作業 .. 77 原図番号 .. N1 55-2

縮尺 .. 1/ 500

基準点 .. X 21,150.00 .. Y -44,200.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,168.63 -44,020.11)	4.03	(21,170.49 -44,016.53)	4.04	(21,173.18 -44,013.52)	3.88
		(21,176.08 -44,010.94)	4.28	(21,179.02 -44,007.83)	4.06	(21,181.51 -44,004.62)	2.30
119	131	(21,183.11 -44,002.97)	4.64	(21,186.73 -44,000.06)	36.73	(21,150.00 -44,000.05)	37.75
		(1/ 2)					
		(21,186.73 -44,000.06)	4.64	(21,183.11 -44,002.97)	2.30	(21,181.51 -44,004.62)	4.06
		(21,179.02 -44,007.83)	4.28	(21,176.08 -44,010.94)	3.88	(21,173.18 -44,013.52)	4.04
		(21,170.49 -44,016.53)	4.03	(21,168.63 -44,020.11)	11.19	(21,179.03 -44,024.23)	3.75
		(21,182.73 -44,024.87)	10.35	(21,193.08 -44,025.15)	7.27	(21,200.34 -44,025.43)	5.95
		(21,206.16 -44,026.67)	1.12	(21,207.09 -44,026.04)	10.61	(21,209.96 -44,015.83)	2.52
		(21,210.93 -44,013.50)	5.11	(21,206.33 -44,011.27)	11.28	(21,196.07 -44,006.59)	5.10
119	001- 5	(21,191.71 -44,003.95)	6.11	(21,187.00 -44,000.06)	0.27		
		(21,187.00 -44,000.06)	6.11	(21,191.71 -44,003.95)	5.10	(21,196.07 -44,006.59)	11.28
		(21,206.33 -44,011.27)	5.11	(21,210.93 -44,013.50)	18.91	(21,229.34 -44,017.81)	9.23
		(21,238.47 -44,019.14)	4.63	(21,243.09 -44,018.83)	9.74	(21,252.37 -44,015.86)	2.05
		(21,254.39 -44,015.52)	3.03	(21,257.39 -44,015.12)	4.60	(21,261.99 -44,015.26)	7.10
		(21,268.89 -44,016.92)	4.49	(21,273.14 -44,018.36)	1.76	(21,274.80 -44,018.94)	3.64
		(21,278.29 -44,019.98)	2.30	(21,278.01 -44,017.70)	9.66	(21,268.81 -44,014.74)	7.07
		(21,261.91 -44,013.18)	7.36	(21,254.56 -44,012.73)	4.38	(21,250.38 -44,014.04)	1.18
		(21,249.37 -44,014.65)	7.08	(21,242.59 -44,016.68)	4.00	(21,238.59 -44,016.81)	10.20
		(21,228.50 -44,015.33)	18.72	(21,210.39 -44,010.59)	3.37	(21,207.27 -44,009.31)	11.15
119	002- 8	(21,197.01 -44,004.94)	4.92	(21,192.86 -44,002.30)	3.48	(21,190.20 -44,000.05)	3.20
		(21,190.20 -44,000.05)	3.48	(21,192.86 -44,002.30)	4.92	(21,197.01 -44,004.94)	1.49
		(21,198.49 -44,004.76)	2.89	(21,201.16 -44,003.65)	10.63	(21,211.65 -44,005.40)	5.89
		(21,217.51 -44,005.96)	4.73	(21,222.16 -44,005.08)	9.06	(21,230.98 -44,007.16)	3.76
		(21,234.62 -44,008.12)	7.18	(21,241.75 -44,008.98)	3.52	(21,245.27 -44,009.12)	3.14
		(21,248.12 -44,010.44)	4.39	(21,249.37 -44,014.65)	1.18	(21,250.38 -44,014.04)	4.38
		(21,254.56 -44,012.73)	7.36	(21,261.91 -44,013.18)	7.07	(21,268.81 -44,014.74)	9.66
		(21,278.01 -44,017.70)	1.13	(21,278.11 -44,016.57)	9.69	(21,268.81 -44,013.84)	6.99
		(21,261.95 -44,012.48)	7.70	(21,254.33 -44,011.40)	1.94	(21,252.43 -44,011.01)	3.33
		(21,249.97 -44,008.76)	4.79	(21,245.42 -44,007.25)	10.54	(21,235.09 -44,005.15)	13.15
		(21,222.26 -44,002.28)	5.24	(21,217.16 -44,003.49)	5.33	(21,211.91 -44,002.58)	12.81
119	000- 1	(21,199.11 -44,002.11)	5.25	(21,194.15 -44,000.39)	0.45	(21,193.80 -44,000.10)	3.60
		(21,193.80 -44,000.10)	0.45	(21,194.15 -44,000.39)	5.25	(21,199.11 -44,002.11)	12.81
		(21,211.91 -44,002.58)	5.33	(21,217.16 -44,003.49)	5.24	(21,222.26 -44,002.28)	13.15
		(21,235.09 -44,005.15)	10.54	(21,245.42 -44,007.25)	4.79	(21,249.97 -44,008.76)	3.33
		(21,252.43 -44,011.01)	1.94	(21,254.33 -44,011.40)	7.70	(21,261.95 -44,012.48)	6.99
		(21,268.81 -44,013.84)	9.69	(21,278.11 -44,016.57)	1.13	(21,278.01 -44,017.70)	2.30
121	185	(21,278.29 -44,019.98)	21.72	(21,300.00 -44,020.69)	20.57	(21,300.03 -44,000.12)	106.23
		(21,300.00 -44,020.69)	21.72	(21,278.29 -44,019.98)	3.13	(21,277.48 -44,023.00)	8.44
121	002- 1	(21,285.34 -44,026.08)	12.99	(21,297.87 -44,029.52)	2.19	(21,300.02 -44,029.94)	9.25
		(21,300.02 -44,029.94)	2.19	(21,297.87 -44,029.52)	12.99	(21,285.34 -44,026.08)	8.44
		(21,277.48 -44,023.00)	3.13	(21,278.29 -44,019.98)	1.88	(21,276.52 -44,020.62)	4.06
		(21,275.04 -44,024.40)	3.52	(21,278.36 -44,025.56)	6.81	(21,284.77 -44,027.85)	13.32
121	184- 1	(21,297.62 -44,031.35)	2.45	(21,300.03 -44,031.79)	1.85		
		(21,300.03 -44,031.79)	2.45	(21,297.62 -44,031.35)	13.32	(21,284.77 -44,027.85)	6.81
		(21,278.36 -44,025.56)	7.93	(21,275.23 -44,032.85)	3.59	(21,271.84 -44,031.66)	9.71

地区 ..003

作業 .. 77

原図番号 .. N1 55-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -44,200.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,267.92 -44,040.54)	11.15	(21,262.97 -44,050.53)	2.58	(21,265.50 -44,051.05)	2.52
		(21,264.43 -44,053.33)	36.33	(21,299.99 -44,060.79)	29.00		
121	183- 3	(2/ 2)					
		(21,299.99 -44,060.79)	36.33	(21,264.43 -44,053.33)	0.91	(21,263.53 -44,053.18)	1.86
		(21,262.78 -44,054.88)	1.90	(21,260.93 -44,054.45)	10.44	(21,255.95 -44,063.62)	9.93
		(21,251.26 -44,072.37)	49.44	(21,299.99 -44,080.69)	19.90		
121	180	(2/ 2)					
		(21,299.99 -44,080.69)	49.44	(21,251.26 -44,072.37)	14.66	(21,244.58 -44,085.42)	7.50
		(21,241.92 -44,092.43)	6.70	(21,239.88 -44,098.81)	0.63	(21,240.49 -44,098.95)	0.88
		(21,240.79 -44,099.78)	9.07	(21,249.78 -44,098.59)	9.03	(21,258.79 -44,099.14)	8.64
		(21,267.41 -44,099.75)	0.65	(21,267.95 -44,100.12)	16.01	(21,283.94 -44,100.83)	1.30
		(21,285.19 -44,101.18)	3.41	(21,285.50 -44,104.58)	5.30	(21,285.59 -44,109.88)	5.96
		(21,284.90 -44,115.80)	9.56	(21,281.95 -44,124.89)	18.05	(21,300.00 -44,124.59)	43.90
121	002- 2						
		(21,300.00 -44,124.59)	18.05	(21,281.95 -44,124.89)	11.45	(21,270.51 -44,125.26)	52.83
		(21,217.70 -44,126.82)	1.34	(21,218.35 -44,127.99)	51.96	(21,270.30 -44,126.86)	10.12
		(21,280.42 -44,126.64)	19.59	(21,300.00 -44,126.09)	1.50		
121	191	(2/ 2)					
		(21,300.00 -44,126.09)	19.59	(21,280.42 -44,126.64)	13.84	(21,279.98 -44,140.47)	4.83
		(21,279.20 -44,145.24)	3.20	(21,282.40 -44,145.24)	5.89	(21,288.27 -44,144.80)	2.70
		(21,290.92 -44,144.27)	5.14	(21,295.94 -44,143.15)	4.23	(21,299.99 -44,141.94)	15.85
121	192	(2/ 2)					
		(21,299.99 -44,141.94)	4.23	(21,295.94 -44,143.15)	5.14	(21,290.92 -44,144.27)	2.70
		(21,288.27 -44,144.80)	5.89	(21,282.40 -44,145.24)	3.20	(21,279.20 -44,145.24)	2.09
		(21,278.70 -44,147.27)	5.00	(21,278.29 -44,152.25)	19.99	(21,278.36 -44,172.24)	8.15
		(21,285.75 -44,168.80)	1.50	(21,287.11 -44,168.16)	14.10	(21,300.04 -44,162.54)	20.60
121	195	(3/ 3)					
		(21,300.04 -44,162.54)	14.10	(21,287.11 -44,168.16)	29.01	(21,300.01 -44,194.14)	31.60
121	196	(3/ 3)					
		(21,300.01 -44,194.14)	29.01	(21,287.11 -44,168.16)	1.50	(21,285.75 -44,168.80)	8.15
		(21,278.36 -44,172.24)	6.24	(21,272.74 -44,174.96)	4.38	(21,268.80 -44,176.87)	7.09
		(21,262.21 -44,179.48)	3.66	(21,258.97 -44,181.19)	18.67	(21,265.32 -44,198.75)	1.43
		(21,265.88 -44,200.07)	31.52	(21,297.40 -44,200.10)	2.74	(21,300.02 -44,199.29)	5.15
121	197	(5/ 5)					
		(21,300.02 -44,199.29)	2.74	(21,297.40 -44,200.10)	2.63	(21,300.03 -44,200.07)	0.78
121	172- 1	(2/ 2)					
		(21,265.88 -44,200.07)	1.43	(21,265.32 -44,198.75)	18.67	(21,258.97 -44,181.19)	6.67
		(21,252.84 -44,183.81)	5.62	(21,247.72 -44,186.12)	3.45	(21,244.87 -44,188.07)	3.41
		(21,242.70 -44,190.70)	6.76	(21,238.97 -44,196.34)	5.60	(21,234.78 -44,200.05)	31.10
121	175- 1	(2/ 2)					
		(21,234.78 -44,200.05)	5.60	(21,238.97 -44,196.34)	6.76	(21,242.70 -44,190.70)	3.41
		(21,244.87 -44,188.07)	3.45	(21,247.72 -44,186.12)	5.62	(21,252.84 -44,183.81)	6.67
		(21,258.97 -44,181.19)	3.66	(21,262.21 -44,179.48)	16.88	(21,264.37 -44,162.74)	44.06
		(21,220.34 -44,164.28)	24.72	(21,221.42 -44,188.98)	11.25	(21,223.23 -44,200.08)	11.55
121	001- 2						
		(21,223.23 -44,200.08)	11.25	(21,221.42 -44,188.98)	24.72	(21,220.34 -44,164.28)	12.81
		(21,219.82 -44,151.48)	1.10	(21,219.77 -44,150.38)	11.14	(21,219.28 -44,139.25)	11.30
		(21,218.35 -44,127.99)	1.34	(21,217.70 -44,126.82)	22.56	(21,217.32 -44,104.26)	1.92
		(21,218.64 -44,102.86)	8.36	(21,226.87 -44,104.32)	7.24	(21,234.07 -44,105.10)	2.43
		(21,236.50 -44,104.97)	1.96	(21,238.22 -44,104.02)	5.55	(21,240.49 -44,098.95)	0.63
		(21,239.88 -44,098.81)	6.70	(21,241.92 -44,092.43)	7.50	(21,244.58 -44,085.42)	14.66
		(21,251.26 -44,072.37)	9.93	(21,255.95 -44,063.62)	10.44	(21,260.93 -44,054.45)	1.89

地区 ..003

作業 .. 77

原図番号 .. N1 55-2

縮尺 ..1/ 500

基準点 ..X 21,150.00..Y -44,200.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,261.88 -44,052.82)	2.54	(21,262.97 -44,050.53)	11.15	(21,267.92 -44,040.54)	9.71
		(21,271.84 -44,031.66)	7.93	(21,275.04 -44,024.40)	4.06	(21,276.52 -44,020.62)	1.88
		(21,278.29 -44,019.98)	3.64	(21,274.80 -44,018.94)	5.00	(21,273.01 -44,023.61)	17.69
		(21,265.89 -44,039.80)	7.90	(21,262.63 -44,047.00)	5.64	(21,260.05 -44,052.01)	29.42
		(21,246.05 -44,077.89)	7.82	(21,242.75 -44,084.98)	7.21	(21,240.12 -44,091.69)	6.32
		(21,238.13 -44,097.69)	2.20	(21,237.46 -44,099.79)	2.61	(21,236.33 -44,102.14)	1.29
		(21,236.35 -44,103.43)	1.16	(21,235.22 -44,103.17)	1.25	(21,233.97 -44,103.15)	6.68
		(21,227.32 -44,102.47)	8.88	(21,218.61 -44,100.76)	3.83	(21,214.79 -44,101.00)	25.71
		(21,215.75 -44,126.69)	19.81	(21,216.43 -44,146.49)	5.11	(21,216.71 -44,151.59)	19.84
		(21,217.96 -44,171.39)	20.02	(21,218.85 -44,191.39)	8.80	(21,220.35 -44,200.06)	2.88
120	002- 3	(21,220.35 -44,200.06)	8.80	(21,218.85 -44,191.39)	20.02	(21,217.96 -44,171.39)	19.84
		(21,216.71 -44,151.59)	2.22	(21,214.87 -44,150.35)	12.40	(21,215.24 -44,162.74)	9.62
		(21,214.99 -44,172.36)	18.71	(21,214.54 -44,191.06)	7.64	(21,214.70 -44,198.70)	1.36
		(21,214.88 -44,200.05)	5.47				
120	170	(21,214.88 -44,200.05)	1.36	(21,214.70 -44,198.70)	7.64	(21,214.54 -44,191.06)	45.38
		(21,169.21 -44,193.25)	6.76	(21,169.53 -44,200.00)	45.35		
120	001- 3	(21,169.53 -44,200.00)	6.76	(21,169.21 -44,193.25)	18.61	(21,168.18 -44,174.67)	22.09
		(21,167.41 -44,152.59)	2.25	(21,165.16 -44,152.61)	47.51	(21,167.58 -44,200.06)	1.95
120	002- 4	(21,167.58 -44,200.06)	47.51	(21,165.16 -44,152.61)	1.41	(21,163.76 -44,152.77)	29.19
		(21,165.08 -44,181.93)	9.84	(21,165.56 -44,191.76)	8.29	(21,166.03 -44,200.04)	1.55
120	160	(21,169.21 -44,193.25)	45.38	(21,214.54 -44,191.06)	18.71	(21,214.99 -44,172.36)	46.87
		(21,168.18 -44,174.67)	18.61				
120	159	(21,168.18 -44,174.67)	46.87	(21,214.99 -44,172.36)	9.62	(21,215.24 -44,162.74)	12.40
		(21,214.87 -44,150.35)	47.51	(21,167.41 -44,152.59)	22.09		
120	147- 2	(21,166.55 -44,148.00)	47.40	(21,213.90 -44,145.82)	0.81	(21,214.52 -44,145.30)	18.35
		(21,214.35 -44,126.95)	24.61	(21,213.59 -44,102.35)	13.91	(21,199.70 -44,103.18)	5.45
		(21,194.30 -44,103.89)	2.77	(21,191.85 -44,105.18)	4.65	(21,188.37 -44,108.26)	7.14
		(21,183.19 -44,113.17)	0.75	(21,182.49 -44,113.45)	2.06	(21,180.49 -44,112.95)	5.74
		(21,175.11 -44,110.94)	8.40	(21,167.03 -44,108.66)	1.82	(21,165.21 -44,108.71)	39.31
119	139	(21,187.60 -44,089.58)	6.46	(21,192.62 -44,093.65)	5.36	(21,196.98 -44,096.76)	2.03
		(21,198.48 -44,098.13)	1.72	(21,199.41 -44,099.58)	1.84	(21,199.59 -44,101.41)	13.94
		(21,213.50 -44,100.53)	0.68	(21,213.52 -44,099.85)	2.89	(21,216.39 -44,099.49)	3.67
		(21,220.04 -44,099.83)	5.58	(21,225.54 -44,100.75)	5.27	(21,230.74 -44,101.61)	5.62
		(21,236.33 -44,102.14)	2.61	(21,237.46 -44,099.79)	2.20	(21,238.13 -44,097.69)	6.32
		(21,240.12 -44,091.69)	7.21	(21,242.75 -44,084.98)	7.82	(21,246.05 -44,077.89)	6.34
		(21,239.71 -44,077.76)	6.75	(21,232.96 -44,077.63)	3.36	(21,229.63 -44,077.21)	10.01
		(21,219.78 -44,075.43)	5.25	(21,214.66 -44,074.28)	9.31	(21,205.79 -44,071.44)	8.50
		(21,197.84 -44,068.44)	1.79	(21,196.21 -44,067.69)	23.52		
119	135	(21,196.21 -44,067.69)	1.79	(21,197.84 -44,068.44)	8.50	(21,205.79 -44,071.44)	9.31
		(21,214.66 -44,074.28)	57.50	(21,229.36 -44,018.69)	14.11	(21,215.64 -44,015.39)	3.14
		(21,212.58 -44,014.70)	0.89	(21,211.81 -44,015.15)	1.25	(21,211.19 -44,016.23)	12.28
		(21,207.57 -44,027.96)	30.40	(21,199.99 -44,057.40)	5.05	(21,198.50 -44,062.22)	5.93
119	140						

地区 ..003

作業 .. 77 原図番号 .. N1 55-2

縮尺 .. 1/ 500

基準点 .. X 21,150.00 .. Y -44,200.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

119	141	(21,198.50 -44,062.22)	5.05	(21,199.99 -44,057.40)	33.49	(21,167.50 -44,049.26)	10.96
		(21,163.04 -44,059.27)	7.10	(21,160.38 -44,065.85)	7.90	(21,157.85 -44,073.33)	3.61
		(21,157.13 -44,076.87)	6.28	(21,163.38 -44,077.52)	3.37	(21,166.69 -44,078.16)	3.91
		(21,170.46 -44,079.18)	5.04	(21,175.12 -44,081.09)	3.87	(21,178.62 -44,082.73)	3.56
		(21,181.73 -44,084.47)	3.06	(21,184.13 -44,086.37)	4.73	(21,187.60 -44,089.58)	23.52
		(21,196.21 -44,067.69)	5.93	(21,198.50 -44,062.22)	0.00		
119	136	(21,199.99 -44,057.40)	30.40	(21,207.57 -44,027.96)	7.46	(21,200.21 -44,026.76)	7.14
		(21,193.09 -44,026.25)	10.23	(21,182.86 -44,026.22)	5.62	(21,177.26 -44,025.72)	25.48
		(21,167.50 -44,049.26)	33.49				
119	002- 7	(21,214.66 -44,074.28)	5.25	(21,219.78 -44,075.43)	10.01	(21,229.63 -44,077.21)	7.12
		(21,231.37 -44,070.31)	15.45	(21,236.46 -44,055.72)	5.64	(21,238.57 -44,050.49)	3.89
		(21,239.91 -44,046.84)	9.02	(21,243.66 -44,038.64)	4.04	(21,245.46 -44,035.02)	21.45
		(21,254.39 -44,015.52)	2.05	(21,252.37 -44,015.86)	1.78	(21,251.44 -44,017.38)	6.56
		(21,245.22 -44,019.47)	3.65	(21,241.62 -44,020.08)	3.27	(21,238.35 -44,020.19)	9.11
		(21,229.36 -44,018.69)	57.50				
		(21,229.36 -44,018.69)	9.11	(21,238.35 -44,020.19)	3.27	(21,241.62 -44,020.08)	3.65
		(21,245.22 -44,019.47)	6.56	(21,251.44 -44,017.38)	1.78	(21,252.37 -44,015.86)	9.74
		(21,243.09 -44,018.83)	4.63	(21,238.47 -44,019.14)	9.23	(21,229.34 -44,017.81)	18.91
		(21,210.93 -44,013.50)	2.52	(21,209.96 -44,015.83)	10.61	(21,207.09 -44,026.04)	1.12
119	134	(21,206.16 -44,026.67)	5.95	(21,200.34 -44,025.43)	7.27	(21,193.08 -44,025.15)	10.35
		(21,182.73 -44,024.87)	3.75	(21,179.03 -44,024.23)	11.19	(21,168.63 -44,020.11)	1.74
		(21,168.44 -44,021.84)	9.64	(21,177.26 -44,025.72)	5.62	(21,182.86 -44,026.22)	10.23
		(21,193.09 -44,026.25)	7.14	(21,200.21 -44,026.76)	7.46	(21,207.57 -44,027.96)	12.28
		(21,211.19 -44,016.23)	1.25	(21,211.81 -44,015.15)	0.89	(21,212.58 -44,014.70)	3.14
		(21,215.64 -44,015.39)	14.11	(21,229.36 -44,018.69)	0.00		
		(21,228.50 -44,015.33)	10.20	(21,238.59 -44,016.81)	4.00	(21,242.59 -44,016.68)	7.08
		(21,249.37 -44,014.65)	4.39	(21,248.12 -44,010.44)	3.14	(21,245.27 -44,009.12)	3.52
		(21,241.75 -44,008.98)	7.18	(21,234.62 -44,008.12)	3.76	(21,230.98 -44,007.16)	4.36
		(21,229.63 -44,011.31)	4.18				
119	133	(21,229.63 -44,011.31)	4.36	(21,230.98 -44,007.16)	9.06	(21,222.16 -44,005.08)	4.73
		(21,217.51 -44,005.96)	5.89	(21,211.65 -44,005.40)	5.34	(21,210.39 -44,010.59)	18.72
		(21,228.50 -44,015.33)	4.18				
119	132	(21,210.39 -44,010.59)	5.34	(21,211.65 -44,005.40)	10.63	(21,201.16 -44,003.65)	2.89
		(21,198.49 -44,004.76)	1.49	(21,197.01 -44,004.94)	11.15	(21,207.27 -44,009.31)	3.37
119	138	(21,243.66 -44,038.64)	9.02	(21,239.91 -44,046.84)	3.89	(21,238.57 -44,050.49)	5.64
		(21,236.46 -44,055.72)	15.45	(21,231.37 -44,070.31)	7.12	(21,229.63 -44,077.21)	3.36
		(21,232.96 -44,077.63)	6.75	(21,239.71 -44,077.76)	6.34	(21,246.05 -44,077.89)	29.42
		(21,260.05 -44,052.01)	5.64	(21,262.63 -44,047.00)	5.88	(21,257.41 -44,044.29)	14.87
		(21,257.41 -44,044.29)	5.88	(21,262.63 -44,047.00)	7.90	(21,265.89 -44,039.80)	17.69
119	137	(21,273.01 -44,023.61)	5.00	(21,274.80 -44,018.94)	1.76	(21,273.14 -44,018.36)	4.49
		(21,268.89 -44,016.92)	7.10	(21,261.99 -44,015.26)	4.60	(21,257.39 -44,015.12)	3.03
		(21,254.39 -44,015.52)	21.45	(21,245.46 -44,035.02)	4.04	(21,243.66 -44,038.64)	14.87
		(21,271.84 -44,031.66)	3.59	(21,275.23 -44,032.85)	7.93	(21,278.36 -44,025.56)	3.52
121	184- 2						

地区 ..003 作業 .. 77 原図番号 .. N1 55-2 縮尺 ..1/ 500 基準点 ..X 21,150.00..Y -44,200.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

[illegible]