

地区..003

作業.. 78 原図番号.. N1 55-3

縮尺..1/ 500

基準点..X 21,000.00..Y -44,400.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,000.00 -44,400.00)	49.95	(21,049.95 -44,400.08)	50.00	(21,099.95 -44,400.13)	50.05
		(21,150.00 -44,400.15)	50.00	(21,150.00 -44,350.15)	50.00	(21,150.00 -44,300.15)	50.00
		(21,150.00 -44,250.15)	49.95	(21,150.00 -44,200.20)	49.95	(21,100.05 -44,200.10)	50.05
		(21,050.00 -44,200.10)	50.00	(21,000.00 -44,200.03)	49.97	(21,000.00 -44,250.00)	49.98
		(21,000.00 -44,299.98)	50.02	(21,000.00 -44,350.00)	50.00		
120	001- 1	(21,091.47 -44,241.20)	8.05	(21,098.70 -44,237.65)	11.93	(21,109.82 -44,233.32)	11.54
		(21,120.74 -44,229.60)	3.00	(21,120.62 -44,226.60)	13.20	(21,108.23 -44,231.15)	12.29
		(21,097.03 -44,236.20)	7.05	(21,090.64 -44,239.17)	2.19		
120	164- 2	(21,089.94 -44,237.10)	6.98	(21,096.65 -44,235.18)	13.23	(21,108.75 -44,229.83)	9.56
		(21,117.78 -44,226.70)	0.92	(21,118.60 -44,226.28)	17.19	(21,117.94 -44,209.10)	33.40
		(21,084.57 -44,210.45)	27.19				
120	002- 3	(21,075.58 -44,200.10)	52.44	(21,085.95 -44,251.50)	3.44	(21,086.09 -44,254.94)	5.40
		(21,091.30 -44,256.35)	5.83	(21,091.05 -44,250.53)	11.19	(21,088.73 -44,239.58)	40.34
		(21,080.30 -44,200.13)	4.72				
120	001- 2	(21,080.30 -44,200.13)	40.34	(21,088.73 -44,239.58)	11.19	(21,091.05 -44,250.53)	5.83
		(21,091.30 -44,256.35)	2.57	(21,093.78 -44,257.01)	6.82	(21,094.07 -44,250.20)	9.37
		(21,091.47 -44,241.20)	2.19	(21,090.64 -44,239.17)	2.19	(21,089.94 -44,237.10)	27.19
		(21,084.57 -44,210.45)	10.55	(21,082.55 -44,200.10)	2.25		
120	163	(21,082.55 -44,200.10)	10.55	(21,084.57 -44,210.45)	33.40	(21,117.94 -44,209.10)	8.96
		(21,117.55 -44,200.15)	35.00				
120	002- 2	(21,117.55 -44,200.15)	8.96	(21,117.94 -44,209.10)	17.19	(21,118.60 -44,226.28)	0.92
		(21,117.78 -44,226.70)	9.56	(21,108.75 -44,229.83)	13.23	(21,096.65 -44,235.18)	6.98
		(21,089.94 -44,237.10)	2.19	(21,090.64 -44,239.17)	7.05	(21,097.03 -44,236.20)	12.29
		(21,108.23 -44,231.15)	13.20	(21,120.62 -44,226.60)	21.02	(21,119.77 -44,205.60)	5.46
		(21,119.50 -44,200.15)	1.95				
120	162	(21,119.50 -44,200.15)	5.46	(21,119.77 -44,205.60)	30.33	(21,150.05 -44,203.88)	3.73
		(21,150.05 -44,200.15)	30.55				
120	164- 1	(21,150.05 -44,203.88)	30.33	(21,119.77 -44,205.60)	21.02	(21,120.62 -44,226.60)	3.00
		(21,120.74 -44,229.60)	30.91	(21,150.00 -44,219.65)	15.77		
120	166	(21,150.00 -44,219.65)	30.91	(21,120.74 -44,229.60)	11.54	(21,109.82 -44,233.32)	6.93
		(21,116.58 -44,234.85)	2.99	(21,119.55 -44,235.20)	3.24	(21,122.75 -44,234.68)	3.53
		(21,126.18 -44,233.85)	9.13	(21,134.48 -44,230.05)	5.14	(21,139.23 -44,228.08)	5.22
		(21,144.33 -44,226.98)	3.54	(21,147.85 -44,226.60)	2.15	(21,150.00 -44,226.55)	6.90
120	167	(21,150.00 -44,226.55)	2.15	(21,147.85 -44,226.60)	3.54	(21,144.33 -44,226.98)	5.22
		(21,139.23 -44,228.08)	5.14	(21,134.48 -44,230.05)	9.13	(21,126.18 -44,233.85)	3.53
		(21,122.75 -44,234.68)	3.24	(21,119.55 -44,235.20)	2.99	(21,116.58 -44,234.85)	6.93
		(21,109.82 -44,233.32)	11.93	(21,098.70 -44,237.65)	8.05	(21,091.47 -44,241.20)	9.37
		(21,094.07 -44,250.20)	8.27	(21,101.55 -44,253.73)	2.84	(21,104.15 -44,254.88)	3.26
		(21,107.40 -44,254.60)	5.48	(21,111.58 -44,251.05)	5.24	(21,116.48 -44,249.20)	7.84
		(21,123.88 -44,246.60)	4.00	(21,127.08 -44,244.20)	7.02	(21,132.80 -44,240.13)	9.85
		(21,141.65 -44,235.80)	11.53	(21,150.00 -44,227.85)	1.30		

地区 ..003 作業 .. 78 原図番号 .. N1 55-3 縮尺 ..1/ 500 基準点 ..X 21,000.00..Y -44,400.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

120	002-	1	(@ 21,150.00 -44,227.85) 11.53 (21,141.65 -44,235.80) 9.85 (21,132.80 -44,240.13) 7.02
			(21,127.08 -44,244.20) 4.00 (21,123.88 -44,246.60) 7.84 (21,116.48 -44,249.20) 5.24
			(21,111.58 -44,251.05) 5.48 (21,107.40 -44,254.60) 3.26 (21,104.15 -44,254.88) 2.84
			(21,101.55 -44,253.73) 8.27 (21,094.07 -44,250.20) 6.82 (21,093.78 -44,257.01) 10.63
			(21,104.08 -44,259.65) 0.77 (21,104.85 -44,259.60) 11.89 (21,116.73 -44,259.18) 5.00
			(21,121.28 -44,257.10) 4.18 (21,125.03 -44,255.25) 1.14 (21,125.99 -44,254.64) 0.76
			(21,126.63 -44,254.23) 4.53 (21,126.83 -44,249.70) 21.99 (21,146.59 -44,240.04) 4.57
			(21,150.00 -44,237.00) 9.15
118	91		(2/ 2)
			(@ 21,150.00 -44,237.00) 4.57 (21,146.59 -44,240.04) 2.73 (21,148.35 -44,242.13) 1.96
			(21,150.05 -44,243.10) 6.10
118	94		(2/ 2)
			(21,150.05 -44,243.10) 1.96 (21,148.35 -44,242.13) 2.73 (@ 21,146.59 -44,240.04) 21.99
			(21,126.83 -44,249.70) 4.53 (21,126.63 -44,254.23) 0.76 (21,125.99 -44,254.64) 8.37
			(21,129.80 -44,262.09) 21.60 (21,150.00 -44,254.45) 11.35
118	88		(2/ 2)
			(@ 21,150.00 -44,254.45) 21.60 (21,129.80 -44,262.09) 23.45 (21,134.02 -44,285.16) 16.05
			(21,150.00 -44,283.65) 29.20
118	98		(2/ 2)
			(@ 21,150.00 -44,283.65) 16.05 (21,134.02 -44,285.16) 15.15 (21,136.44 -44,300.12) 8.87
			(21,137.89 -44,308.87) 12.16 (21,150.00 -44,307.75) 24.10
118	108		(2/ 2)
			(@ 21,150.00 -44,307.75) 12.16 (21,137.89 -44,308.87) 29.19 (21,139.82 -44,338.00) 10.21
			(21,150.00 -44,337.20) 29.45
118	107		(2/ 2)
			(@ 21,150.00 -44,337.20) 10.21 (21,139.82 -44,338.00) 32.18 (21,142.12 -44,370.10) 8.60
			(21,150.00 -44,366.65) 29.45
118	103-	1	(2/ 2)
			(@ 21,150.00 -44,366.65) 8.60 (21,142.12 -44,370.10) 22.41 (21,121.55 -44,379.00) 16.90
			(21,106.04 -44,385.70) 4.88 (21,101.57 -44,387.65) 0.83 (21,101.94 -44,388.39) 12.96
			(21,114.33 -44,384.60) 13.62 (21,127.20 -44,380.13) 6.43 (21,133.30 -44,378.10) 18.52
			(21,150.05 -44,370.20) 3.55
118	65-	3	(3/ 3)
			(@ 21,150.05 -44,370.20) 18.52 (21,133.30 -44,378.10) 6.43 (21,127.20 -44,380.13) 13.62
			(21,114.33 -44,384.60) 12.96 (21,101.94 -44,388.39) 10.02 (21,092.37 -44,391.35) 1.58
			(21,093.33 -44,392.60) 8.95 (21,084.49 -44,394.02) 6.27 (21,082.95 -44,400.10) 8.23
			(21,091.18 -44,400.13) 12.06 (21,102.38 -44,395.65) 15.96 (21,117.23 -44,389.80) 19.52
			(21,135.30 -44,382.43) 16.06 (21,149.95 -44,375.85) 5.65
118	64		(4/ 4)
			(@ 21,149.95 -44,375.85) 16.06 (21,135.30 -44,382.43) 19.52 (21,117.23 -44,389.80) 15.96
			(21,102.38 -44,395.65) 12.06 (21,091.18 -44,400.13) 8.77 (21,099.95 -44,400.13) 50.00
			(21,149.95 -44,400.20) 24.35
118	106		
			(21,142.12 -44,370.10) 32.18 (@ 21,139.82 -44,338.00) 21.74 (21,118.15 -44,339.80) 39.35
			(21,121.55 -44,379.00) 22.41
118	105		
			(21,121.55 -44,379.00) 39.35 (@ 21,118.15 -44,339.80) 15.86 (21,102.35 -44,341.14) 44.71
			(21,106.04 -44,385.70) 16.90
118	110		
			(21,106.04 -44,385.70) 44.71 (21,102.35 -44,341.14) 32.97 (@ 21,099.57 -44,308.29) 5.56
			(21,094.14 -44,309.50) 5.99 (21,094.27 -44,315.49) 1.16 (21,094.95 -44,316.43) 5.00

地区 ..003

作業 .. 78

原図番号 .. N1 55-3

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -44,400.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,095.85 -44,321.35)	15.36	(21,096.88 -44,336.68)	6.55	(21,096.30 -44,343.20)	6.51
		(21,095.45 -44,349.65)	8.94	(21,094.05 -44,358.48)	2.63	(21,093.78 -44,361.10)	1.94
		(21,093.30 -44,362.98)	3.03	(21,092.28 -44,365.83)	1.71	(21,091.02 -44,366.99)	12.74
		(21,087.95 -44,379.35)	8.70	(21,096.63 -44,378.70)	0.54	(21,097.08 -44,379.00)	4.27
118	66	(21,099.25 -44,382.68)	4.62	(21,101.18 -44,386.88)	0.86	(21,101.57 -44,387.65)	4.88
		(21,101.94 -44,388.39)	0.83	(21,101.57 -44,387.65)	0.86	(21,101.18 -44,386.88)	4.62
		(21,099.25 -44,382.68)	4.27	(21,097.08 -44,379.00)	0.54	(21,096.63 -44,378.70)	8.70
		(21,087.95 -44,379.35)	2.94	(21,087.23 -44,382.20)	7.58	(21,085.54 -44,389.59)	6.23
		(21,091.70 -44,388.63)	2.80	(21,092.37 -44,391.35)	10.02		
118	65-	1					
		(21,093.33 -44,392.60)	1.58	(21,092.37 -44,391.35)	2.80	(21,091.70 -44,388.63)	6.23
		(21,085.54 -44,389.59)	4.55	(21,084.49 -44,394.02)	8.95		
118	001-	3					
		(21,082.95 -44,400.10)	6.27	(21,084.49 -44,394.02)	4.55	(21,085.54 -44,389.59)	7.58
		(21,087.23 -44,382.20)	2.94	(21,087.95 -44,379.35)	12.74	(21,091.02 -44,366.99)	1.69
		(21,091.43 -44,365.35)	15.65	(21,093.05 -44,349.78)	13.07	(21,094.03 -44,336.75)	15.12
		(21,094.35 -44,321.63)	6.14	(21,094.27 -44,315.49)	5.99	(21,094.14 -44,309.50)	14.80
		(21,093.84 -44,294.70)	18.11	(21,093.40 -44,276.60)	2.99	(21,093.89 -44,273.65)	16.64
		(21,093.78 -44,257.01)	2.57	(21,091.30 -44,256.35)	4.18	(21,091.38 -44,260.53)	13.82
		(21,091.33 -44,274.35)	2.67	(21,090.10 -44,276.72)	32.64	(21,090.93 -44,309.35)	12.78
		(21,091.10 -44,322.13)	14.75	(21,090.90 -44,336.88)	13.00	(21,089.80 -44,349.83)	15.35
		(21,088.08 -44,365.08)	16.79	(21,084.35 -44,381.45)	2.32	(21,083.59 -44,383.64)	2.28
		(21,082.80 -44,385.78)	14.82	(21,079.00 -44,400.10)	3.95		
118	113-	5	(2 / 2)				
		(21,079.00 -44,400.10)	14.82	(21,082.80 -44,385.78)	2.28	(21,083.59 -44,383.64)	1.64
		(21,082.03 -44,383.13)	18.13	(21,075.65 -44,400.10)	3.35		
118	113-	1	(2 / 2)				
		(21,075.65 -44,400.10)	18.13	(21,082.03 -44,383.13)	1.64	(21,083.59 -44,383.64)	2.32
		(21,084.35 -44,381.45)	16.79	(21,088.08 -44,365.08)	15.35	(21,089.80 -44,349.83)	13.00
		(21,090.90 -44,336.88)	14.75	(21,091.10 -44,322.13)	12.78	(21,090.93 -44,309.35)	32.64
		(21,090.10 -44,276.72)	20.36	(21,078.18 -44,293.23)	5.41	(21,075.60 -44,297.98)	6.79
		(21,074.08 -44,304.60)	10.27	(21,074.70 -44,314.85)	11.87	(21,076.68 -44,326.55)	7.62
		(21,079.03 -44,333.80)	7.63	(21,082.28 -44,340.70)	4.43	(21,083.75 -44,344.88)	6.25
		(21,085.03 -44,351.00)	3.80	(21,085.08 -44,354.80)	4.36	(21,084.75 -44,359.15)	24.71
		(21,078.65 -44,383.10)	7.33	(21,075.80 -44,389.85)	10.67	(21,072.85 -44,400.10)	2.80
118	002-	4					
		(21,072.85 -44,400.10)	10.67	(21,075.80 -44,389.85)	7.33	(21,078.65 -44,383.10)	24.71
		(21,084.75 -44,359.15)	4.36	(21,085.08 -44,354.80)	3.80	(21,085.03 -44,351.00)	6.25
		(21,083.75 -44,344.88)	4.43	(21,082.28 -44,340.70)	7.63	(21,079.03 -44,333.80)	7.62
		(21,076.68 -44,326.55)	11.87	(21,074.70 -44,314.85)	10.27	(21,074.08 -44,304.60)	6.79
		(21,075.60 -44,297.98)	5.41	(21,078.18 -44,293.23)	20.36	(21,090.10 -44,276.72)	2.67
		(21,091.33 -44,274.35)	13.82	(21,091.38 -44,260.53)	4.18	(21,091.30 -44,256.35)	5.40
		(21,086.09 -44,254.94)	11.15	(21,086.50 -44,266.08)	7.17	(21,086.45 -44,273.25)	5.42
		(21,084.03 -44,278.10)	17.57	(21,073.65 -44,292.28)	6.38	(21,070.45 -44,297.80)	7.87
		(21,069.40 -44,305.60)	6.76	(21,070.03 -44,312.33)	16.20	(21,072.55 -44,328.33)	9.10
		(21,075.75 -44,336.85)	10.24	(21,079.45 -44,346.40)	7.81	(21,080.75 -44,354.10)	7.24
		(21,079.85 -44,361.28)	21.58	(21,074.18 -44,382.10)	19.23	(21,067.40 -44,400.10)	5.45
118	000-	1					
		(21,067.40 -44,400.10)	19.23	(21,074.18 -44,382.10)	21.58	(21,079.85 -44,361.28)	7.24
		(21,080.75 -44,354.10)	7.81	(21,079.45 -44,346.40)	10.24	(21,075.75 -44,336.85)	9.10
		(21,072.55 -44,328.33)	16.20	(21,070.03 -44,312.33)	6.76	(21,069.40 -44,305.60)	7.87

地区 ..003 作業 .. 78 原図番号 .. N1 55-3 縮尺 ..1/ 500 基準点 ..X 21,000.00..Y -44,400.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,070.45 -44,297.80)	6.38	(21,073.65 -44,292.28)	17.57	(21,084.03 -44,278.10)	5.42
		(21,086.45 -44,273.25)	7.17	(21,086.50 -44,266.08)	11.15	(21,086.09 -44,254.94)	3.44
		(21,085.95 -44,251.50)	52.44	(21,075.58 -44,200.10)	25.58	(21,050.00 -44,200.10)	50.00
		(@ 21,000.00 -44,200.03)	49.97	(21,000.00 -44,250.00)	49.98	(21,000.00 -44,299.98)	50.02
		(21,000.00 -44,350.00)	50.00	(21,000.00 -44,400.00)	49.95	(21,049.95 -44,400.08)	17.45
118	112	(21,094.35 -44,321.63)	15.12	(21,094.03 -44,336.75)	13.07	(21,093.05 -44,349.78)	15.65
		(21,091.43 -44,365.35)	1.69	(21,091.02 -44,366.99)	1.71	(21,092.28 -44,365.83)	3.03
		(21,093.30 -44,362.98)	1.94	(21,093.78 -44,361.10)	2.63	(21,094.05 -44,358.48)	8.94
		(21,095.45 -44,349.65)	6.51	(21,096.30 -44,343.20)	6.55	(21,096.88 -44,336.68)	15.36
		(21,095.85 -44,321.35)	5.00	(21,094.95 -44,316.43)	1.16	(@ 21,094.27 -44,315.49)	6.14
118	109- 1	(21,099.57 -44,308.29)	32.97	(21,102.35 -44,341.14)	15.86	(21,118.15 -44,339.80)	21.74
		(21,139.82 -44,338.00)	29.19	(21,137.89 -44,308.87)	8.87	(@ 21,136.44 -44,300.12)	37.76
118	109- 2	(21,136.44 -44,300.12)	15.15	(@ 21,134.02 -44,285.16)	23.58	(21,112.10 -44,293.85)	4.20
		(21,107.95 -44,294.50)	4.13	(21,103.83 -44,294.73)	9.99	(21,093.84 -44,294.70)	14.80
		(21,094.14 -44,309.50)	5.56	(21,099.57 -44,308.29)	37.76		
118	95	(21,093.40 -44,276.60)	18.11	(21,093.84 -44,294.70)	9.99	(21,103.83 -44,294.73)	4.13
		(21,107.95 -44,294.50)	4.20	(21,112.10 -44,293.85)	23.58	(21,134.02 -44,285.16)	23.45
		(21,129.80 -44,262.09)	8.37	(@ 21,125.99 -44,254.64)	1.14	(21,125.03 -44,255.25)	4.18
		(21,121.28 -44,257.10)	5.00	(21,116.73 -44,259.18)	11.89	(21,104.85 -44,259.60)	4.98
		(21,103.70 -44,264.45)	7.54	(21,098.60 -44,270.00)	3.91	(21,095.15 -44,271.83)	2.21
		(21,093.89 -44,273.65)	2.99				
118	96	(21,093.89 -44,273.65)	2.21	(21,095.15 -44,271.83)	3.91	(21,098.60 -44,270.00)	7.54
		(21,103.70 -44,264.45)	4.98	(21,104.85 -44,259.60)	0.77	(21,104.08 -44,259.65)	10.63
		(@ 21,093.78 -44,257.01)	16.64				