

地区..003

作業.. 79

原図番号.. N1 55-4

縮尺..1/ 500

基準点..X 21,000.00..Y -44,200.00

測定

年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,000.00 -44,200.00)	50.00	(21,050.00 -44,200.06)	50.05	(21,100.05 -44,200.02)	49.95
		(21,150.00 -44,200.11)	49.95	(21,149.94 -44,150.16)	50.05	(21,149.98 -44,100.11)	50.00
		(21,150.06 -44,050.11)	50.00	(21,150.05 -44,000.11)	50.05	(21,100.00 -44,000.12)	50.00
		(21,050.00 -44,000.09)	50.00	(21,000.00 -44,000.07)	49.48	(20,999.96 -44,049.55)	50.00
		(21,000.02 -44,099.55)	50.55	(20,999.99 -44,150.10)	49.90		
119	000- 1	(21,000.00 -44,200.00)	50.00	(21,050.00 -44,200.06)	25.58	(21,075.58 -44,200.05)	3.29
		(21,074.89 -44,196.83)	13.26	(21,071.47 -44,184.02)	19.65	(21,062.24 -44,166.67)	6.13
		(21,060.27 -44,160.87)	17.79	(21,054.49 -44,144.05)	33.68	(21,044.36 -44,111.93)	29.93
		(21,014.46 -44,110.55)	14.48	(21,000.01 -44,109.65)	90.35		
119	002- 5	(21,000.01 -44,109.65)	14.48	(21,014.46 -44,110.55)	29.93	(21,044.36 -44,111.93)	33.68
		(21,054.49 -44,144.05)	17.79	(21,060.27 -44,160.87)	4.79	(21,064.93 -44,159.77)	3.74
		(21,063.93 -44,156.17)	3.30	(21,063.05 -44,152.99)	5.65	(21,061.53 -44,147.55)	10.88
		(21,058.05 -44,137.24)	8.14	(21,055.12 -44,129.65)	2.08	(21,054.48 -44,127.67)	6.90
		(21,052.58 -44,121.04)	13.90	(21,048.07 -44,107.89)	48.08	(21,000.00 -44,107.00)	2.65
119	118	(1/ 2)					
		(21,000.00 -44,107.00)	48.08	(21,048.07 -44,107.89)	12.98	(21,046.83 -44,094.97)	3.33
		(21,043.51 -44,095.23)	9.80	(21,046.23 -44,085.82)	16.62	(21,043.60 -44,069.41)	15.94
		(21,040.27 -44,053.82)	17.30	(21,033.19 -44,038.03)	6.54	(21,026.83 -44,039.56)	11.56
		(21,016.12 -44,043.90)	5.10	(21,012.28 -44,047.26)	13.00	(21,004.14 -44,057.39)	5.13
		(21,001.58 -44,061.84)	4.37	(20,999.96 -44,065.90)	41.10		
119	002- 7	(20,999.96 -44,065.90)	4.37	(21,001.58 -44,061.84)	5.13	(21,004.14 -44,057.39)	13.00
		(21,012.28 -44,047.26)	5.10	(21,016.12 -44,043.90)	11.56	(21,026.83 -44,039.56)	6.54
		(21,033.19 -44,038.03)	1.78	(21,034.97 -44,038.14)	3.71	(21,037.41 -44,035.35)	16.21
		(21,051.69 -44,027.68)	16.60	(21,067.02 -44,021.31)	4.21	(21,071.12 -44,020.34)	9.72
		(21,080.84 -44,020.21)	1.71	(21,082.54 -44,020.38)	15.42	(21,091.70 -44,007.98)	5.47
		(21,094.16 -44,003.09)	3.17	(21,095.18 -44,000.09)	5.60	(21,089.58 -44,000.11)	5.24
		(21,087.72 -44,005.01)	9.06	(21,081.99 -44,012.03)	4.83	(21,077.90 -44,014.60)	4.84
		(21,073.07 -44,014.29)	5.95	(21,067.14 -44,013.78)	2.31	(21,064.84 -44,013.59)	8.37
		(21,057.96 -44,018.36)	13.49	(21,045.27 -44,022.95)	5.12	(21,040.83 -44,025.49)	9.32
		(21,033.10 -44,030.69)	2.33	(21,030.87 -44,031.35)	1.42	(21,029.47 -44,031.57)	4.53
		(21,025.16 -44,032.95)	6.25	(21,020.07 -44,036.58)	12.87	(21,010.22 -44,044.87)	13.54
		(21,000.48 -44,054.27)	1.28	(20,999.98 -44,055.45)	10.45		
119	000- 2	(20,999.98 -44,055.45)	1.28	(21,000.48 -44,054.27)	13.54	(21,010.22 -44,044.87)	12.87
		(21,020.07 -44,036.58)	13.72	(21,015.30 -44,023.72)	27.59	(21,001.10 -44,000.07)	1.10
		(21,000.00 -44,000.07)	55.38				
119	002- 6	(21,001.10 -44,000.07)	27.59	(21,015.30 -44,023.72)	13.72	(21,020.07 -44,036.58)	6.25
		(21,025.16 -44,032.95)	14.74	(21,017.37 -44,020.44)	23.45	(21,005.73 -44,000.08)	4.63
119	119	(1/ 2)					
		(21,005.73 -44,000.08)	23.45	(21,017.37 -44,020.44)	14.74	(21,025.16 -44,032.95)	4.53
		(21,029.47 -44,031.57)	2.46	(21,027.45 -44,030.16)	3.97	(21,024.71 -44,027.29)	11.49
		(21,018.03 -44,017.94)	20.48	(21,007.68 -44,000.27)	0.24	(21,007.55 -44,000.07)	1.82
119	001- 2	(21,007.55 -44,000.07)	0.24	(21,007.68 -44,000.27)	20.48	(21,018.03 -44,017.94)	11.49
		(21,024.71 -44,027.29)	3.97	(21,027.45 -44,030.16)	2.46	(21,029.47 -44,031.57)	1.42
		(21,030.87 -44,031.35)	3.35	(21,028.12 -44,029.43)	3.71	(21,025.44 -44,026.87)	11.44
		(21,018.93 -44,017.46)	20.25	(21,008.55 -44,000.07)	1.00		

地区 ..003

作業 .. 79

原図番号 .. N1 55-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -44,200.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

119	121	(1/ 2)									
		(@ 21,008.55	-44,000.07)	20.25	(21,018.93	-44,017.46)	18.19	(21,035.46	-44,009.88)	7.86	
		(21,042.17	-44,005.79)	3.71	(21,044.71	-44,003.08)	4.19	(21,047.65	-44,000.09)	39.10	
119	122	(1/ 2)									
		(21,047.65	-44,000.09)	4.19	(21,044.71	-44,003.08)	3.71	(21,042.17	-44,005.79)	7.86	
		(21,035.46	-44,009.88)	18.15	(21,018.96	-44,017.44)	11.44	(21,025.44	-44,026.87)	3.71	
		(21,028.12	-44,029.43)	3.35	(21,030.87	-44,031.35)	2.33	(21,033.10	-44,030.69)	9.32	
		(21,040.83	-44,025.49)	5.12	(21,045.27	-44,022.95)	13.49	(21,057.96	-44,018.36)	8.37	
		(21,064.84	-44,013.59)	2.31	(21,067.14	-44,013.78)	2.63	(21,068.21	-44,011.38)	5.58	
		(21,070.60	-44,006.34)	7.50	(@ 21,074.70	-44,000.06)	27.05				
119	124	(1/ 2)									
		(@ 21,074.70	-44,000.06)	7.50	(21,070.60	-44,006.34)	5.58	(21,068.21	-44,011.38)	2.63	
		(21,067.14	-44,013.78)	5.95	(21,073.07	-44,014.29)	4.84	(21,077.90	-44,014.60)	4.83	
		(21,081.99	-44,012.03)	9.06	(21,087.72	-44,005.01)	5.24	(21,089.58	-44,000.11)	14.88	
119	127	(1/ 2)									
		(@ 21,095.18	-44,000.09)	3.17	(21,094.16	-44,003.09)	5.47	(21,091.70	-44,007.98)	15.42	
		(21,082.54	-44,020.38)	1.67	(21,080.87	-44,020.29)	28.83	(21,071.64	-44,047.60)	3.60	
		(21,072.80	-44,051.01)	3.53	(21,075.86	-44,049.25)	11.24	(21,084.59	-44,042.17)	9.17	
		(21,092.57	-44,037.65)	2.97	(21,095.34	-44,036.59)	5.62	(21,100.86	-44,037.62)	2.41	
		(21,101.39	-44,035.27)	2.38	(21,103.26	-44,033.79)	4.56	(21,105.87	-44,030.05)	6.70	
		(21,109.03	-44,024.14)	27.34	(21,122.05	-44,000.10)	26.87				
119	001- 1										
		(@ 21,122.05	-44,000.10)	27.34	(21,109.03	-44,024.14)	6.70	(21,105.87	-44,030.05)	4.56	
		(21,103.26	-44,033.79)	2.38	(21,101.39	-44,035.27)	2.41	(21,100.86	-44,037.62)	5.28	
		(21,097.16	-44,041.38)	20.00	(21,083.13	-44,055.63)	10.02	(21,075.93	-44,062.60)	5.88	
		(21,072.62	-44,067.46)	4.81	(21,070.38	-44,071.72)	2.95	(21,073.04	-44,073.00)	4.00	
		(21,074.58	-44,069.31)	6.03	(21,078.21	-44,064.50)	7.14	(21,083.02	-44,059.23)	3.97	
		(21,085.98	-44,056.58)	18.95	(21,099.19	-44,042.99)	11.49	(21,106.76	-44,034.35)	10.60	
		(21,112.08	-44,025.18)	20.97	(21,121.57	-44,006.48)	7.32	(21,125.23	-44,000.14)	3.18	
119	128	(1/ 2)									
		(21,125.23	-44,000.14)	7.32	(21,121.57	-44,006.48)	20.97	(21,112.08	-44,025.18)	10.60	
		(21,106.76	-44,034.35)	11.49	(21,099.19	-44,042.99)	10.41	(21,109.26	-44,045.61)	10.07	
		(21,115.85	-44,038.00)	24.37	(21,131.99	-44,019.74)	3.98	(21,133.98	-44,016.29)	6.92	
		(21,137.61	-44,010.40)	6.19	(21,140.29	-44,004.82)	5.27	(@ 21,142.70	-44,000.13)	17.47	
119	129	(3/ 4)									
		(21,142.70	-44,000.13)	5.27	(21,140.29	-44,004.82)	6.19	(21,137.61	-44,010.40)	6.92	
		(21,133.98	-44,016.29)	3.98	(21,131.99	-44,019.74)	24.37	(21,115.85	-44,038.00)	10.07	
		(21,109.26	-44,045.61)	1.94	(21,110.98	-44,046.51)	8.38	(21,119.21	-44,048.11)	3.85	
		(21,123.06	-44,048.27)	5.55	(21,128.61	-44,048.13)	2.20	(21,130.78	-44,048.50)	2.96	
		(21,133.61	-44,049.36)	7.02	(21,139.97	-44,052.33)	5.30	(21,143.61	-44,048.48)	7.23	
		(21,147.19	-44,042.20)	4.25	(21,149.35	-44,038.54)	1.04	(21,150.02	-44,037.74)	37.63	
		(@ 21,150.05	-44,000.11)	7.35							
119	142	(2/ 2)									
		(@ 21,150.02	-44,037.74)	1.04	(21,149.35	-44,038.54)	4.25	(21,147.19	-44,042.20)	7.23	
		(21,143.61	-44,048.48)	5.30	(21,139.97	-44,052.33)	5.21	(21,136.16	-44,055.88)	10.23	
		(21,128.38	-44,062.53)	3.97	(21,125.31	-44,065.04)	3.08	(21,127.82	-44,066.83)	4.30	
		(21,131.77	-44,068.52)	19.15	(21,149.70	-44,075.26)	0.32	(21,150.00	-44,075.36)	37.62	
119	146- 1	(2/ 2)									
		(21,150.00	-44,075.36)	0.32	(@ 21,149.70	-44,075.26)	20.15	(21,145.57	-44,094.98)	4.65	
		(21,150.01	-44,096.36)	21.00							
119	146- 3	(2/ 2)									
		(21,150.01	-44,096.36)	4.65	(@ 21,145.57	-44,094.98)	6.13	(21,144.28	-44,100.97)	1.59	

地区 ..003 作業 .. 79 原図番号 .. N1 55-4 縮尺 ..1/ 500 基準点 ..X 21,000.00..Y -44,200.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,145.11 -44,102.33)	1.40	(21,146.21 -44,103.20)	3.38	(21,149.27 -44,104.64)	0.80
		(21,150.04 -44,104.86)	8.50				
120	148	(2/ 2)					
		(21,150.04 -44,104.86)	0.80	(21,149.27 -44,104.64)	3.38	(21,146.21 -44,103.20)	1.40
		(21,145.11 -44,102.33)	1.59	(21,144.28 -44,100.97)	3.14	(21,141.28 -44,100.03)	49.36
		(21,143.67 -44,149.33)	6.37	(21,150.03 -44,148.96)	44.10		
120	002-	2					
		(21,150.03 -44,148.96)	6.37	(21,143.67 -44,149.33)	1.87	(21,141.80 -44,149.39)	22.14
		(21,119.69 -44,150.53)	1.83	(21,117.86 -44,150.62)	47.64	(21,070.25 -44,152.31)	2.05
		(21,071.15 -44,154.15)	78.97	(21,150.04 -44,150.56)	1.60		
120	001-	5					
		(21,150.04 -44,150.56)	78.97	(21,071.15 -44,154.15)	5.71	(21,072.23 -44,159.76)	2.61
		(21,073.61 -44,157.54)	42.26	(21,115.81 -44,155.36)	1.93	(21,117.74 -44,155.28)	28.44
		(21,146.14 -44,153.77)	3.87	(21,150.00 -44,153.56)	3.00		
120	147-	1	(2/ 2)				
		(21,150.00 -44,153.56)	3.87	(21,146.14 -44,153.77)	29.13	(21,147.55 -44,182.87)	2.47
		(21,150.02 -44,182.76)	29.20				
120	161	(2/ 2)					
		(21,150.02 -44,182.76)	2.47	(21,147.55 -44,182.87)	28.64	(21,118.93 -44,183.98)	10.67
		(21,119.33 -44,194.64)	30.76	(21,150.03 -44,192.76)	10.00		
120	162	(4/ 4)					
		(21,150.03 -44,192.76)	30.76	(21,119.33 -44,194.66)	5.44	(21,119.58 -44,200.09)	30.42
		(21,150.00 -44,200.11)	7.35				
120	002-	3					
		(21,119.58 -44,200.09)	5.46	(21,119.33 -44,194.64)	10.67	(21,118.93 -44,183.98)	28.72
		(21,117.74 -44,155.28)	1.93	(21,115.81 -44,155.36)	15.24	(21,116.45 -44,170.59)	16.24
		(21,117.06 -44,186.82)	13.31	(21,117.65 -44,200.12)	1.93		
120	163	(2/ 2)					
		(21,117.65 -44,200.12)	13.31	(21,117.06 -44,186.82)	37.00	(21,080.10 -44,188.50)	11.82
		(21,082.45 -44,200.08)	35.20				
120	001-	4					
		(21,082.45 -44,200.08)	11.82	(21,080.10 -44,188.50)	16.81	(21,075.61 -44,172.30)	12.99
		(21,072.23 -44,159.76)	5.71	(21,071.15 -44,154.15)	2.05	(21,070.25 -44,152.31)	14.47
		(21,068.06 -44,138.01)	5.91	(21,066.93 -44,132.21)	8.71	(21,066.20 -44,123.53)	4.18
		(21,065.91 -44,119.36)	11.03	(21,065.50 -44,108.34)	14.69	(21,067.66 -44,093.81)	4.41
		(21,068.49 -44,089.48)	7.79	(21,070.37 -44,081.92)	9.31	(21,073.04 -44,073.00)	2.95
		(21,070.38 -44,071.72)	4.17	(21,068.85 -44,075.60)	9.24	(21,066.47 -44,084.53)	2.55
		(21,063.92 -44,084.49)	3.16	(21,063.66 -44,087.64)	12.37	(21,060.50 -44,099.60)	3.78
		(21,060.31 -44,103.38)	18.58	(21,062.20 -44,121.86)	7.17	(21,062.95 -44,128.99)	4.87
		(21,064.60 -44,133.57)	5.52	(21,065.98 -44,138.91)	13.74	(21,067.80 -44,152.53)	6.36
		(21,069.28 -44,158.72)	14.73	(21,073.31 -44,172.89)	4.27	(21,074.31 -44,177.04)	12.37
		(21,077.81 -44,188.90)	11.45	(21,080.25 -44,200.09)	2.20		
120	002-	4					
		(21,080.25 -44,200.09)	11.45	(21,077.81 -44,188.90)	12.37	(21,074.31 -44,177.04)	11.18
		(21,068.27 -44,167.63)	8.54	(21,064.93 -44,159.77)	4.79	(21,060.27 -44,160.87)	6.13
		(21,062.24 -44,166.67)	19.65	(21,071.47 -44,184.02)	13.26	(21,074.89 -44,196.83)	3.29
		(21,075.58 -44,200.05)	4.67				
120	156-	2					
		(21,074.31 -44,177.04)	4.27	(21,073.31 -44,172.89)	14.73	(21,069.28 -44,158.72)	4.47
		(21,064.93 -44,159.77)	8.54	(21,068.27 -44,167.63)	11.18		
120	157						
		(21,080.10 -44,188.50)	37.00	(21,117.06 -44,186.82)	16.24	(21,116.45 -44,170.59)	40.88

地区 ..003 作業 .. 79 原図番号 .. N1 55-4 縮尺 ..1/ 500 基準点 ..X 21,000.00..Y -44,200.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

120	156-	(21,075.61 -44,172.30)	16.81						
		(21,075.61 -44,172.30)	40.88	(21,116.45 -44,170.59)	15.24	(21,115.81 -44,155.36)	42.26		
		(21,073.61 -44,157.54)	2.61	(21,072.23 -44,159.76)	12.99				
120	154	(21,070.25 -44,152.31)	47.64	(21,117.86 -44,150.62)	14.43	(21,117.26 -44,136.20)	49.23		
		(21,068.06 -44,138.01)	14.47						
120	149	(21,068.06 -44,138.01)	49.23	(21,117.26 -44,136.20)	15.03	(21,116.49 -44,121.19)	50.34		
		(21,066.20 -44,123.53)	8.71	(21,066.93 -44,132.21)	5.91				
120	153	(21,065.91 -44,119.36)	4.18	(21,066.20 -44,123.53)	50.34	(21,116.49 -44,121.19)	15.15		
		(21,115.80 -44,106.06)	50.35	(21,065.50 -44,108.34)	11.03				
120	152	(21,065.50 -44,108.34)	50.35	(21,115.80 -44,106.06)	13.72	(21,115.05 -44,092.36)	47.41		
		(21,067.66 -44,093.81)	14.69						
120	151	(21,067.66 -44,093.81)	47.41	(21,115.05 -44,092.36)	4.69	(21,116.39 -44,087.87)	45.83		
		(21,073.04 -44,073.00)	9.31	(21,070.37 -44,081.92)	7.79	(21,068.49 -44,089.48)	4.41		
120	002-	(21,115.05 -44,092.36)	13.72	(21,115.80 -44,106.06)	15.15	(21,116.49 -44,121.19)	15.03		
		(21,117.26 -44,136.20)	14.43	(21,117.86 -44,150.62)	1.83	(21,119.69 -44,150.53)	57.48		
		(21,116.90 -44,093.12)	2.00						
120	150	(21,116.90 -44,093.12)	57.48	(21,119.69 -44,150.53)	22.14	(21,141.80 -44,149.39)	49.96		
		(21,139.59 -44,099.48)	23.56						
120	001-	(21,139.59 -44,099.48)	49.96	(21,141.80 -44,149.39)	1.87	(21,143.67 -44,149.33)	49.36		
		(21,141.28 -44,100.03)	1.78						
120	158	(21,146.14 -44,153.77)	28.44	(21,117.74 -44,155.28)	28.72	(21,118.93 -44,183.98)	28.64		
		(21,147.55 -44,182.87)	29.13						
119	145	(21,115.05 -44,092.36)	2.00	(21,116.90 -44,093.12)	23.56	(21,139.59 -44,099.48)	1.78		
		(21,141.28 -44,100.03)	3.14	(21,144.28 -44,100.97)	6.13	(21,145.57 -44,094.98)	20.15		
		(21,149.70 -44,075.26)	19.15	(21,131.77 -44,068.52)	4.30	(21,127.82 -44,066.83)	3.08		
		(21,125.31 -44,065.04)	2.10	(21,123.64 -44,066.32)	2.07	(21,122.25 -44,067.85)	3.64		
		(21,120.40 -44,070.99)	17.35	(21,116.39 -44,087.87)	4.69				
119	144	(21,116.39 -44,087.87)	17.35	(21,120.40 -44,070.99)	37.31	(21,085.98 -44,056.58)	3.97		
		(21,083.02 -44,059.23)	7.14	(21,078.21 -44,064.50)	6.03	(21,074.58 -44,069.31)	4.00		
		(21,073.04 -44,073.00)	45.83						
119	143	(21,085.98 -44,056.58)	37.31	(21,120.40 -44,070.99)	3.64	(21,122.25 -44,067.85)	2.07		
		(21,123.64 -44,066.32)	2.10	(21,125.31 -44,065.04)	3.97	(21,128.38 -44,062.53)	10.23		
		(21,136.16 -44,055.88)	5.21	(21,139.97 -44,052.33)	7.02	(21,133.61 -44,049.36)	2.96		
		(21,130.78 -44,048.50)	2.20	(21,128.61 -44,048.13)	5.55	(21,123.06 -44,048.27)	3.85		
		(21,119.21 -44,048.11)	8.38	(21,110.98 -44,046.51)	1.94	(21,109.26 -44,045.61)	10.41		
		(21,099.19 -44,042.99)	18.95						
119	126	(21,100.86 -44,037.62)	5.62	(21,095.34 -44,036.59)	2.97	(21,092.57 -44,037.65)	9.17		
		(21,084.59 -44,042.17)	11.24	(21,075.86 -44,049.25)	3.53	(21,072.80 -44,051.01)	1.74		

地区 ..003

作業 .. 79

原図番号 .. N1 55-4

縮尺 ..1/ 500

基準点 ..X 21,000.00..Y -44,200.00

測定

年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,071.19 -44,051.67)	2.39	(21,070.10 -44,053.80)	3.46	(21,068.74 -44,056.98)	12.04
		(21,065.82 -44,068.66)	9.86	(21,064.56 -44,078.44)	4.64	(21,063.95 -44,083.04)	1.45
		(21,063.92 -44,084.49)	2.55	(21,066.47 -44,084.53)	9.24	(21,068.85 -44,075.60)	4.17
		(21,070.38 -44,071.72)	4.81	(21,072.62 -44,067.46)	5.88	(21,075.93 -44,062.60)	10.02
		(21,083.13 -44,055.63)	20.00	(21,097.16 -44,041.38)	5.28		
119	125	(21,071.64 -44,047.60)	28.89	(21,080.84 -44,020.21)	9.72	(21,071.12 -44,020.34)	4.21
		(21,067.02 -44,021.31)	16.60	(21,051.69 -44,027.68)	16.21	(21,037.41 -44,035.35)	3.71
		(21,034.97 -44,038.14)	16.75	(21,041.50 -44,053.56)	15.81	(21,045.02 -44,068.97)	6.36
		(21,050.34 -44,065.49)	5.20	(21,054.20 -44,062.00)	7.59	(21,059.61 -44,056.68)	5.94
		(21,063.90 -44,052.57)	5.13	(21,068.11 -44,049.63)	4.07		
119	117	(21,068.11 -44,049.63)	5.13	(21,063.90 -44,052.57)	5.94	(21,059.61 -44,056.68)	7.59
		(21,054.20 -44,062.00)	5.20	(21,050.34 -44,065.49)	6.36	(21,045.02 -44,068.97)	17.06
		(21,047.90 -44,085.79)	8.48	(21,045.41 -44,093.90)	2.96	(21,048.35 -44,093.59)	8.41
		(21,049.03 -44,101.97)	7.14	(21,050.25 -44,109.01)	4.93	(21,051.49 -44,113.78)	6.95
		(21,054.02 -44,120.25)	3.42	(21,056.48 -44,122.62)	5.77	(21,062.20 -44,121.86)	18.58
		(21,060.31 -44,103.38)	3.78	(21,060.50 -44,099.60)	12.37	(21,063.66 -44,087.64)	3.16
		(21,063.92 -44,084.49)	1.45	(21,063.95 -44,083.04)	4.64	(21,064.56 -44,078.44)	9.86
		(21,065.82 -44,068.66)	12.04	(21,068.74 -44,056.98)	3.46	(21,070.10 -44,053.80)	2.39
		(21,071.19 -44,051.67)	1.74	(21,072.80 -44,051.01)	3.60	(21,071.64 -44,047.60)	4.07
119	115	(21,062.20 -44,121.86)	5.77	(21,056.48 -44,122.62)	9.08	(21,062.95 -44,128.99)	7.17
119	001- 3	(21,062.95 -44,128.99)	9.08	(21,056.48 -44,122.62)	3.42	(21,054.02 -44,120.25)	6.95
		(21,051.49 -44,113.78)	4.93	(21,050.25 -44,109.01)	7.14	(21,049.03 -44,101.97)	8.41
		(21,048.35 -44,093.59)	2.96	(21,045.41 -44,093.90)	8.48	(21,047.90 -44,085.79)	17.06
		(21,045.02 -44,068.97)	15.81	(21,041.50 -44,053.56)	16.75	(21,034.97 -44,038.14)	1.78
		(21,033.19 -44,038.03)	17.30	(21,040.27 -44,053.82)	15.94	(21,043.60 -44,069.41)	16.62
		(21,046.23 -44,085.82)	9.80	(21,043.51 -44,095.23)	3.33	(21,046.83 -44,094.97)	12.98
		(21,048.07 -44,107.89)	13.90	(21,052.58 -44,121.04)	5.29	(21,055.83 -44,125.22)	2.23
		(21,057.30 -44,126.90)	2.09	(21,058.77 -44,128.38)	7.81	(21,064.60 -44,133.57)	4.87
119	114	(21,064.60 -44,133.57)	7.81	(21,058.77 -44,128.38)	2.09	(21,057.30 -44,126.90)	2.92
		(21,054.48 -44,127.67)	2.08	(21,055.12 -44,129.65)	8.14	(21,058.05 -44,137.24)	10.88
		(21,061.53 -44,147.55)	5.65	(21,063.05 -44,152.99)	3.30	(21,063.93 -44,156.17)	3.74
		(21,064.93 -44,159.77)	4.47	(21,069.28 -44,158.72)	6.36	(21,067.80 -44,152.53)	13.74
		(21,065.98 -44,138.91)	5.52				
119	116- 2	(21,057.30 -44,126.90)	2.23	(21,055.83 -44,125.22)	5.29	(21,052.58 -44,121.04)	6.90
		(21,054.48 -44,127.67)	2.92				