

地区 ..003 作業 .. 82 原図番号 .. P1 22-3 縮尺 ..1/ 500 基準点 ..X 21,900.00..Y -43,600.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,900.00 -43,600.00)	50.02	(21,950.02 -43,600.06)	50.00	(22,000.02 -43,600.09)	50.00
		(22,050.02 -43,600.12)	50.03	(22,050.08 -43,550.09)	50.02	(22,050.06 -43,500.07)	50.00
		(22,050.04 -43,450.07)	49.95	(22,050.00 -43,400.12)	50.00	(22,000.00 -43,400.06)	49.95
		(21,950.05 -43,400.06)	50.05	(21,900.00 -43,400.00)	49.95	(21,899.99 -43,449.95)	50.00
		(21,899.99 -43,499.95)	50.00	(21,899.98 -43,549.95)	50.05		
129	408	(22,007.95 -43,578.02)	6.22	(22,013.98 -43,576.48)	8.78	(22,022.55 -43,574.56)	18.32
		(22,024.92 -43,556.39)	15.38	(22,023.59 -43,541.07)	1.82	(22,021.89 -43,540.41)	11.23
		(22,018.23 -43,551.03)	5.70	(22,016.12 -43,556.33)	12.31	(22,010.16 -43,567.10)	14.30
		(22,002.20 -43,578.98)	5.83				
129	002- 1	(21,979.57 -43,600.06)	2.54	(21,980.70 -43,597.79)	6.41	(21,984.38 -43,592.54)	14.24
		(21,994.07 -43,582.11)	7.87	(22,000.15 -43,577.11)	2.77	(22,002.20 -43,578.98)	14.30
		(22,010.16 -43,567.10)	12.31	(22,016.12 -43,556.33)	5.70	(22,018.23 -43,551.03)	11.23
		(22,021.89 -43,540.41)	1.82	(22,023.59 -43,541.07)	3.95	(22,023.22 -43,537.14)	5.45
		(22,018.06 -43,538.88)	1.83	(22,016.28 -43,539.32)	6.94	(22,014.81 -43,546.10)	9.56
		(22,011.28 -43,554.98)	9.70	(22,006.67 -43,563.52)	12.13	(21,999.57 -43,573.35)	2.42
		(21,998.15 -43,575.31)	4.47	(21,994.75 -43,578.21)	3.36	(21,992.55 -43,580.75)	14.82
		(21,982.48 -43,591.62)	6.32	(21,978.78 -43,596.74)	3.76	(21,977.07 -43,600.09)	2.50
129	403- 1	(21,977.07 -43,600.09)	3.76	(21,978.78 -43,596.74)	6.32	(21,982.48 -43,591.62)	14.82
		(21,992.55 -43,580.75)	3.36	(21,994.75 -43,578.21)	4.47	(21,998.15 -43,575.31)	2.42
		(21,999.57 -43,573.35)	76.46	(21,923.28 -43,568.18)	2.71	(21,922.81 -43,570.85)	2.71
		(21,920.11 -43,570.67)	8.17	(21,918.47 -43,578.67)	8.15	(21,916.04 -43,586.45)	0.95
		(21,916.99 -43,586.54)	6.75	(21,914.93 -43,592.97)	31.14	(21,945.95 -43,595.75)	12.24
		(21,958.18 -43,596.22)	1.07	(21,959.23 -43,596.44)	0.56	(21,959.33 -43,596.99)	1.03
		(21,958.88 -43,597.92)	0.55	(21,959.34 -43,598.22)	4.43	(21,963.37 -43,600.07)	13.70
129	413	(21,963.37 -43,600.07)	4.43	(21,959.34 -43,598.22)	2.48	(21,957.67 -43,600.06)	5.70
129	412	(21,957.67 -43,600.06)	2.48	(21,959.34 -43,598.22)	0.55	(21,958.88 -43,597.92)	1.03
		(21,959.33 -43,596.99)	0.56	(21,959.23 -43,596.44)	1.07	(21,958.18 -43,596.22)	12.24
		(21,945.95 -43,595.75)	31.14	(21,914.93 -43,592.97)	0.92	(21,914.02 -43,592.85)	5.57
		(21,912.28 -43,598.14)	2.20	(21,911.12 -43,600.01)	46.55		
129	002- 3	(21,911.12 -43,600.01)	2.20	(21,912.28 -43,598.14)	5.57	(21,914.02 -43,592.85)	6.71
		(21,916.04 -43,586.45)	8.15	(21,918.47 -43,578.67)	8.17	(21,920.11 -43,570.67)	2.75
		(21,920.65 -43,567.97)	16.88	(21,925.33 -43,551.75)	8.04	(21,928.05 -43,544.18)	3.96
		(21,929.46 -43,540.48)	15.51	(21,933.49 -43,525.50)	1.06	(21,933.81 -43,524.49)	4.20
		(21,935.11 -43,520.50)	9.17	(21,937.97 -43,511.79)	13.43	(21,943.39 -43,499.50)	6.99
		(21,945.47 -43,492.83)	8.23	(21,949.28 -43,485.53)	17.64	(21,954.42 -43,468.66)	15.92
		(21,957.82 -43,453.11)	4.70	(21,959.35 -43,448.67)	2.87	(21,960.90 -43,446.25)	4.80
		(21,962.43 -43,441.70)	7.43	(21,963.28 -43,434.32)	3.63	(21,959.69 -43,433.77)	7.17
		(21,958.88 -43,440.89)	4.15	(21,957.60 -43,444.84)	2.83	(21,956.05 -43,447.21)	3.11
		(21,955.07 -43,450.16)	3.82	(21,951.38 -43,449.16)	33.25	(21,943.76 -43,481.52)	12.05
		(21,939.78 -43,492.89)	2.49	(21,942.14 -43,493.67)	4.84	(21,940.74 -43,498.30)	14.18
		(21,934.82 -43,511.19)	8.14	(21,932.19 -43,518.89)	6.42	(21,925.87 -43,517.78)	6.17
		(21,925.96 -43,523.95)	6.30	(21,925.40 -43,530.23)	3.37	(21,924.52 -43,533.48)	10.71
		(21,920.24 -43,543.30)	8.72	(21,917.48 -43,551.57)	20.75	(21,912.21 -43,571.64)	6.66
		(21,910.55 -43,578.09)	5.93	(21,909.32 -43,583.89)	4.25	(21,908.84 -43,588.11)	2.06
		(21,909.64 -43,590.01)	2.10	(21,909.61 -43,592.11)	2.16	(21,907.76 -43,593.23)	7.35

地区 ..003 作業 .. 82 原図番号 .. P1 22-3 縮尺 ..1/ 500 基準点 ..X 21,900.00..Y -43,600.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

129	411	(21,904.74 -43,599.93)	0.00	(21,904.74 -43,599.93)	6.38				
		(21,914.02 -43,592.85)	0.92	(21,914.93 -43,592.97)	6.75	(21,916.99 -43,586.54)	0.95		
		(a 21,916.04 -43,586.45)	6.71						
129	404	(21,920.11 -43,570.67)	2.71	(21,922.81 -43,570.85)	2.71	(21,923.28 -43,568.18)	2.64		
		(a 21,920.65 -43,567.97)	2.75						
129	406	(21,925.33 -43,551.75)	16.88	(21,920.65 -43,567.97)	2.64	(21,923.28 -43,568.18)	76.46		
		(21,999.57 -43,573.35)	12.13	(22,006.67 -43,563.52)	9.70	(22,011.28 -43,554.98)	9.56		
		(22,014.81 -43,546.10)	6.94	(22,016.28 -43,539.32)	17.70	(a 21,999.70 -43,533.11)	3.57		
		(21,999.30 -43,536.66)	7.95	(21,999.91 -43,544.59)	69.95	(21,929.96 -43,544.18)	1.91		
		(21,928.05 -43,544.18)	8.04						
129	402- 2	(21,928.05 -43,544.18)	1.91	(21,929.96 -43,544.18)	69.95	(21,999.91 -43,544.59)	7.95		
		(21,999.30 -43,536.66)	28.62	(a 21,971.10 -43,531.78)	9.18	(21,970.39 -43,540.93)	38.62		
		(21,931.77 -43,540.64)	2.32	(21,929.46 -43,540.48)	3.96				
129	402- 1	(21,929.46 -43,540.48)	2.32	(21,931.77 -43,540.64)	38.62	(21,970.39 -43,540.93)	9.18		
		(21,971.10 -43,531.78)	28.62	(21,999.30 -43,536.66)	3.57	(21,999.70 -43,533.11)	13.43		
		(21,986.60 -43,530.17)	10.66	(21,976.36 -43,527.21)	3.23	(21,973.18 -43,526.63)	10.83		
		(21,962.36 -43,527.05)	9.08	(21,953.28 -43,527.28)	11.34	(21,941.96 -43,527.97)	3.80		
		(21,938.26 -43,527.12)	5.04	(a 21,933.49 -43,525.50)	15.51				
129	002- 2	(21,933.49 -43,525.50)	5.04	(21,938.26 -43,527.12)	3.80	(21,941.96 -43,527.97)	11.34		
		(21,953.28 -43,527.28)	9.08	(21,962.36 -43,527.05)	10.83	(21,973.18 -43,526.63)	3.23		
		(21,976.36 -43,527.21)	10.66	(21,986.60 -43,530.17)	13.43	(21,999.70 -43,533.11)	17.70		
		(22,016.28 -43,539.32)	1.83	(22,018.06 -43,538.88)	19.35	(21,999.98 -43,531.99)	13.40		
		(21,986.89 -43,529.13)	10.75	(21,976.51 -43,526.34)	3.26	(21,973.33 -43,525.61)	11.11		
		(21,962.23 -43,526.02)	9.00	(21,953.23 -43,526.31)	11.12	(21,942.13 -43,526.95)	3.83		
		(21,938.41 -43,526.04)	3.07	(21,935.51 -43,525.04)	1.79	(a 21,933.81 -43,524.49)	1.06		
129	400	(21,933.81 -43,524.49)	1.79	(21,935.51 -43,525.04)	3.07	(21,938.41 -43,526.04)	3.83		
		(21,942.13 -43,526.95)	11.12	(21,953.23 -43,526.31)	9.00	(21,962.23 -43,526.02)	11.11		
		(21,973.33 -43,525.61)	3.26	(21,976.51 -43,526.34)	10.75	(21,986.89 -43,529.13)	3.17		
		(21,986.24 -43,526.03)	9.85	(21,976.74 -43,523.41)	5.32	(21,971.46 -43,522.73)	8.71		
		(21,962.76 -43,522.32)	17.58	(21,945.19 -43,522.80)	3.79	(21,941.41 -43,522.47)	5.17		
		(21,936.46 -43,520.97)	1.43	(a 21,935.11 -43,520.50)	4.20				
129	399	(21,935.11 -43,520.50)	1.43	(21,936.46 -43,520.97)	5.17	(21,941.41 -43,522.47)	3.79		
		(21,945.19 -43,522.80)	17.58	(21,962.76 -43,522.32)	8.71	(21,971.46 -43,522.73)	5.32		
		(21,976.74 -43,523.41)	9.85	(21,986.24 -43,526.03)	52.56	(21,975.49 -43,474.58)	0.85		
		(21,976.32 -43,474.39)	17.49	(21,972.94 -43,457.23)	16.02	(a 21,968.00 -43,441.99)	8.28		
		(21,960.90 -43,446.25)	2.87	(21,959.35 -43,448.67)	4.70	(21,957.82 -43,453.11)	15.92		
		(21,954.42 -43,468.66)	17.64	(21,949.28 -43,485.53)	8.23	(21,945.47 -43,492.83)	6.99		
		(21,943.39 -43,499.50)	13.43	(21,937.97 -43,511.79)	9.17				
129	398	(21,968.00 -43,441.99)	7.18	(21,967.41 -43,434.83)	4.16	(a 21,963.28 -43,434.32)	7.43		
		(21,962.43 -43,441.70)	4.80	(21,960.90 -43,446.25)	8.28				
129	397	(21,939.78 -43,492.89)	12.05	(21,943.76 -43,481.52)	33.25	(21,951.38 -43,449.16)	9.47		
		(a 21,942.25 -43,446.65)	19.58	(21,933.15 -43,463.99)	26.60	(21,933.00 -43,490.59)	7.16		

地区 ..003 作業 .. 82 原図番号 .. P1 22-3 縮尺 ..1/ 500 基準点 ..X 21,900.00..Y -43,600.00 測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

128	392-	1	(2/ 4)										
		(	21,900.00	-43,600.00)	2.10	(	21,902.10	-43,600.00)	1.30	(	21,902.69	-43,598.84)	2.92
		(@	21,899.98	-43,597.75)	2.25								
128	393		(1/ 2)										
		(	21,899.98	-43,597.75)	2.92	(	21,902.69	-43,598.84)	7.40	(	21,905.46	-43,591.98)	2.01
		(	21,905.94	-43,590.03)	12.42	(	21,908.25	-43,577.83)	6.59	(	21,910.01	-43,571.48)	2.14
		(	21,907.98	-43,570.81)	8.17	(@	21,900.01	-43,569.00)	28.75				
128	394-	2	(1/ 2)										
		(	21,900.01	-43,569.00)	8.17	(	21,907.98	-43,570.81)	2.14	(	21,910.01	-43,571.48)	20.74
		(	21,915.15	-43,551.39)	9.30	(	21,917.95	-43,542.52)	17.98	(@	21,899.99	-43,541.70)	27.30
128	394-	1	(1/ 2)										
		(	21,899.99	-43,541.70)	17.98	(	21,917.95	-43,542.52)	6.47	(	21,920.61	-43,536.62)	20.64
		(@	21,900.00	-43,535.45)	6.25								
128	395		(1/ 2)										
		(	21,900.00	-43,535.45)	20.64	(	21,920.61	-43,536.62)	4.00	(	21,922.25	-43,532.97)	3.40
		(	21,923.10	-43,529.68)	3.67	(	21,923.48	-43,526.03)	6.00	(	21,923.46	-43,520.03)	6.86
		(	21,923.14	-43,513.18)	23.14	(@	21,900.02	-43,512.30)	23.15				
128	396		(1/ 2)										
		(	21,900.02	-43,512.30)	23.14	(	21,923.14	-43,513.18)	22.97	(	21,920.46	-43,490.37)	6.36
		(	21,914.93	-43,487.22)	4.08	(	21,911.25	-43,485.46)	3.07	(	21,908.33	-43,484.51)	3.29
		(	21,905.08	-43,484.01)	2.82	(@	21,902.26	-43,484.00)	2.30	(	21,900.00	-43,484.45)	27.85
128	377		(1/ 2)										
		(	21,900.00	-43,484.45)	2.30	(	21,902.26	-43,484.00)	2.82	(	21,905.08	-43,484.01)	3.29
		(	21,908.33	-43,484.51)	3.07	(	21,911.25	-43,485.46)	4.08	(	21,914.93	-43,487.22)	6.36
		(	21,920.46	-43,490.37)	12.06	(	21,916.06	-43,479.14)	5.59	(	21,914.29	-43,473.84)	6.65
		(	21,912.80	-43,467.36)	6.81	(	21,911.88	-43,460.61)	9.57	(	21,911.29	-43,451.06)	2.29
		(@	21,910.38	-43,448.96)	4.80	(	21,905.59	-43,449.26)	5.61	(	21,899.99	-43,449.65)	34.80
128	375		(1/ 2)										
		(	21,899.99	-43,449.65)	5.61	(	21,905.59	-43,449.26)	4.80	(	21,910.38	-43,448.96)	0.77
		(	21,909.80	-43,448.46)	3.23	(	21,906.65	-43,447.73)	4.16	(	21,902.52	-43,447.25)	2.62
		(@	21,900.00	-43,446.55)	3.10								
128	001-	1											
		(	21,900.00	-43,446.55)	2.62	(	21,902.52	-43,447.25)	4.16	(	21,906.65	-43,447.73)	3.23
		(	21,909.80	-43,448.46)	0.77	(	21,910.38	-43,448.96)	2.29	(	21,911.29	-43,451.06)	9.57
		(	21,911.88	-43,460.61)	6.81	(	21,912.80	-43,467.36)	6.65	(	21,914.29	-43,473.84)	5.59
		(	21,916.06	-43,479.14)	12.06	(	21,920.46	-43,490.37)	22.97	(	21,923.14	-43,513.18)	6.86
		(	21,923.46	-43,520.03)	6.00	(	21,923.48	-43,526.03)	3.67	(	21,923.10	-43,529.68)	3.40
		(	21,922.25	-43,532.97)	4.00	(	21,920.61	-43,536.62)	6.47	(	21,917.95	-43,542.52)	9.30
		(	21,915.15	-43,551.39)	20.74	(	21,910.01	-43,571.48)	6.59	(	21,908.25	-43,577.83)	12.42
		(	21,905.94	-43,590.03)	2.01	(	21,905.46	-43,591.98)	7.40	(	21,902.69	-43,598.84)	1.30
		(	21,902.10	-43,600.00)	2.64	(	21,904.74	-43,599.93)	0.00	(	21,904.74	-43,599.93)	7.35
		(	21,907.76	-43,593.23)	2.16	(	21,909.61	-43,592.11)	2.10	(	21,909.64	-43,590.01)	2.06
		(	21,908.84	-43,588.11)	4.25	(	21,909.32	-43,583.89)	5.93	(	21,910.55	-43,578.09)	6.66
		(	21,912.21	-43,571.64)	20.75	(	21,917.48	-43,551.57)	8.72	(	21,920.24	-43,543.30)	10.71
		(	21,924.52	-43,533.48)	3.37	(	21,925.40	-43,530.23)	6.30	(	21,925.96	-43,523.95)	6.17
		(	21,925.87	-43,517.78)	19.63	(	21,924.86	-43,498.18)	5.10	(	21,924.15	-43,493.13)	15.84
		(	21,918.16	-43,478.47)	5.72	(	21,916.27	-43,473.07)	6.35	(	21,914.90	-43,466.87)	6.64
		(	21,914.13	-43,460.27)	7.59	(	21,913.77	-43,452.69)	3.28	(	21,913.34	-43,449.44)	1.71
		(	21,912.81	-43,447.81)	1.65	(	21,911.60	-43,446.69)	2.29	(	21,909.47	-43,445.86)	6.39
		(	21,903.12	-43,445.15)	2.31	(	21,900.85	-43,444.73)	1.02	(@	21,899.95	-43,444.25)	2.30
128	376		(1/ 3)										
		(	21,899.95	-43,444.25)	1.02	(	21,900.85	-43,444.73)	2.31	(	21,903.12	-43,445.15)	6.39

地区 ..003

作業 .. 82

原図番号 .. P1 22-3

縮尺 ..1/ 500

基準点 ..X 21,900.00..Y -43,600.00

測定 年 5 月 5 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,909.47 -43,445.86)	2.29	(21,911.60 -43,446.69)	1.65	(21,912.81 -43,447.81)	12.82
		(21,912.81 -43,434.99)	10.75	(21,915.65 -43,424.62)	4.74	(21,916.80 -43,420.02)	3.15
		(21,918.76 -43,417.55)	3.92	(21,922.58 -43,416.68)	2.80	(21,925.38 -43,416.58)	6.81
		(21,924.36 -43,409.85)	5.95	(21,924.15 -43,403.90)	3.87	(21,924.07 -43,400.03)	23.47
128	001- 2	(21,900.60 -43,400.00)	9.97	(21,900.04 -43,409.95)	34.30		
128	000- 1	(21,900.04 -43,409.95)	9.97	(21,900.60 -43,400.00)	0.60	(21,900.00 -43,400.00)	9.95
		(21,924.07 -43,400.03)	3.87	(21,924.15 -43,403.90)	5.95	(21,924.36 -43,409.85)	6.81
		(21,925.38 -43,416.58)	2.80	(21,922.58 -43,416.68)	3.92	(21,918.76 -43,417.55)	3.15
		(21,916.80 -43,420.02)	4.74	(21,915.65 -43,424.62)	10.75	(21,912.81 -43,434.99)	12.82
		(21,912.81 -43,447.81)	1.71	(21,913.34 -43,449.44)	3.28	(21,913.77 -43,452.69)	7.59
		(21,914.13 -43,460.27)	6.64	(21,914.90 -43,466.87)	6.35	(21,916.27 -43,473.07)	5.72
		(21,918.16 -43,478.47)	15.84	(21,924.15 -43,493.13)	5.10	(21,924.86 -43,498.18)	19.63
		(21,925.87 -43,517.78)	6.42	(21,932.19 -43,518.89)	8.14	(21,934.82 -43,511.19)	14.18
		(21,940.74 -43,498.30)	4.84	(21,942.14 -43,493.67)	2.49	(21,939.78 -43,492.89)	7.16
		(21,933.00 -43,490.59)	26.60	(21,933.15 -43,463.99)	19.58	(21,942.25 -43,446.65)	9.47
		(21,951.38 -43,449.16)	3.82	(21,955.07 -43,450.16)	3.11	(21,956.05 -43,447.21)	2.83
		(21,957.60 -43,444.84)	4.15	(21,958.88 -43,440.89)	7.17	(21,959.69 -43,433.77)	3.63
		(21,963.28 -43,434.32)	4.16	(21,967.41 -43,434.83)	7.18	(21,968.00 -43,441.99)	16.02
		(21,972.94 -43,457.23)	17.49	(21,976.32 -43,474.39)	0.85	(21,975.49 -43,474.58)	52.56
		(21,986.24 -43,526.03)	3.17	(21,986.89 -43,529.13)	13.40	(21,999.98 -43,531.99)	19.35
		(22,018.06 -43,538.88)	5.45	(22,023.22 -43,537.14)	3.95	(22,023.59 -43,541.07)	15.38
		(22,024.92 -43,556.39)	18.32	(22,022.55 -43,574.56)	8.78	(22,013.98 -43,576.48)	6.22
		(22,007.95 -43,578.02)	5.83	(22,002.20 -43,578.98)	2.77	(22,000.15 -43,577.11)	7.87
		(21,994.07 -43,582.11)	14.24	(21,984.38 -43,592.54)	6.41	(21,980.70 -43,597.79)	2.54
		(21,979.57 -43,600.06)	20.45	(22,000.02 -43,600.09)	50.00	(22,050.02 -43,600.12)	50.03
		(22,050.08 -43,550.09)	50.02	(22,050.06 -43,500.07)	50.00	(22,050.04 -43,450.07)	49.95
		(22,050.00 -43,400.12)	50.00	(22,000.00 -43,400.06)	49.95	(21,950.05 -43,400.06)	25.98