

地区 ..003 作業 .. 95 原図番号 .. Q1 15-4 縮尺 ..1/ 500 基準点 ..X 20,700.00..Y -46,200.00 測定 年 5 月 1 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |        |                          |       |                          |       |                          |       |
|----|--------|--------------------------|-------|--------------------------|-------|--------------------------|-------|
|    |        | ( 20,700.00 -46,200.00 ) | 50.00 | ( 20,750.00 -46,199.93 ) | 50.00 | ( 20,800.00 -46,199.90 ) | 50.00 |
|    |        | ( 20,850.00 -46,199.88 ) | 50.01 | ( 20,849.98 -46,149.87 ) | 50.00 | ( 20,850.00 -46,099.87 ) | 50.00 |
|    |        | ( 20,850.03 -46,049.87 ) | 50.00 | ( 20,850.05 -45,999.87 ) | 50.05 | ( 20,800.00 -45,999.90 ) | 50.00 |
|    |        | ( 20,750.00 -45,999.97 ) | 50.00 | ( 20,700.00 -46,000.00 ) | 50.00 | ( 20,700.02 -46,050.00 ) | 50.00 |
|    |        | ( 20,700.00 -46,100.00 ) | 50.00 | ( 20,699.98 -46,150.00 ) | 50.00 |                          |       |
| 26 | 000- 1 | ( 20,699.98 -46,150.00 ) | 50.00 | ( 20,700.00 -46,200.00 ) | 50.00 | ( 20,750.00 -46,199.93 ) | 50.00 |
|    |        | ( 20,800.00 -46,199.90 ) | 50.00 | ( 20,850.00 -46,199.88 ) | 50.01 | ( 20,849.98 -46,149.87 ) | 50.00 |
|    |        | ( 20,850.00 -46,099.87 ) | 5.72  | ( 20,850.02 -46,094.15 ) | 21.62 | ( 20,828.60 -46,091.25 ) | 47.24 |
|    |        | ( 20,781.80 -46,084.79 ) | 22.40 | ( 20,759.59 -46,081.86 ) | 27.08 | ( 20,732.73 -46,078.41 ) | 32.94 |
|    |        | ( 20,700.01 -46,074.60 ) | 25.40 | ( 20,700.00 -46,100.00 ) | 50.00 |                          |       |
| 26 | 001- 5 | ( 20,700.01 -46,074.60 ) | 32.94 | ( 20,732.73 -46,078.41 ) | 27.08 | ( 20,759.59 -46,081.86 ) | 22.40 |
|    |        | ( 20,781.80 -46,084.79 ) | 47.24 | ( 20,828.60 -46,091.25 ) | 1.12  | ( 20,828.64 -46,090.13 ) | 8.37  |
|    |        | ( 20,820.29 -46,089.57 ) | 2.16  | ( 20,818.89 -46,087.92 ) | 4.79  | ( 20,814.80 -46,085.43 ) | 2.79  |
|    |        | ( 20,812.82 -46,087.39 ) | 10.62 | ( 20,802.28 -46,086.06 ) | 0.22  | ( 20,802.06 -46,086.06 ) | 13.03 |
|    |        | ( 20,789.16 -46,084.21 ) | 29.43 | ( 20,759.92 -46,080.91 ) | 11.14 | ( 20,748.86 -46,079.57 ) | 16.10 |
|    |        | ( 20,732.89 -46,077.56 ) | 9.52  | ( 20,723.43 -46,076.53 ) | 11.33 | ( 20,712.17 -46,075.31 ) | 11.22 |
|    |        | ( 20,701.04 -46,073.87 ) | 1.06  | ( 20,699.99 -46,073.75 ) | 0.85  |                          |       |
| 26 | 412- 2 | ( 20,699.99 -46,073.75 ) | 1.06  | ( 20,701.04 -46,073.87 ) | 32.37 | ( 20,704.82 -46,041.72 ) | 4.83  |
|    |        | ( 20,700.00 -46,041.50 ) | 32.25 |                          |       |                          |       |
| 26 | 412- 7 | ( 20,700.00 -46,041.50 ) | 4.83  | ( 20,704.82 -46,041.72 ) | 25.50 | ( 20,707.79 -46,016.39 ) | 8.04  |
|    |        | ( 20,700.00 -46,014.40 ) | 27.10 |                          |       |                          |       |
| 26 | 001- 4 | ( 20,700.00 -46,014.40 ) | 8.04  | ( 20,707.79 -46,016.39 ) | 11.49 | ( 20,718.90 -46,019.33 ) | 11.31 |
|    |        | ( 20,729.87 -46,022.10 ) | 8.33  | ( 20,738.07 -46,023.58 ) | 13.38 | ( 20,751.22 -46,026.03 ) | 13.81 |
|    |        | ( 20,764.85 -46,028.28 ) | 21.35 | ( 20,786.06 -46,030.75 ) | 20.82 | ( 20,806.77 -46,032.87 ) | 15.86 |
|    |        | ( 20,822.58 -46,034.08 ) | 8.82  | ( 20,831.36 -46,034.91 ) | 0.94  | ( 20,831.55 -46,033.99 ) | 7.06  |
|    |        | ( 20,824.53 -46,033.28 ) | 17.73 | ( 20,806.86 -46,031.87 ) | 20.80 | ( 20,786.17 -46,029.73 ) | 15.09 |
|    |        | ( 20,771.17 -46,028.05 ) | 6.35  | ( 20,764.85 -46,027.43 ) | 21.55 | ( 20,743.63 -46,023.67 ) | 5.36  |
|    |        | ( 20,738.35 -46,022.73 ) | 8.41  | ( 20,730.08 -46,021.18 ) | 11.35 | ( 20,719.06 -46,018.47 ) | 11.40 |
|    |        | ( 20,708.02 -46,015.63 ) | 8.31  | ( 20,700.00 -46,013.45 ) | 0.95  |                          |       |
| 26 | 408    | ( 20,700.00 -46,013.45 ) | 8.31  | ( 20,708.02 -46,015.63 ) | 11.40 | ( 20,719.06 -46,018.47 ) | 11.35 |
|    |        | ( 20,730.08 -46,021.18 ) | 8.41  | ( 20,738.35 -46,022.73 ) | 5.36  | ( 20,743.63 -46,023.67 ) | 23.98 |
|    |        | ( 20,747.23 -45,999.96 ) | 47.23 | ( 20,700.00 -46,000.00 ) | 13.45 |                          |       |
| 26 | 415- 1 | ( 20,747.23 -45,999.96 ) | 23.98 | ( 20,743.63 -46,023.67 ) | 21.55 | ( 20,764.85 -46,027.43 ) | 6.35  |
|    |        | ( 20,771.17 -46,028.05 ) | 28.46 | ( 20,775.45 -45,999.91 ) | 28.22 |                          |       |
| 26 | 417    | ( 20,775.45 -45,999.91 ) | 28.46 | ( 20,771.17 -46,028.05 ) | 15.09 | ( 20,786.17 -46,029.73 ) | 20.80 |
|    |        | ( 20,806.86 -46,031.87 ) | 17.73 | ( 20,824.53 -46,033.28 ) | 7.06  | ( 20,831.55 -46,033.99 ) | 34.10 |
|    |        | ( 20,832.85 -45,999.91 ) | 57.40 |                          |       |                          |       |
| 27 | 001- 3 | ( 20,832.85 -45,999.91 ) | 34.10 | ( 20,831.55 -46,033.99 ) | 0.94  | ( 20,831.36 -46,034.91 ) | 8.31  |
|    |        | ( 20,830.91 -46,043.21 ) | 19.41 | ( 20,829.98 -46,062.60 ) | 27.56 | ( 20,828.64 -46,090.13 ) | 1.70  |
|    |        | ( 20,830.33 -46,090.32 ) | 38.81 | ( 20,832.32 -46,051.56 ) | 15.57 | ( 20,833.12 -46,036.01 ) | 0.79  |
|    |        | ( 20,833.19 -46,035.22 ) | 35.39 | ( 20,834.80 -45,999.87 ) | 1.95  |                          |       |
| 27 | 439    | ( 3/ 4 )                 |       |                          |       |                          |       |

地区 ..003

作業 .. 95

原図番号 .. Q1 15-4

縮尺 ..1/ 500

基準点 ..X 20,700.00..Y -46,200.00

測定 年 5 月 1 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |      |                            |       |                            |       |                            |       |
|----|------|----------------------------|-------|----------------------------|-------|----------------------------|-------|
|    |      | ( @ 20,834.80 -45,999.87 ) | 35.39 | ( 20,833.19 -46,035.22 )   | 15.71 | ( 20,848.87 -46,036.11 )   | 34.16 |
|    |      | ( 20,849.99 -46,001.97 )   | 2.10  | ( 20,850.05 -45,999.87 )   | 15.25 |                            |       |
| 27 | 440- | 1 ( 3/ 3 )                 |       |                            |       |                            |       |
|    |      | ( @ 20,849.99 -46,001.97 ) | 34.16 | ( 20,848.87 -46,036.11 )   | 1.15  | ( 20,850.02 -46,036.12 )   | 34.15 |
| 27 | 001- | 2                          |       |                            |       |                            |       |
|    |      | ( 20,850.02 -46,036.12 )   | 1.15  | ( 20,848.87 -46,036.11 )   | 15.71 | ( @ 20,833.19 -46,035.22 ) | 0.79  |
|    |      | ( 20,833.12 -46,036.01 )   | 15.67 | ( 20,848.77 -46,036.77 )   | 1.25  | ( 20,850.02 -46,036.77 )   | 0.65  |
| 27 | 441- | 9 ( 2/ 2 )                 |       |                            |       |                            |       |
|    |      | ( 20,850.02 -46,036.77 )   | 1.25  | ( 20,848.77 -46,036.77 )   | 15.67 | ( @ 20,833.12 -46,036.01 ) | 15.57 |
|    |      | ( 20,832.32 -46,051.56 )   | 17.68 | ( 20,849.97 -46,052.67 )   | 15.90 |                            |       |
| 27 | 441- | 1 ( 2/ 2 )                 |       |                            |       |                            |       |
|    |      | ( 20,849.97 -46,052.67 )   | 17.68 | ( @ 20,832.32 -46,051.56 ) | 38.81 | ( 20,830.33 -46,090.32 )   | 1.21  |
|    |      | ( 20,831.53 -46,090.46 )   | 18.68 | ( 20,850.03 -46,093.02 )   | 40.35 |                            |       |
| 27 | 001- | 1                          |       |                            |       |                            |       |
|    |      | ( 20,850.03 -46,093.02 )   | 18.68 | ( 20,831.53 -46,090.46 )   | 1.21  | ( 20,830.33 -46,090.32 )   | 1.70  |
|    |      | ( @ 20,828.64 -46,090.13 ) | 1.12  | ( 20,828.60 -46,091.25 )   | 21.62 | ( 20,850.02 -46,094.15 )   | 1.13  |
| 26 | 421- | 5                          |       |                            |       |                            |       |
|    |      | ( 20,818.89 -46,087.92 )   | 2.16  | ( 20,820.29 -46,089.57 )   | 8.37  | ( 20,828.64 -46,090.13 )   | 27.56 |
|    |      | ( 20,829.98 -46,062.60 )   | 9.38  | ( @ 20,820.63 -46,061.86 ) | 26.12 |                            |       |
| 26 | 421- | 6                          |       |                            |       |                            |       |
|    |      | ( 20,820.63 -46,061.86 )   | 9.38  | ( 20,829.98 -46,062.60 )   | 19.41 | ( 20,830.91 -46,043.21 )   | 8.91  |
|    |      | ( @ 20,822.04 -46,042.36 ) | 19.55 |                            |       |                            |       |
| 26 | 421- | 2                          |       |                            |       |                            |       |
|    |      | ( 20,822.04 -46,042.36 )   | 8.91  | ( 20,830.91 -46,043.21 )   | 8.31  | ( 20,831.36 -46,034.91 )   | 8.82  |
|    |      | ( @ 20,822.58 -46,034.08 ) | 8.30  |                            |       |                            |       |
| 26 | 421- | 1                          |       |                            |       |                            |       |
|    |      | ( 20,822.58 -46,034.08 )   | 15.86 | ( @ 20,806.77 -46,032.87 ) | 26.79 | ( 20,804.49 -46,059.56 )   | 26.59 |
|    |      | ( 20,802.28 -46,086.06 )   | 10.62 | ( 20,812.82 -46,087.39 )   | 2.79  | ( 20,814.80 -46,085.43 )   | 4.79  |
|    |      | ( 20,818.89 -46,087.92 )   | 26.12 | ( 20,820.63 -46,061.86 )   | 19.55 | ( 20,822.04 -46,042.36 )   | 8.30  |
|    |      | ( 20,822.58 -46,034.08 )   | 0.00  |                            |       |                            |       |
| 26 | 419- | 5                          |       |                            |       |                            |       |
|    |      | ( 20,804.49 -46,059.56 )   | 0.31  | ( @ 20,804.18 -46,059.51 ) | 26.63 | ( 20,802.06 -46,086.06 )   | 0.22  |
|    |      | ( 20,802.28 -46,086.06 )   | 26.59 |                            |       |                            |       |
| 26 | 419- | 1                          |       |                            |       |                            |       |
|    |      | ( 20,781.91 -46,083.14 )   | 7.33  | ( 20,789.16 -46,084.21 )   | 13.03 | ( 20,802.06 -46,086.06 )   | 26.63 |
|    |      | ( 20,804.18 -46,059.51 )   | 20.21 | ( @ 20,784.10 -46,057.19 ) | 26.04 |                            |       |
| 26 | 419- | 2                          |       |                            |       |                            |       |
|    |      | ( 20,784.10 -46,057.19 )   | 20.21 | ( 20,804.18 -46,059.51 )   | 0.31  | ( 20,804.49 -46,059.56 )   | 26.79 |
|    |      | ( 20,806.77 -46,032.87 )   | 20.82 | ( @ 20,786.06 -46,030.75 ) | 26.51 |                            |       |
| 26 | 418  |                            |       |                            |       |                            |       |
|    |      | ( 20,786.06 -46,030.75 )   | 21.35 | ( @ 20,764.85 -46,028.28 ) | 50.65 | ( 20,760.11 -46,078.71 )   | 2.21  |
|    |      | ( 20,759.92 -46,080.91 )   | 29.43 | ( 20,789.16 -46,084.21 )   | 7.33  | ( 20,781.91 -46,083.14 )   | 26.04 |
|    |      | ( 20,784.10 -46,057.19 )   | 26.51 |                            |       |                            |       |
| 26 | 420- | 3                          |       |                            |       |                            |       |
|    |      | ( 20,748.86 -46,079.57 )   | 11.14 | ( 20,759.92 -46,080.91 )   | 2.21  | ( 20,760.11 -46,078.71 )   | 11.26 |
|    |      | ( @ 20,748.93 -46,077.37 ) | 2.20  |                            |       |                            |       |
| 26 | 414- | 2                          |       |                            |       |                            |       |
|    |      | ( 20,748.93 -46,077.37 )   | 11.26 | ( 20,760.11 -46,078.71 )   | 50.65 | ( 20,764.85 -46,028.28 )   | 13.81 |
|    |      | ( @ 20,751.22 -46,026.03 ) | 51.39 |                            |       |                            |       |
| 26 | 414- | 1                          |       |                            |       |                            |       |
|    |      | ( 20,751.22 -46,026.03 )   | 13.38 | ( @ 20,738.07 -46,023.58 ) | 54.23 | ( 20,732.89 -46,077.56 )   | 16.10 |
|    |      | ( 20,748.86 -46,079.57 )   | 2.20  | ( 20,748.93 -46,077.37 )   | 51.39 |                            |       |

地区 ..003 作業 .. 95 原図番号 .. Q1 15-4 縮尺 ..1/ 500 基準点 ..X 20,700.00..Y -46,200.00 測定 年 5 月 1 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |      |    |                          |       |                           |       |                          |       |
|----|------|----|--------------------------|-------|---------------------------|-------|--------------------------|-------|
| 26 | 413- | 1  | ( 20,723.43 -46,076.53 ) | 9.52  | ( 20,732.89 -46,077.56 )  | 54.23 | ( 20,738.07 -46,023.58 ) | 8.33  |
|    |      | (@ | 20,729.87 -46,022.10 )   | 54.81 |                           |       |                          |       |
| 26 | 412- | 3  | ( 20,729.87 -46,022.10 ) | 11.31 | (@ 20,718.90 -46,019.33 ) | 56.38 | ( 20,712.17 -46,075.31 ) | 11.33 |
|    |      | (  | 20,723.43 -46,076.53 )   | 54.81 |                           |       |                          |       |
| 26 | 412- | 1  | ( 20,701.04 -46,073.87 ) | 11.22 | ( 20,712.17 -46,075.31 )  | 56.38 | ( 20,718.90 -46,019.33 ) | 11.49 |
|    |      | (@ | 20,707.79 -46,016.39 )   | 25.50 | ( 20,704.82 -46,041.72 )  | 32.37 |                          |       |