

地区 ..003

作業 .. 98

原図番号 .. Q1 35-2

縮尺 .. 1/ 500

基準点 .. X 20,250.00 .. Y -46,200.00 測定 年 5 月 7 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |         |                          |       |                          |       |                          |       |
|----|---------|--------------------------|-------|--------------------------|-------|--------------------------|-------|
|    |         | ( 20,250.00 -46,200.00 ) | 49.98 | ( 20,299.98 -46,200.04 ) | 50.00 | ( 20,349.98 -46,200.08 ) | 50.00 |
|    |         | ( 20,399.98 -46,200.14 ) | 49.95 | ( 20,400.01 -46,150.19 ) | 50.03 | ( 20,399.98 -46,100.16 ) | 49.97 |
|    |         | ( 20,400.01 -46,050.19 ) | 50.00 | ( 20,400.03 -46,000.19 ) | 49.97 | ( 20,350.06 -46,000.08 ) | 50.08 |
|    |         | ( 20,299.98 -46,000.09 ) | 49.98 | ( 20,250.00 -46,000.05 ) | 49.97 | ( 20,249.99 -46,050.02 ) | 49.98 |
|    |         | ( 20,249.97 -46,100.00 ) | 50.00 | ( 20,249.99 -46,150.00 ) | 50.00 |                          |       |
| 16 | 000- 1  | ( 20,249.99 -46,150.00 ) | 50.00 | ( 20,250.00 -46,200.00 ) | 49.98 | ( 20,299.98 -46,200.04 ) | 50.00 |
|    |         | ( 20,349.98 -46,200.08 ) | 50.00 | ( 20,399.98 -46,200.14 ) | 49.95 | ( 20,400.01 -46,150.19 ) | 50.03 |
|    |         | ( 20,399.98 -46,100.16 ) | 49.97 | ( 20,400.01 -46,050.19 ) | 24.73 | ( 20,399.99 -46,025.46 ) | 3.62  |
|    |         | ( 20,397.75 -46,028.31 ) | 22.99 | ( 20,381.59 -46,044.66 ) | 4.88  | ( 20,378.56 -46,048.48 ) | 17.23 |
|    |         | ( 20,364.25 -46,038.89 ) | 18.75 | ( 20,345.60 -46,037.00 ) | 2.71  | ( 20,342.90 -46,036.76 ) | 4.43  |
|    |         | ( 20,338.57 -46,037.71 ) | 18.91 | ( 20,320.06 -46,041.57 ) | 8.29  | ( 20,311.77 -46,041.38 ) | 8.10  |
|    |         | ( 20,311.86 -46,049.48 ) | 1.06  | ( 20,311.69 -46,050.53 ) | 35.58 | ( 20,276.36 -46,046.36 ) | 3.75  |
|    |         | ( 20,272.61 -46,046.26 ) | 22.74 | ( 20,249.98 -46,044.00 ) | 6.02  | ( 20,249.99 -46,050.02 ) | 49.98 |
|    |         | ( 20,249.97 -46,100.00 ) | 50.00 |                          |       |                          |       |
| 16 | 254- 4  | ( 1/ 2 )                 |       |                          |       |                          |       |
|    |         | ( 20,249.98 -46,044.00 ) | 22.74 | ( 20,272.61 -46,046.26 ) | 1.16  | ( 20,272.76 -46,045.11 ) | 22.86 |
|    |         | ( 20,250.01 -46,042.87 ) | 1.13  |                          |       |                          |       |
| 16 | 254- 1  | ( 1/ 2 )                 |       |                          |       |                          |       |
|    |         | ( 20,250.01 -46,042.87 ) | 22.86 | ( 20,272.76 -46,045.11 ) | 15.90 | ( 20,275.05 -46,029.38 ) | 8.66  |
|    |         | ( 20,276.28 -46,020.81 ) | 21.38 | ( 20,255.14 -46,017.59 ) | 5.19  | ( 20,249.99 -46,016.97 ) | 25.90 |
| 16 | 252- 1  | ( 1/ 4 )                 |       |                          |       |                          |       |
|    |         | ( 20,249.99 -46,016.97 ) | 5.19  | ( 20,255.14 -46,017.59 ) | 17.70 | ( 20,257.32 -46,000.02 ) | 7.32  |
|    |         | ( 20,250.00 -46,000.05 ) | 16.92 |                          |       |                          |       |
| 16 | 252- 3  | ( 1/ 2 )                 |       |                          |       |                          |       |
|    |         | ( 20,257.32 -46,000.02 ) | 17.70 | ( 20,255.14 -46,017.59 ) | 21.38 | ( 20,276.28 -46,020.81 ) | 20.94 |
|    |         | ( 20,278.62 -46,000.00 ) | 21.30 |                          |       |                          |       |
| 16 | 001- 5  |                          |       |                          |       |                          |       |
|    |         | ( 20,278.62 -46,000.00 ) | 20.94 | ( 20,276.28 -46,020.81 ) | 8.66  | ( 20,275.05 -46,029.38 ) | 15.90 |
|    |         | ( 20,272.76 -46,045.11 ) | 1.16  | ( 20,272.61 -46,046.26 ) | 3.75  | ( 20,276.36 -46,046.36 ) | 1.20  |
|    |         | ( 20,276.92 -46,045.30 ) | 24.07 | ( 20,279.49 -46,021.37 ) | 21.40 | ( 20,281.83 -46,000.10 ) | 3.21  |
| 16 | 251- 12 | ( 1/ 2 )                 |       |                          |       |                          |       |
|    |         | ( 20,281.83 -46,000.10 ) | 21.40 | ( 20,279.49 -46,021.37 ) | 7.82  | ( 20,287.24 -46,022.40 ) | 2.30  |
|    |         | ( 20,289.47 -46,022.95 ) | 21.89 | ( 20,290.88 -46,001.11 ) | 6.44  | ( 20,284.53 -46,000.05 ) | 2.70  |
| 16 | 001- 2  |                          |       |                          |       |                          |       |
|    |         | ( 20,284.53 -46,000.05 ) | 6.44  | ( 20,290.88 -46,001.11 ) | 22.28 | ( 20,312.79 -46,005.18 ) | 5.12  |
|    |         | ( 20,317.83 -46,006.07 ) | 4.81  | ( 20,322.56 -46,006.92 ) | 8.01  | ( 20,330.36 -46,008.76 ) | 5.00  |
|    |         | ( 20,334.77 -46,011.11 ) | 0.00  | ( 20,334.77 -46,011.11 ) | 4.41  | ( 20,338.66 -46,013.18 ) | 7.43  |
|    |         | ( 20,344.22 -46,018.11 ) | 0.00  | ( 20,344.22 -46,018.11 ) | 10.59 | ( 20,352.68 -46,024.48 ) | 18.28 |
|    |         | ( 20,366.10 -46,036.89 ) | 2.72  | ( 20,364.25 -46,038.89 ) | 17.23 | ( 20,378.56 -46,048.48 ) | 4.88  |
|    |         | ( 20,381.59 -46,044.66 ) | 3.19  | ( 20,379.22 -46,042.53 ) | 22.89 | ( 20,362.60 -46,026.79 ) | 9.52  |
|    |         | ( 20,355.64 -46,020.30 ) | 18.58 | ( 20,341.97 -46,007.72 ) | 14.09 | ( 20,329.29 -46,001.57 ) | 2.05  |
|    |         | ( 20,327.38 -46,002.32 ) | 3.52  | ( 20,323.90 -46,001.82 ) | 9.73  | ( 20,314.33 -46,000.08 ) | 29.80 |
| 16 | 263- 6  | ( 1/ 2 )                 |       |                          |       |                          |       |
|    |         | ( 20,314.33 -46,000.08 ) | 9.73  | ( 20,323.90 -46,001.82 ) | 3.52  | ( 20,327.38 -46,002.32 ) | 2.05  |
|    |         | ( 20,329.29 -46,001.57 ) | 1.62  | ( 20,328.68 -46,000.07 ) | 14.35 |                          |       |
| 16 | 004- 1  |                          |       |                          |       |                          |       |
|    |         | ( 20,328.68 -46,000.07 ) | 1.62  | ( 20,329.29 -46,001.57 ) | 14.09 | ( 20,341.97 -46,007.72 ) | 28.63 |
|    |         | ( 20,369.84 -46,014.29 ) | 1.87  | ( 20,370.79 -46,015.90 ) | 19.30 | ( 20,389.99 -46,017.87 ) | 10.57 |
|    |         | ( 20,400.02 -46,021.19 ) | 12.83 | ( 20,400.03 -46,008.36 ) | 8.95  | ( 20,391.10 -46,007.77 ) | 18.55 |
|    |         | ( 20,372.64 -46,005.93 ) | 9.65  | ( 20,362.99 -46,005.69 ) | 15.68 | ( 20,347.51 -46,003.20 ) | 6.62  |

地区 ..003

作業 .. 98

原図番号 .. Q1 35-2

縮尺 ..1/ 500

基準点 ..X 20,250.00..Y -46,200.00

測定 年 5 月 7 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |      |    |                            |                              |                |                            |                              |                |                            |                              |                |
|----|------|----|----------------------------|------------------------------|----------------|----------------------------|------------------------------|----------------|----------------------------|------------------------------|----------------|
| 16 | 244- | 3  | ( 20,340.98<br>( 1/ 2 )    | -46,002.11 )                 | 2.24           | ( 20,339.98<br>( 1/ 2 )    | -46,000.11 )                 | 11.30          |                            |                              |                |
|    |      |    | ( 20,339.98<br>( 20,349.83 | -46,000.11 )<br>-46,001.90 ) | 2.24<br>1.83   | ( 20,340.98<br>( 20,350.06 | -46,002.11 )<br>-46,000.08 ) | 6.62<br>10.08  | ( 20,347.51<br>( 20,347.51 | -46,003.20 )<br>-46,003.20 ) | 2.66<br>15.68  |
| 16 | 244- | 2  | ( 20,350.06<br>( 20,362.99 | -46,000.08 )<br>-46,005.69 ) | 1.83<br>5.56   | ( 20,349.83<br>( 20,362.68 | -46,001.90 )<br>-46,000.14 ) | 2.66<br>12.62  | ( 20,347.51<br>( 20,372.64 | -46,003.20 )<br>-46,005.93 ) |                |
| 16 | 245- | 3  | ( 20,362.68<br>( 20,373.03 | -46,000.14 )<br>-46,000.13 ) | 5.56<br>10.35  | ( 20,362.99<br>( 20,373.03 | -46,005.69 )<br>-46,000.13 ) | 9.65           | ( 20,372.64<br>( 20,391.10 | -46,005.93 )<br>-46,007.77 ) | 5.81<br>4.60   |
|    |      |    | ( 20,391.08<br>( 20,400.03 | -46,003.17 )<br>-46,003.64 ) | 8.96<br>8.96   | ( 20,400.03<br>( 20,391.08 | -46,003.64 )<br>-46,003.17 ) | 3.45<br>4.60   | ( 20,400.03<br>( 20,391.10 | -46,000.19 )<br>-46,007.77 ) | 27.00<br>8.95  |
| 16 | 247- | 1  | ( 20,400.03<br>( 20,400.03 | -46,008.36 )<br>( 2/ 2 )     | 4.72           | ( 20,400.03<br>( 20,400.02 | -46,003.17 )<br>-46,021.19 ) |                | ( 20,391.10<br>( 20,370.79 | -46,007.77 )<br>-46,015.90 ) |                |
|    |      |    | ( 20,400.02<br>( 20,362.60 | -46,021.19 )<br>-46,026.79 ) | 10.57<br>22.89 | ( 20,389.99<br>( 20,379.22 | -46,017.87 )<br>-46,042.53 ) | 19.30<br>0.59  | ( 20,370.79<br>( 20,379.81 | -46,015.90 )<br>-46,042.60 ) | 13.63<br>0.37  |
|    |      |    | ( 20,380.16<br>( 20,399.09 | -46,042.48 )<br>-46,023.41 ) | 26.87          | ( 20,399.09<br>( 20,399.09 | -46,023.41 )<br>-46,023.41 ) | 1.68           | ( 20,400.02<br>( 20,380.16 | -46,022.01 )<br>-46,042.48 ) | 0.82<br>0.37   |
| 16 | 001- | 1  | ( 20,397.75<br>( 20,400.02 | -46,028.31 )<br>-46,022.01 ) | 3.62<br>1.68   | ( 20,399.99<br>( 20,399.09 | -46,025.46 )<br>-46,023.41 ) | 3.45<br>26.87  | ( 20,399.99<br>( 20,380.16 | -46,025.46 )<br>-46,042.48 ) |                |
|    |      |    | ( 20,379.81<br>( 20,397.75 | -46,042.60 )<br>-46,028.31 ) | 0.59<br>3.62   | ( 20,379.22<br>( 20,399.99 | -46,042.53 )<br>-46,025.46 ) | 3.19<br>3.45   | ( 20,381.59<br>( 20,381.59 | -46,044.66 )<br>-46,044.66 ) | 22.99          |
| 16 | 248- | 3  | ( 20,370.79<br>( 20,355.64 | -46,015.90 )<br>-46,020.30 ) | 1.87<br>9.52   | ( 20,369.84<br>( 20,362.60 | -46,014.29 )<br>-46,026.79 ) | 28.63<br>13.63 | ( 20,341.97<br>( 20,341.97 | -46,007.72 )<br>-46,007.72 ) | 18.58          |
| 16 | 250- | 1  | ( 20,364.25<br>( 20,345.60 | -46,038.89 )<br>-46,037.00 ) | 2.72<br>18.75  | ( 20,366.10<br>( 20,366.10 | -46,036.89 )<br>-46,036.89 ) | 18.28          | ( 20,352.68<br>( 20,352.68 | -46,024.48 )<br>-46,024.48 ) | 14.38          |
| 16 | 001- | 3  | ( 20,345.60<br>( 20,344.19 | -46,037.00 )<br>-46,021.60 ) | 14.38<br>4.55  | ( 20,352.68<br>( 20,343.52 | -46,024.48 )<br>-46,026.10 ) | 10.59<br>3.32  | ( 20,344.22<br>( 20,342.57 | -46,018.11 )<br>-46,029.28 ) | 3.49<br>9.33   |
|    |      |    | ( 20,338.57<br>( 20,338.57 | -46,037.71 )<br>-46,037.71 ) | 4.43<br>9.33   | ( 20,342.90<br>( 20,342.57 | -46,036.76 )<br>-46,029.28 ) | 2.71<br>3.32   | ( 20,342.90<br>( 20,343.52 | -46,036.76 )<br>-46,026.10 ) |                |
| 16 | 251- | 1  | ( 20,344.19<br>( 20,337.66 | -46,021.60 )<br>-46,018.81 ) | 3.49<br>8.22   | ( 20,344.22<br>( 20,334.77 | -46,018.11 )<br>-46,011.11 ) | 0.00<br>0.00   | ( 20,344.22<br>( 20,334.77 | -46,018.11 )<br>-46,011.11 ) | 6.60<br>20.81  |
|    |      |    | ( 20,315.87<br>( 20,311.63 | -46,019.83 )<br>-46,040.18 ) | 6.04<br>1.21   | ( 20,310.38<br>( 20,311.77 | -46,022.36 )<br>-46,041.38 ) | 17.71<br>8.29  | ( 20,313.18<br>( 20,320.06 | -46,039.85 )<br>-46,041.57 ) | 1.58<br>18.91  |
| 16 | 251- | 11 | ( 20,337.66<br>( 20,334.77 | -46,018.81 )<br>-46,011.11 ) | 6.60<br>8.22   | ( 20,344.22<br>( 20,344.22 | -46,018.11 )<br>-46,018.11 ) | 7.43           | ( 20,338.66<br>( 20,338.66 | -46,013.18 )<br>-46,013.18 ) | 4.41           |
| 16 | 251- | 6  | ( 20,315.87<br>( 20,322.56 | -46,019.83 )<br>-46,006.92 ) | 20.81<br>4.81  | ( 20,334.77<br>( 20,317.83 | -46,011.11 )<br>-46,006.07 ) | 5.00<br>13.90  | ( 20,330.36<br>( 20,330.36 | -46,008.76 )<br>-46,008.76 ) | 8.01           |
| 16 | 251- | 14 | ( 20,317.83<br>( 20,315.87 | -46,006.07 )<br>-46,019.83 ) | 5.12<br>13.90  | ( 20,312.79<br>( 20,312.79 | -46,005.18 )<br>-46,005.18 ) | 17.35          | ( 20,310.38<br>( 20,310.38 | -46,022.36 )<br>-46,022.36 ) | 6.04           |
| 16 | 251- | 8  | ( 20,310.38<br>( 20,289.47 | -46,022.36 )<br>-46,022.95 ) | 17.35<br>2.30  | ( 20,312.79<br>( 20,287.24 | -46,005.18 )<br>-46,022.40 ) | 22.28<br>7.82  | ( 20,290.88<br>( 20,279.49 | -46,001.11 )<br>-46,021.37 ) | 21.89<br>24.07 |

地区 ..003 作業 .. 98 原図番号 .. Q1 35-2 縮尺 ..1/ 500 基準点 ..X 20,250.00..Y -46,200.00 測定 年 5 月 7 日

字 地番及び座標 ( X ; Y ) &amp; 座標間距離 ( m )

|    |        |                          |       |                          |       |                          |      |
|----|--------|--------------------------|-------|--------------------------|-------|--------------------------|------|
| 16 | 001- 4 | ( 20,276.92 -46,045.30 ) | 35.19 | ( 20,311.86 -46,049.48 ) | 8.10  | ( 20,311.77 -46,041.38 ) | 1.21 |
|    |        | ( 20,311.63 -46,040.18 ) | 1.58  | ( 20,313.18 -46,039.85 ) | 17.71 | ( 20,310.38 -46,022.36 ) | 0.00 |
|    |        | ( 20,311.69 -46,050.53 ) | 1.06  | ( 20,311.86 -46,049.48 ) | 35.19 | ( 20,276.92 -46,045.30 ) | 1.20 |
|    |        | ( 20,276.36 -46,046.36 ) | 35.58 |                          |       |                          |      |

Q'35-2

## \* \* 座標面積成果表 \* \*

地番 (263-6(1/2) )

| NO | 点 名 | X         | Y          | 緯 距    | 經 距    | 倍橫距    | 倍 積        | 方向角       | 内 角       | 辺 長    | 測 線     |
|----|-----|-----------|------------|--------|--------|--------|------------|-----------|-----------|--------|---------|
| 45 | 45  | 20327.960 | -46001.980 |        |        |        |            |           |           |        |         |
| 26 | 26  | 20327.380 | -46002.320 | -0.580 | -0.340 | -0.340 | 0.197200   | 210-22-45 | 141-26-41 | 0.672  | 45 - 26 |
| 25 | 25  | 20323.900 | -46001.820 | -3.480 | 0.500  | -0.180 | 0.626400   | 171-49-26 | 176-48-50 | 3.516  | 26 - 25 |
| 10 | 10  | 20314.843 | -46000.000 | -9.057 | 1.820  | 2.140  | -19.381980 | 168-38-16 | 11-21-44  | 9.238  | 25 - 10 |
| 1  | 1   | 20328.611 | -46000.000 | 13.768 | 0.000  | 3.960  | 54.521280  | 0-00-00   | 113-23-16 | 13.768 | 10 - 1  |
| 24 | 24  | 20329.290 | -46001.570 | 0.679  | -1.570 | 2.390  | 1.622810   | 293-23-16 | 83-44-43  | 1.711  | 1 - 24  |
| 45 | 45  | 20327.960 | -46001.980 | -1.330 | -0.410 | 0.410  | -0.545300  | 197-07-59 | 193-14-46 | 1.392  | 24 - 45 |
|    |     |           |            |        |        | 倍面積    | 37.040410  |           | 720-00-00 | 30.297 |         |
|    |     |           |            |        |        | 面 積    | 18.5202050 | 坪 数       | 5.6023    |        |         |