

地区 ..003

作業 ..108

原図番号 .. R1 13-1

縮尺 ..1/ 500

基準点 ..X 20,850.00..Y -45,200.00

測定

年 5 月 6 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,850.00 -45,200.00)	50.00	(20,900.00 -45,200.00)	50.05	(20,950.05 -45,200.07)	49.98
		(21,000.03 -45,200.10)	49.95	(21,000.03 -45,150.15)	50.10	(21,000.00 -45,100.05)	49.90
		(21,000.03 -45,050.15)	50.00	(21,000.05 -45,000.15)	50.00	(20,950.05 -45,000.07)	50.00
		(20,900.05 -45,000.05)	50.05	(20,850.00 -44,999.97)	50.00	(20,850.02 -45,049.97)	50.00
		(20,850.05 -45,099.97)	49.95	(20,850.02 -45,149.92)	50.08		
142	002- 7	(20,855.37 -45,199.97)	1.17	(20,855.95 -45,198.95)	24.08	(20,871.14 -45,180.26)	5.86
		(20,874.81 -45,175.69)	24.32	(20,889.53 -45,156.33)	8.96	(20,895.25 -45,149.43)	7.06
		(20,898.62 -45,143.23)	4.84	(20,898.84 -45,138.40)	3.82	(20,898.12 -45,134.65)	16.92
		(20,891.21 -45,119.20)	11.80	(20,888.90 -45,107.63)	7.91	(20,891.55 -45,100.18)	5.27
		(20,886.32 -45,100.84)	1.58	(20,885.78 -45,102.33)	5.74	(20,884.78 -45,107.98)	5.34
		(20,885.73 -45,113.23)	6.71	(20,887.28 -45,119.76)	3.27	(20,887.61 -45,123.01)	4.17
		(20,889.88 -45,126.51)	10.18	(20,893.82 -45,135.90)	2.72	(20,894.42 -45,138.55)	3.52
		(20,893.72 -45,142.00)	5.73	(20,890.97 -45,147.03)	8.05	(20,885.90 -45,153.28)	8.47
		(20,881.33 -45,160.41)	8.59	(20,875.96 -45,167.11)	6.05	(20,872.37 -45,171.98)	13.25
		(20,863.99 -45,182.24)	8.63	(20,858.44 -45,188.85)	9.78	(20,852.30 -45,196.46)	3.86
		(20,850.70 -45,199.97)	4.67				
142	846- 1	(2/ 4)					
		(20,850.00 -45,200.00)	0.70	(20,850.70 -45,199.97)	3.86	(20,852.30 -45,196.46)	2.75
		(20,850.00 -45,194.95)	5.05				
142	845	(1/ 2)					
		(20,850.00 -45,194.95)	2.75	(20,852.30 -45,196.46)	9.78	(20,858.44 -45,188.85)	8.63
		(20,863.99 -45,182.24)	13.25	(20,872.37 -45,171.98)	5.01	(20,868.65 -45,168.62)	3.49
		(20,865.66 -45,170.42)	1.64	(20,864.49 -45,171.57)	3.48	(20,862.42 -45,174.37)	4.83
		(20,859.09 -45,177.87)	7.01	(20,853.67 -45,182.32)	4.57	(20,849.99 -45,185.03)	9.92
142	848	(1/ 2)					
		(20,849.99 -45,185.03)	4.57	(20,853.67 -45,182.32)	7.01	(20,859.09 -45,177.87)	4.83
		(20,862.42 -45,174.37)	1.55	(20,861.51 -45,173.12)	4.74	(20,860.91 -45,168.42)	3.74
		(20,860.23 -45,164.74)	5.66	(20,859.63 -45,159.11)	1.16	(20,858.63 -45,158.52)	5.79
		(20,852.84 -45,158.47)	2.86	(20,849.98 -45,158.43)	26.60		
142	851	(1/ 2)					
		(20,849.98 -45,158.43)	2.86	(20,852.84 -45,158.47)	59.70	(20,852.80 -45,098.77)	2.82
		(20,850.00 -45,098.47)	59.96				
142	002- 8						
		(20,850.00 -45,098.47)	2.82	(20,852.80 -45,098.77)	1.50	(20,854.30 -45,098.87)	6.30
		(20,860.38 -45,100.52)	7.18	(20,867.48 -45,101.57)	10.63	(20,878.10 -45,102.08)	1.90
		(20,878.00 -45,100.18)	10.20	(20,867.83 -45,099.42)	7.60	(20,860.27 -45,098.62)	9.60
		(20,851.15 -45,095.62)	1.19	(20,850.00 -45,095.32)	3.15		
141	839	(1/ 2)					
		(20,850.00 -45,095.32)	1.19	(20,851.15 -45,095.62)	9.60	(20,860.27 -45,098.62)	7.60
		(20,867.83 -45,099.42)	4.85	(20,868.90 -45,094.69)	11.62	(20,871.47 -45,083.36)	4.90
		(20,872.66 -45,078.61)	3.81	(20,872.94 -45,074.81)	3.05	(20,872.99 -45,071.76)	3.97
		(20,872.56 -45,067.81)	7.56	(20,871.13 -45,060.39)	1.69	(20,870.91 -45,058.71)	8.06
		(20,862.90 -45,057.79)	3.81	(20,859.13 -45,057.27)	2.99	(20,856.18 -45,056.77)	3.38
		(20,852.85 -45,056.17)	2.91	(20,850.03 -45,055.47)	39.85		
141	834	(1/ 2)					
		(20,850.03 -45,055.47)	2.91	(20,852.85 -45,056.17)	3.38	(20,856.18 -45,056.77)	2.99
		(20,859.13 -45,057.27)	3.81	(20,862.90 -45,057.79)	8.06	(20,870.91 -45,058.71)	16.58
		(20,887.46 -45,059.77)	10.75	(20,888.86 -45,049.11)	31.88	(20,857.47 -45,043.55)	7.66
		(20,849.97 -45,041.97)	13.50				
141	831	(1/ 2)					

地区 ..003

作業 ..108

原図番号 .. R1 13-1

縮尺 ..1/ 500

基準点 ..X 20,850.00..Y -45,200.00

測定 年 5 月 6 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,849.97 -45,041.97)	7.66	(20,857.47 -45,043.55)	31.88	(20,888.86 -45,049.11)	21.11
		(20,909.76 -45,052.10)	12.85	(20,911.94 -45,039.44)	5.37	(20,912.44 -45,034.09)	5.51
141	830	(20,912.80 -45,028.59)	63.48	(20,850.01 -45,019.27)	22.70		
		(1/ 3)					
		(20,850.01 -45,018.00)	3.40	(20,852.16 -45,015.37)	4.09	(20,853.91 -45,011.67)	2.25
		(20,854.83 -45,009.62)	6.22	(20,856.35 -45,003.59)	6.58	(20,850.00 -45,001.85)	16.15
141	825	(1/ 4)					
		(20,850.00 -44,999.97)	1.88	(20,850.00 -45,001.85)	6.58	(20,856.35 -45,003.59)	3.95
		(20,858.05 -45,000.02)	8.05				
141	828	(1/ 3)					
		(20,858.05 -45,000.02)	3.95	(20,856.35 -45,003.59)	6.22	(20,854.83 -45,009.62)	2.25
		(20,853.91 -45,011.67)	4.09	(20,852.16 -45,015.37)	3.40	(20,850.01 -45,018.00)	1.27
		(20,850.01 -45,019.27)	63.48	(20,912.80 -45,028.59)	0.66	(20,913.44 -45,028.44)	43.14
		(20,956.30 -45,033.37)	18.08	(20,961.56 -45,016.07)	3.27	(20,961.91 -45,012.82)	41.59
		(20,920.65 -45,007.60)	54.88	(20,866.30 -45,000.02)	8.25		
141	826	(1/ 2)					
		(20,866.30 -45,000.02)	54.88	(20,920.65 -45,007.60)	7.59	(20,921.35 -45,000.04)	55.05
141	827	(1/ 2)					
		(20,921.35 -45,000.04)	7.59	(20,920.65 -45,007.60)	41.59	(20,961.91 -45,012.82)	7.88
		(20,964.53 -45,005.39)	5.64	(20,966.55 -45,000.12)	45.20		
140	002- 1						
		(20,966.55 -45,000.12)	5.64	(20,964.53 -45,005.39)	7.88	(20,961.91 -45,012.82)	3.27
		(20,961.56 -45,016.07)	18.08	(20,956.30 -45,033.37)	7.25	(20,954.60 -45,040.42)	6.86
		(20,952.67 -45,047.00)	9.05	(20,949.70 -45,055.55)	1.20	(20,948.84 -45,056.39)	10.26
		(20,946.36 -45,066.35)	5.97	(20,944.44 -45,072.00)	2.02	(20,945.09 -45,073.91)	5.23
		(20,943.79 -45,078.98)	5.66	(20,942.13 -45,084.39)	7.06	(20,947.71 -45,080.06)	7.84
		(20,948.44 -45,072.25)	9.31	(20,950.16 -45,063.10)	5.42	(20,950.78 -45,057.72)	1.32
		(20,950.98 -45,056.42)	9.82	(20,953.97 -45,047.07)	6.28	(20,955.67 -45,041.02)	7.45
		(20,957.57 -45,033.82)	18.38	(20,962.86 -45,016.22)	3.92	(20,963.88 -45,012.44)	7.10
		(20,966.30 -45,005.77)	6.08	(20,968.55 -45,000.12)	2.00		
140	001- 3						
		(21,000.05 -45,000.15)	5.07	(20,994.98 -45,000.10)	5.21	(21,000.05 -45,001.32)	1.17
140	797	(2/ 3)					
		(21,000.05 -45,001.32)	5.21	(20,994.98 -45,000.10)	26.43	(20,968.55 -45,000.12)	6.08
		(20,966.30 -45,005.77)	7.10	(20,963.88 -45,012.44)	3.92	(20,962.86 -45,016.22)	39.03
		(21,000.01 -45,028.20)	26.88				
140	796	(2/ 2)					
		(21,000.01 -45,028.20)	39.03	(20,962.86 -45,016.22)	18.38	(20,957.57 -45,033.82)	7.45
		(20,955.67 -45,041.02)	18.14	(20,972.72 -45,047.21)	19.21	(20,990.63 -45,054.15)	9.04
		(20,996.95 -45,047.68)	6.07	(20,999.77 -45,042.30)	0.70	(21,000.02 -45,041.65)	13.45
140	002- 2						
		(21,000.02 -45,041.65)	0.70	(20,999.77 -45,042.30)	6.07	(20,996.95 -45,047.68)	9.04
		(20,990.63 -45,054.15)	7.92	(20,984.23 -45,058.81)	9.44	(20,977.23 -45,065.14)	1.60
		(20,976.91 -45,066.71)	5.46	(20,973.54 -45,071.01)	6.32	(20,968.54 -45,074.87)	5.80
		(20,963.49 -45,077.72)	4.78	(20,959.09 -45,079.60)	3.42	(20,955.72 -45,080.17)	8.01
		(20,947.71 -45,080.06)	7.06	(20,942.13 -45,084.39)	4.14	(20,941.04 -45,088.38)	1.70
		(20,942.72 -45,088.15)	11.48	(20,953.92 -45,085.65)	5.20	(20,959.12 -45,085.57)	13.17
		(20,971.59 -45,081.33)	2.81	(20,973.31 -45,079.11)	5.99	(20,978.44 -45,076.01)	4.26
		(20,981.41 -45,072.96)	4.91	(20,984.36 -45,069.03)	5.22	(20,988.85 -45,066.36)	0.81
		(20,989.58 -45,066.01)	1.92	(20,990.51 -45,064.33)	2.91	(20,992.81 -45,062.55)	2.54
		(20,994.85 -45,061.04)	8.66	(21,000.03 -45,054.10)	12.45		
140	782	(2/ 2)					

地区 ..003 作業 ..108 原図番号 .. R1 13-1 縮尺 ..1/ 500 基準点 ..X 20,850.00..Y -45,200.00 測定 年 5 月 6 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

140	793	(@ 21,000.03 (2 / 2)	-45,054.10)	8.66	(20,994.85	-45,061.04)	5.19	(21,000.03	-45,061.30)	7.20
		(21,000.03	-45,061.30)	5.19	(@ 20,994.85	-45,061.04)	2.54	(20,992.81	-45,062.55)	2.91
		(20,990.51	-45,064.33)	1.92	(20,989.58	-45,066.01)	0.81	(20,988.85	-45,066.36)	1.17
		(20,989.08	-45,067.51)	3.01	(20,991.16	-45,069.68)	1.28	(20,992.14	-45,070.50)	2.61
		(20,994.36	-45,071.88)	2.24	(20,996.09	-45,073.30)	3.33	(20,997.96	-45,076.05)	3.65
140	794	(21,000.04 (2 / 2)	-45,079.05)	17.75						
		(21,000.04	-45,079.05)	3.65	(20,997.96	-45,076.05)	3.33	(20,996.09	-45,073.30)	2.24
		(20,994.36	-45,071.88)	2.61	(20,992.14	-45,070.50)	1.28	(20,991.16	-45,069.68)	3.01
		(20,989.08	-45,067.51)	1.17	(@ 20,988.85	-45,066.36)	5.22	(20,984.36	-45,069.03)	4.91
		(20,981.41	-45,072.96)	4.26	(20,978.44	-45,076.01)	5.99	(20,973.31	-45,079.11)	2.81
		(20,971.59	-45,081.33)	3.15	(20,970.92	-45,084.41)	4.21	(20,971.39	-45,088.59)	8.04
		(20,974.15	-45,096.14)	7.41	(20,976.08	-45,103.29)	7.58	(20,977.16	-45,110.79)	7.31
		(20,979.03	-45,117.86)	6.90	(20,981.69	-45,124.23)	6.94	(20,985.22	-45,130.21)	0.86
		(20,985.80	-45,130.84)	6.79	(20,991.49	-45,127.13)	3.92	(20,995.09	-45,125.58)	5.31
140	791	(21,000.06 (2 / 2)	-45,123.70)	44.65						
		(@ 21,000.06	-45,123.70)	5.31	(20,995.09	-45,125.58)	3.92	(20,991.49	-45,127.13)	6.79
		(20,985.80	-45,130.84)	17.18	(20,997.57	-45,143.35)	3.94	(21,000.07	-45,146.40)	22.70
140	002- 3	(21,000.07	-45,146.40)	3.94	(20,997.57	-45,143.35)	17.18	(20,985.80	-45,130.84)	0.86
		(20,985.22	-45,130.21)	6.94	(20,981.69	-45,124.23)	6.90	(20,979.03	-45,117.86)	7.31
		(20,977.16	-45,110.79)	7.58	(20,976.08	-45,103.29)	7.41	(20,974.15	-45,096.14)	8.04
		(20,971.39	-45,088.59)	4.21	(20,970.92	-45,084.41)	3.15	(@ 20,971.59	-45,081.33)	13.17
		(20,959.12	-45,085.57)	5.69	(20,964.64	-45,086.97)	5.10	(20,967.60	-45,091.12)	7.47
		(20,970.30	-45,098.09)	13.46	(20,973.53	-45,111.16)	9.15	(20,975.91	-45,119.99)	5.93
		(20,978.14	-45,125.49)	8.67	(20,982.67	-45,132.88)	15.59	(20,992.47	-45,145.00)	10.06
		(20,998.78	-45,152.83)	2.22	(21,000.03	-45,154.67)	8.27			
105	002- 6	(21,000.03	-45,154.67)	2.22	(20,998.78	-45,152.83)	10.06	(20,992.47	-45,145.00)	15.59
		(20,982.67	-45,132.88)	8.67	(20,978.14	-45,125.49)	5.93	(20,975.91	-45,119.99)	9.15
		(20,973.53	-45,111.16)	13.46	(20,970.30	-45,098.09)	7.47	(20,967.60	-45,091.12)	5.10
		(20,964.64	-45,086.97)	5.74	(@ 20,959.09	-45,085.52)	5.17	(20,953.92	-45,085.65)	11.48
		(20,942.72	-45,088.15)	1.70	(20,941.04	-45,088.38)	8.78	(20,932.34	-45,089.58)	20.56
		(20,911.80	-45,090.59)	5.76	(20,906.20	-45,091.95)	9.35	(20,897.90	-45,096.25)	7.47
		(20,891.55	-45,100.18)	7.91	(20,888.90	-45,107.63)	11.80	(20,891.21	-45,119.20)	16.92
		(20,898.12	-45,134.65)	3.82	(20,898.84	-45,138.40)	4.84	(20,898.62	-45,143.23)	7.06
		(20,895.25	-45,149.43)	8.96	(20,889.53	-45,156.33)	24.32	(20,874.81	-45,175.69)	5.86
		(20,871.14	-45,180.26)	24.08	(20,855.95	-45,198.95)	1.17	(20,855.37	-45,199.97)	5.30
		(20,860.67	-45,199.99)	5.76	(20,864.00	-45,195.29)	15.67	(20,873.64	-45,182.94)	5.66
		(20,877.57	-45,178.86)	35.24	(20,899.58	-45,151.34)	7.89	(20,903.47	-45,144.47)	6.21
		(20,903.22	-45,138.27)	4.87	(20,902.39	-45,133.47)	4.47	(20,900.51	-45,129.42)	5.26
		(20,898.20	-45,124.69)	6.83	(20,895.11	-45,118.60)	11.50	(20,893.00	-45,107.30)	4.75
		(20,894.78	-45,102.90)	6.05	(20,899.47	-45,099.08)	5.07	(20,904.03	-45,096.86)	4.09
		(20,907.77	-45,095.20)	5.35	(20,913.07	-45,094.47)	12.15	(20,925.22	-45,094.69)	7.62
		(20,932.82	-45,094.18)	10.62	(20,943.17	-45,091.78)	9.02	(20,952.15	-45,090.90)	7.03
		(20,959.17	-45,091.27)	4.95	(20,963.55	-45,093.57)	6.51	(20,966.30	-45,099.47)	13.40
		(20,969.10	-45,112.57)	1.03	(20,970.13	-45,112.51)	9.64	(20,972.66	-45,121.81)	5.05
		(20,974.64	-45,126.46)	5.55	(20,977.62	-45,131.14)	13.47	(20,984.35	-45,142.81)	13.17
		(20,991.98	-45,153.55)	12.15	(21,000.03	-45,162.65)	7.98			
105	001- 1									

地区 ..003

作業 ..108

原図番号 .. R1 13-1

縮尺 ..1/ 500

基準点 ..X 20,850.00..Y -45,200.00

測定 年 5 月 6 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(21,000.03 -45,162.65)	12.15	(20,991.98 -45,153.55)	13.17	(20,984.35 -45,142.81)	13.47
		(20,977.62 -45,131.14)	5.55	(20,974.64 -45,126.46)	5.05	(20,972.66 -45,121.81)	9.64
		(@ 20,970.13 -45,112.51)	1.03	(20,969.10 -45,112.57)	9.94	(20,971.09 -45,122.31)	5.10
		(20,973.11 -45,126.99)	5.78	(20,975.97 -45,132.01)	13.78	(20,982.47 -45,144.16)	13.27
105	002- 4	(20,990.68 -45,154.58)	12.09	(20,998.68 -45,163.65)	2.37	(21,000.03 -45,165.60)	2.95
		(21,000.03 -45,165.60)	2.37	(20,998.68 -45,163.65)	12.09	(20,990.68 -45,154.58)	13.27
		(20,982.47 -45,144.16)	13.78	(20,975.97 -45,132.01)	5.78	(20,973.11 -45,126.99)	5.10
		(20,971.09 -45,122.31)	9.94	(@ 20,969.10 -45,112.57)	0.73	(20,968.39 -45,112.72)	10.03
		(20,970.34 -45,122.56)	5.15	(20,972.49 -45,127.24)	6.04	(20,975.44 -45,132.51)	13.56
		(20,981.74 -45,144.52)	14.28	(20,990.63 -45,155.70)	11.34	(20,998.03 -45,164.29)	3.82
		(21,000.03 -45,167.55)	1.95				
105	386	(2 / 2)					
		(21,000.03 -45,167.55)	3.82	(@ 20,998.03 -45,164.29)	51.99	(20,946.28 -45,169.28)	10.67
		(20,946.21 -45,179.95)	6.61	(20,946.47 -45,186.55)	3.19	(20,946.77 -45,189.73)	1.67
		(20,947.05 -45,191.38)	2.78	(20,947.96 -45,194.01)	10.22	(20,958.15 -45,194.77)	10.40
		(20,968.52 -45,193.97)	24.94	(20,993.27 -45,190.90)	6.88	(21,000.04 -45,189.70)	22.15
105	002- 5	(@ 21,000.04 -45,189.70)	6.88	(20,993.27 -45,190.90)	24.94	(20,968.52 -45,193.97)	10.40
		(20,958.15 -45,194.77)	10.22	(20,947.96 -45,194.01)	1.09	(20,946.88 -45,193.83)	1.36
		(20,946.61 -45,195.16)	11.78	(20,958.35 -45,196.07)	10.22	(20,968.55 -45,195.42)	24.97
		(20,993.27 -45,191.90)	6.87	(21,000.05 -45,190.77)	1.07		
105	376- 1	(4 / 4)					
		(21,000.03 -45,200.10)	9.33	(@ 21,000.05 -45,190.77)	6.87	(20,993.27 -45,191.90)	24.97
		(20,968.55 -45,195.42)	10.22	(20,958.35 -45,196.07)	11.78	(20,946.61 -45,195.16)	3.01
		(20,945.95 -45,198.10)	1.98	(20,945.85 -45,200.08)	54.18		
105	377- 1	(2 / 2)					
		(20,945.85 -45,200.08)	1.98	(20,945.95 -45,198.10)	3.01	(20,946.61 -45,195.16)	1.36
		(20,946.88 -45,193.83)	39.27	(@ 20,907.96 -45,188.60)	10.24	(20,905.85 -45,198.62)	1.45
		(20,905.60 -45,200.05)	40.25				
105	001- 2						
		(20,905.60 -45,200.05)	1.45	(20,905.85 -45,198.62)	10.24	(20,907.96 -45,188.60)	3.16
		(20,908.84 -45,185.57)	1.68	(20,908.99 -45,183.90)	0.87	(20,908.13 -45,183.80)	1.19
		(@ 20,906.94 -45,183.70)	1.71	(20,906.79 -45,185.40)	3.05	(20,906.02 -45,188.35)	10.00
		(20,903.80 -45,198.10)	1.98	(20,903.45 -45,200.05)	2.15		
105	378- 1	(2 / 2)					
		(20,903.45 -45,200.05)	1.98	(20,903.80 -45,198.10)	10.00	(20,906.02 -45,188.35)	3.05
		(20,906.79 -45,185.40)	1.71	(20,906.94 -45,183.70)	1.06	(20,905.94 -45,183.35)	20.71
		(20,885.56 -45,179.68)	8.03	(@ 20,877.57 -45,178.86)	5.66	(20,873.64 -45,182.94)	15.67
		(20,864.00 -45,195.29)	5.76	(20,860.67 -45,199.99)	42.78		
105	379						
		(20,904.23 -45,152.00)	2.71	(20,901.53 -45,151.75)	1.99	(@ 20,899.58 -45,151.34)	35.24
		(20,877.57 -45,178.86)	8.03	(20,885.56 -45,179.68)	20.71	(20,905.94 -45,183.35)	1.06
		(20,906.94 -45,183.70)	1.19	(20,908.13 -45,183.80)	21.64	(20,910.88 -45,162.34)	9.69
		(20,912.34 -45,152.76)	8.15				
105	385						
		(20,947.18 -45,157.23)	4.52	(20,942.73 -45,156.45)	23.05	(20,920.05 -45,152.36)	2.73
		(@ 20,917.33 -45,152.14)	4.65	(20,912.68 -45,152.17)	0.68	(20,912.34 -45,152.76)	9.69
		(20,910.88 -45,162.34)	21.64	(20,908.13 -45,183.80)	0.87	(20,908.99 -45,183.90)	1.68
		(20,908.84 -45,185.57)	3.16	(20,907.96 -45,188.60)	39.27	(20,946.88 -45,193.83)	1.09
		(20,947.96 -45,194.01)	2.78	(20,947.05 -45,191.38)	1.67	(20,946.77 -45,189.73)	3.19
		(20,946.47 -45,186.55)	6.61	(20,946.21 -45,179.95)	10.67	(20,946.28 -45,169.28)	3.25

地区 ..003

作業 ..108

原図番号 .. R1 13-1

縮尺 ..1/ 500

基準点 ..X 20,850.00..Y -45,200.00

測定 年 5 月 6 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

105	384-	1	(20,946.43 -45,166.03)	3.88	(20,947.93 -45,162.45)	5.19	(20,949.88 -45,157.64)	2.73
			(20,949.88 -45,157.64)	5.19	(20,947.93 -45,162.45)	3.88	(20,946.43 -45,166.03)	3.25
			(20,946.28 -45,169.28)	51.99	(20,998.03 -45,164.29)	11.34	(20,990.63 -45,155.70)	14.28
105	380	(a	20,981.74 -45,144.52)	33.51	(20,948.37 -45,147.58)	10.17		
			(20,948.37 -45,147.58)	33.51	(20,981.74 -45,144.52)	13.56	(20,975.44 -45,132.51)	6.04
			(20,972.49 -45,127.24)	5.15	(20,970.34 -45,122.56)	10.03	(a 20,968.39 -45,112.72)	69.53
			(20,899.86 -45,124.45)	1.68	(20,898.20 -45,124.69)	5.26	(20,900.51 -45,129.42)	4.47
			(20,902.39 -45,133.47)	4.87	(20,903.22 -45,138.27)	6.21	(20,903.47 -45,144.47)	7.89
			(20,899.58 -45,151.34)	1.99	(20,901.53 -45,151.75)	2.71	(20,904.23 -45,152.00)	8.15
			(20,912.34 -45,152.76)	0.68	(20,912.68 -45,152.17)	4.65	(20,917.33 -45,152.14)	2.73
			(20,920.05 -45,152.36)	23.05	(20,942.73 -45,156.45)	4.52	(20,947.18 -45,157.23)	2.73
			(20,949.88 -45,157.64)	10.17				
105	381-	2	(20,968.39 -45,112.72)	0.73	(20,969.10 -45,112.57)	13.14	(20,966.35 -45,099.72)	6.76
			(20,963.55 -45,093.57)	4.95	(20,959.17 -45,091.27)	7.03	(a 20,952.15 -45,090.90)	9.02
			(20,943.17 -45,091.78)	10.62	(20,932.82 -45,094.18)	7.62	(20,925.22 -45,094.69)	12.15
			(20,913.07 -45,094.47)	5.35	(20,907.77 -45,095.20)	4.09	(20,904.03 -45,096.86)	7.69
			(20,899.15 -45,102.80)	8.40	(20,897.33 -45,111.00)	13.69	(20,899.86 -45,124.45)	69.53
105	381-	1	(20,899.86 -45,124.45)	13.69	(20,897.33 -45,111.00)	8.40	(20,899.15 -45,102.80)	7.69
		(a	20,904.03 -45,096.86)	5.07	(20,899.47 -45,099.08)	6.05	(20,894.78 -45,102.90)	4.75
			(20,893.00 -45,107.30)	11.50	(20,895.11 -45,118.60)	6.83	(20,898.20 -45,124.69)	1.68
140	795	(	20,953.97 -45,047.07)	9.82	(20,950.98 -45,056.42)	1.32	(20,950.78 -45,057.72)	5.42
			(20,950.16 -45,063.10)	9.31	(20,948.44 -45,072.25)	7.84	(20,947.71 -45,080.06)	8.01
			(20,955.72 -45,080.17)	3.42	(20,959.09 -45,079.60)	4.78	(20,963.49 -45,077.72)	5.80
			(20,968.54 -45,074.87)	6.32	(20,973.54 -45,071.01)	5.46	(20,976.91 -45,066.71)	1.60
			(20,977.23 -45,065.14)	9.44	(20,984.23 -45,058.81)	7.92	(20,990.63 -45,054.15)	19.21
			(20,972.72 -45,047.21)	18.14	(a 20,955.67 -45,041.02)	6.28		
141	832	(	20,949.70 -45,055.55)	9.05	(20,952.67 -45,047.00)	6.86	(20,954.60 -45,040.42)	7.25
			(20,956.30 -45,033.37)	43.14	(a 20,913.44 -45,028.44)	0.66	(20,912.80 -45,028.59)	5.51
			(20,912.44 -45,034.09)	5.37	(20,911.94 -45,039.44)	12.85	(20,909.76 -45,052.10)	7.06
			(20,916.68 -45,053.49)	11.41	(20,927.98 -45,055.09)	5.46	(20,933.40 -45,055.78)	6.56
			(20,939.95 -45,056.08)	8.90	(20,948.84 -45,056.39)	1.20		
141	833	(	20,890.92 -45,087.23)	5.41	(20,895.59 -45,084.50)	11.41	(20,905.81 -45,079.42)	5.42
			(20,910.91 -45,077.59)	4.76	(20,915.56 -45,076.57)	10.22	(20,925.31 -45,073.49)	8.43
			(20,933.71 -45,074.18)	4.15	(20,937.86 -45,074.33)	7.24	(20,945.09 -45,073.91)	2.02
			(20,944.44 -45,072.00)	5.97	(20,946.36 -45,066.35)	10.26	(20,948.84 -45,056.39)	8.90
			(20,939.95 -45,056.08)	6.56	(20,933.40 -45,055.78)	5.46	(20,927.98 -45,055.09)	11.41
			(20,916.68 -45,053.49)	7.06	(20,909.76 -45,052.10)	21.11	(a 20,888.86 -45,049.11)	10.75
			(20,887.46 -45,059.77)	2.30	(20,887.06 -45,062.03)	8.77	(20,885.34 -45,070.63)	8.20
			(20,884.41 -45,078.78)	5.60	(20,883.97 -45,084.36)	3.68	(20,883.54 -45,088.01)	3.40
			(20,886.05 -45,090.31)	5.76				
141	840	(	20,886.05 -45,090.31)	3.40	(20,883.54 -45,088.01)	3.68	(20,883.97 -45,084.36)	5.60
			(20,884.41 -45,078.78)	8.20	(20,885.34 -45,070.63)	8.77	(20,887.06 -45,062.03)	2.30
			(20,887.46 -45,059.77)	16.58	(a 20,870.91 -45,058.71)	1.69	(20,871.13 -45,060.39)	7.56
			(20,872.56 -45,067.81)	3.97	(20,872.99 -45,071.76)	3.05	(20,872.94 -45,074.81)	3.81

地区 ..003 作業 ..108 原図番号 .. R1 13-1 縮尺 ..1/ 500 基準点 ..X 20,850.00..Y -45,200.00 測定 年 5 月 6 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,872.66 -45,078.61)	4.90	(20,871.47 -45,083.36)	11.62	(20,868.90 -45,094.69)	4.85
		(20,867.83 -45,099.42)	10.20	(20,878.00 -45,100.18)	5.95	(20,883.95 -45,100.42)	2.16
		(20,884.22 -45,098.28)	7.09	(20,885.20 -45,091.26)	1.27		
141	841	(20,885.20 -45,091.26)	7.09	(20,884.22 -45,098.28)	2.16	(20,883.95 -45,100.42)	2.41
		(20,886.32 -45,100.84)	1.50	(20,886.90 -45,099.46)	2.35	(20,888.35 -45,097.61)	18.52
		(20,904.59 -45,088.70)	6.15	(20,910.44 -45,086.79)	7.95	(20,918.29 -45,085.54)	23.87
		(20,942.13 -45,084.39)	5.66	(20,943.79 -45,078.98)	5.23	(20,945.09 -45,073.91)	7.24
		(20,937.86 -45,074.33)	4.15	(20,933.71 -45,074.18)	8.43	(20,925.31 -45,073.49)	10.22
		(20,915.56 -45,076.57)	4.76	(20,910.91 -45,077.59)	5.42	(20,905.81 -45,079.42)	11.41
		(20,895.59 -45,084.50)	5.41	(20,890.92 -45,087.23)	5.76	(20,886.05 -45,090.31)	1.27
142	844	(20,878.49 -45,129.76)	6.61	(20,878.19 -45,136.36)	5.71	(20,877.65 -45,142.04)	5.38
		(20,876.85 -45,147.36)	5.18	(20,875.50 -45,152.36)	1.98	(20,876.83 -45,153.83)	4.39
		(20,879.85 -45,150.64)	3.79	(20,881.67 -45,147.31)	6.35	(20,883.25 -45,141.16)	3.29
		(20,883.77 -45,137.91)	2.62	(20,883.42 -45,135.31)	6.09	(20,881.11 -45,129.67)	2.62
142	843	(20,881.11 -45,129.67)	6.09	(20,883.42 -45,135.31)	2.62	(20,883.77 -45,137.91)	3.29
		(20,883.25 -45,141.16)	6.35	(20,881.67 -45,147.31)	3.79	(20,879.85 -45,150.64)	4.39
		(20,876.83 -45,153.83)	2.84	(20,875.75 -45,156.46)	3.46	(20,874.21 -45,159.56)	2.69
		(20,873.06 -45,161.99)	2.03	(20,871.88 -45,163.64)	5.94	(20,868.65 -45,168.62)	5.01
		(20,872.37 -45,171.98)	6.05	(20,875.96 -45,167.11)	8.59	(20,881.33 -45,160.41)	8.47
		(20,885.90 -45,153.28)	8.05	(20,890.97 -45,147.03)	5.73	(20,893.72 -45,142.00)	3.52
		(20,894.42 -45,138.55)	2.72	(20,893.82 -45,135.90)	10.18	(20,889.88 -45,126.51)	3.66
		(20,886.39 -45,127.61)	3.29	(20,883.19 -45,128.36)	2.46		
142	842	(20,883.19 -45,128.36)	3.29	(20,886.39 -45,127.61)	3.66	(20,889.88 -45,126.51)	4.17
		(20,887.61 -45,123.01)	3.27	(20,887.28 -45,119.76)	6.71	(20,885.73 -45,113.23)	5.34
		(20,884.78 -45,107.98)	5.74	(20,885.78 -45,102.33)	1.58	(20,886.32 -45,100.84)	2.41
		(20,883.95 -45,100.42)	5.95	(20,878.00 -45,100.18)	1.90	(20,878.10 -45,102.08)	9.76
		(20,878.03 -45,111.84)	6.45	(20,878.61 -45,118.26)	11.68	(20,881.11 -45,129.67)	2.46
142	849	(20,859.63 -45,159.11)	5.66	(20,860.23 -45,164.74)	3.74	(20,860.91 -45,168.42)	4.74
		(20,861.51 -45,173.12)	1.55	(20,862.42 -45,174.37)	3.48	(20,864.49 -45,171.57)	1.64
		(20,865.66 -45,170.42)	3.49	(20,868.65 -45,168.62)	5.94	(20,871.88 -45,163.64)	2.03
		(20,873.06 -45,161.99)	2.69	(20,874.21 -45,159.56)	14.59		
142	850	(20,874.21 -45,159.56)	3.46	(20,875.75 -45,156.46)	2.84	(20,876.83 -45,153.83)	1.98
		(20,875.50 -45,152.36)	5.18	(20,876.85 -45,147.36)	5.38	(20,877.65 -45,142.04)	5.71
		(20,878.19 -45,136.36)	6.61	(20,878.49 -45,129.76)	2.62	(20,881.11 -45,129.67)	11.68
		(20,878.61 -45,118.26)	6.45	(20,878.03 -45,111.84)	9.76	(20,878.10 -45,102.08)	10.63
		(20,867.48 -45,101.57)	7.18	(20,860.38 -45,100.52)	6.30	(20,854.30 -45,098.87)	1.50
		(20,852.80 -45,098.77)	59.70	(20,852.84 -45,158.47)	5.79	(20,858.63 -45,158.52)	1.16
		(20,859.63 -45,159.11)	14.59				
141	002- 9	(20,942.09 -45,084.38)	23.83	(20,918.29 -45,085.54)	7.95	(20,910.44 -45,086.79)	6.15
		(20,904.59 -45,088.70)	18.52	(20,888.35 -45,097.61)	2.35	(20,886.90 -45,099.46)	1.50
		(20,886.35 -45,100.86)	5.30	(20,891.60 -45,100.15)	7.41	(20,897.90 -45,096.25)	9.35
		(20,906.20 -45,091.95)	5.76	(20,911.80 -45,090.59)	20.56	(20,932.34 -45,089.58)	8.78
		(20,941.04 -45,088.38)	4.14				