

地区..003 作業..113 原図番号.. R1 14-2 縮尺..1/ 500 基準点..X 20,850.00..Y -44,600.00 測定 年 5 月 7 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,850.00 -44,600.00)	50.05	(20,900.05 -44,600.05)	50.00	(20,950.05 -44,600.10)	50.00
		(21,000.05 -44,600.10)	49.90	(21,000.05 -44,550.20)	50.03	(21,000.00 -44,500.17)	50.00
		(21,000.03 -44,450.17)	49.97	(21,000.05 -44,400.20)	49.97	(20,950.08 -44,400.12)	50.05
		(20,900.03 -44,400.05)	50.03	(20,850.00 -44,400.00)	50.02	(20,850.00 -44,450.02)	50.00
		(20,849.98 -44,500.02)	49.98	(20,849.98 -44,550.00)	50.00		
117	000- 1	(21,000.03 -44,450.17)	49.97	(21,000.05 -44,400.20)	49.97	(20,950.08 -44,400.12)	50.05
		(20,900.03 -44,400.05)	50.03	(20,850.00 -44,400.00)	50.02	(20,850.00 -44,450.02)	50.00
		(20,849.98 -44,500.02)	49.98	(20,849.98 -44,550.00)	23.25	(20,850.02 -44,573.25)	7.27
		(20,856.16 -44,569.36)	23.22	(20,876.47 -44,558.10)	17.56	(20,892.38 -44,550.67)	13.00
		(20,904.24 -44,545.34)	12.03	(20,914.60 -44,539.22)	33.05	(20,942.39 -44,521.34)	16.24
		(20,955.45 -44,511.69)	27.81	(20,979.60 -44,497.89)	23.26	(21,000.02 -44,486.75)	36.58
117	002- 3	(21,000.02 -44,486.75)	23.26	(20,979.60 -44,497.89)	27.81	(20,955.45 -44,511.69)	16.24
		(20,942.39 -44,521.34)	33.05	(20,914.60 -44,539.22)	12.03	(20,904.24 -44,545.34)	13.00
		(20,892.38 -44,550.67)	17.56	(20,876.47 -44,558.10)	23.22	(20,856.16 -44,569.36)	7.27
		(20,850.02 -44,573.25)	5.27	(20,850.03 -44,578.52)	11.88	(20,860.17 -44,572.33)	11.33
		(20,869.95 -44,566.61)	15.42	(20,883.67 -44,559.58)	23.12	(20,904.84 -44,550.29)	1.86
		(20,906.50 -44,549.44)	5.52	(20,911.34 -44,546.78)	28.01	(20,935.06 -44,531.88)	4.06
		(20,938.49 -44,529.71)	12.72	(20,949.11 -44,522.70)	5.67	(20,953.36 -44,518.94)	4.63
		(20,957.08 -44,516.19)	39.73	(20,991.66 -44,496.62)	2.90	(20,994.04 -44,494.96)	6.87
		(21,000.01 -44,491.57)	4.82				
117	52	(20,991.66 -44,496.62)	39.73	(20,957.08 -44,516.19)	4.63	(20,953.36 -44,518.94)	5.67
		(20,949.11 -44,522.70)	1.21	(20,950.02 -44,523.50)	1.38	(20,951.02 -44,524.45)	10.11
		(20,960.93 -44,526.43)	1.92	(20,962.85 -44,526.47)	3.47	(20,966.25 -44,525.77)	3.60
		(20,969.65 -44,524.59)	1.77	(20,971.05 -44,523.51)	5.39	(20,975.24 -44,520.12)	4.17
		(20,978.96 -44,518.24)	1.60	(20,980.49 -44,517.76)	2.11	(20,982.60 -44,517.87)	4.84
		(20,986.15 -44,514.58)	4.96	(20,989.60 -44,511.02)	3.99	(20,992.17 -44,507.97)	6.79
		(20,996.16 -44,502.48)	7.39				
117	55	(21,000.00 -44,500.17)	8.60	(21,000.01 -44,491.57)	6.87	(20,994.04 -44,494.96)	2.90
		(20,991.66 -44,496.62)	7.39	(20,996.16 -44,502.48)	6.79	(20,992.17 -44,507.97)	3.99
		(20,989.60 -44,511.02)	4.96	(20,986.15 -44,514.58)	4.84	(20,982.60 -44,517.87)	0.88
		(20,983.04 -44,518.63)	3.85	(20,986.49 -44,520.33)	2.08	(20,988.37 -44,521.22)	1.36
		(20,989.29 -44,522.22)	16.26	(21,000.02 -44,510.00)	9.83		
117	54	(21,000.02 -44,510.00)	16.26	(20,989.29 -44,522.22)	0.54	(20,989.00 -44,522.67)	6.89
		(20,993.31 -44,528.04)	7.06	(20,997.79 -44,533.50)	3.53	(21,000.07 -44,536.20)	26.20
117	48	(21,000.07 -44,536.20)	3.53	(20,997.79 -44,533.50)	7.06	(20,993.31 -44,528.04)	6.89
		(20,989.00 -44,522.67)	0.54	(20,989.29 -44,522.22)	1.36	(20,988.37 -44,521.22)	2.08
		(20,986.49 -44,520.33)	3.85	(20,983.04 -44,518.63)	0.88	(20,982.60 -44,517.87)	2.11
		(20,980.49 -44,517.76)	1.60	(20,978.96 -44,518.24)	4.17	(20,975.24 -44,520.12)	5.39
		(20,971.05 -44,523.51)	1.77	(20,969.65 -44,524.59)	3.60	(20,966.25 -44,525.77)	3.47
		(20,962.85 -44,526.47)	1.92	(20,960.93 -44,526.43)	10.11	(20,951.02 -44,524.45)	1.38
		(20,950.02 -44,523.50)	1.21	(20,949.11 -44,522.70)	12.72	(20,938.49 -44,529.71)	6.44
		(20,940.80 -44,535.72)	4.37	(20,941.23 -44,540.07)	8.01	(20,940.47 -44,548.04)	4.75
		(20,940.38 -44,552.79)	2.95	(20,940.06 -44,555.72)	0.93	(20,940.94 -44,555.42)	0.93
		(20,940.71 -44,556.32)	12.83	(20,939.29 -44,569.07)	6.15	(20,939.15 -44,575.22)	5.28
		(20,939.91 -44,580.45)	4.22	(20,943.93 -44,579.16)	19.28	(20,962.00 -44,572.45)	1.05

地区 ..003 作業 ..113 原図番号 .. R1 14-2 縮尺 ..1/ 500 基準点 ..X 20,850.00..Y -44,600.00 測定 年 5 月 7 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,963.05 -44,572.42)	1.05	(20,963.70 -44,573.25)	4.07	(20,965.74 -44,576.77)	23.60
		(20,986.46 -44,565.48)	7.87	(20,992.22 -44,560.12)	5.79	(20,995.08 -44,555.09)	4.87
		(20,997.73 -44,551.00)	2.84	(20,999.37 -44,548.68)	1.15	(21,000.05 -44,547.75)	11.55
117	39	(2/ 2)					
		(@ 21,000.05 -44,547.75)	1.15	(20,999.37 -44,548.68)	2.84	(20,997.73 -44,551.00)	4.87
		(20,995.08 -44,555.09)	2.65	(20,997.41 -44,556.36)	3.68	(21,000.03 -44,553.77)	6.02
117	41	(2/ 2)					
		(@ 21,000.04 -44,557.55)	4.00	(20,997.22 -44,560.38)	8.92	(20,990.56 -44,566.32)	8.32
		(20,983.79 -44,571.16)	7.78	(20,977.03 -44,575.02)	5.65	(20,971.92 -44,577.44)	13.53
		(20,985.19 -44,580.10)	2.08	(20,987.26 -44,580.33)	3.99	(20,989.93 -44,577.37)	2.63
		(20,991.87 -44,575.60)	0.97	(20,992.15 -44,574.67)	4.04	(20,994.47 -44,571.36)	7.00
		(20,998.91 -44,565.95)	1.86	(21,000.08 -44,564.50)	6.95		
117	40	(2/ 2)					
		(@ 21,000.08 -44,564.50)	1.86	(20,998.91 -44,565.95)	7.00	(20,994.47 -44,571.36)	4.04
		(20,992.15 -44,574.67)	0.97	(20,991.87 -44,575.60)	1.22	(20,993.08 -44,575.44)	4.41
		(20,997.33 -44,576.63)	2.76	(21,000.05 -44,577.10)	12.60		
117	002- 1						
		(21,000.05 -44,577.10)	2.76	(20,997.33 -44,576.63)	4.41	(@ 20,993.08 -44,575.44)	1.22
		(20,991.87 -44,575.60)	2.63	(20,989.93 -44,577.37)	3.99	(20,987.26 -44,580.33)	2.08
		(20,985.19 -44,580.10)	13.53	(20,971.92 -44,577.44)	6.15	(20,966.30 -44,579.93)	0.87
		(20,966.66 -44,580.72)	5.35	(20,971.66 -44,578.81)	15.96	(20,987.36 -44,581.68)	0.83
		(20,988.16 -44,581.45)	4.46	(20,991.13 -44,578.12)	1.22	(20,992.26 -44,577.65)	5.07
		(20,997.28 -44,578.38)	2.75	(21,000.01 -44,578.70)	1.60		
117	42- 1	(4/ 4)					
		(21,000.05 -44,600.10)	21.40	(21,000.01 -44,578.70)	2.75	(20,997.28 -44,578.38)	5.07
		(@ 20,992.26 -44,577.65)	25.08	(20,981.15 -44,600.14)	18.90		
117	42- 2	(2/ 2)					
		(20,981.15 -44,600.14)	25.08	(@ 20,992.26 -44,577.65)	1.22	(20,991.13 -44,578.12)	4.46
		(20,988.16 -44,581.45)	0.83	(20,987.36 -44,581.68)	15.96	(20,971.66 -44,578.81)	5.35
		(20,966.66 -44,580.72)	0.87	(20,966.30 -44,579.93)	4.58	(20,962.31 -44,582.18)	5.01
		(20,958.25 -44,585.11)	4.64	(20,954.60 -44,587.97)	5.29	(20,950.43 -44,591.22)	1.35
		(20,949.75 -44,592.39)	1.26	(20,950.09 -44,593.60)	1.89	(20,951.46 -44,594.90)	7.60
		(20,958.84 -44,596.71)	7.61	(20,966.17 -44,598.77)	3.24	(20,969.10 -44,600.16)	12.05
117	001- 1						
		(20,969.10 -44,600.16)	3.24	(20,966.17 -44,598.77)	7.61	(20,958.84 -44,596.71)	7.60
		(20,951.46 -44,594.90)	1.89	(20,950.09 -44,593.60)	1.26	(@ 20,949.75 -44,592.39)	8.39
		(20,943.88 -44,598.38)	1.42	(20,945.20 -44,597.86)	1.18	(20,946.35 -44,597.61)	4.46
		(20,950.80 -44,597.87)	4.59	(20,955.32 -44,598.69)	6.35	(20,961.50 -44,600.13)	7.60
117	19	(2/ 2)					
		(20,961.50 -44,600.13)	6.35	(20,955.32 -44,598.69)	4.59	(20,950.80 -44,597.87)	4.46
		(@ 20,946.35 -44,597.61)	1.18	(20,945.20 -44,597.86)	1.42	(20,943.88 -44,598.38)	2.87
		(20,941.60 -44,600.12)	19.90				
117	001- 2						
		(20,941.60 -44,600.12)	2.87	(20,943.88 -44,598.38)	8.39	(20,949.75 -44,592.39)	1.35
		(20,950.43 -44,591.22)	5.29	(20,954.60 -44,587.97)	4.64	(20,958.25 -44,585.11)	5.01
		(20,962.31 -44,582.18)	4.58	(20,966.30 -44,579.93)	6.15	(20,971.92 -44,577.44)	5.65
		(20,977.03 -44,575.02)	7.78	(20,983.79 -44,571.16)	8.32	(20,990.56 -44,566.32)	8.92
		(20,997.22 -44,560.38)	4.00	(21,000.04 -44,557.55)	3.78	(@ 21,000.03 -44,553.77)	3.68
		(20,997.41 -44,556.36)	2.65	(20,995.08 -44,555.09)	5.79	(20,992.22 -44,560.12)	7.87
		(20,986.46 -44,565.48)	23.60	(20,965.74 -44,576.77)	0.81	(20,965.07 -44,577.22)	7.67
		(20,958.41 -44,581.03)	11.56	(20,949.65 -44,588.58)	4.98	(20,945.68 -44,591.58)	5.54
		(20,941.34 -44,595.02)	7.69	(20,935.55 -44,600.08)	6.05		

地区..003 作業..113 原図番号.. R1 14-2 縮尺..1/ 500 基準点..X 20,850.00..Y -44,600.00 測定 年 5 月 7 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

117	15	(2/ 2)									
		(20,935.55 -44,600.08)	7.69	(20,941.34 -44,595.02)	8.81	(20,937.92 -44,586.90)	1.52				
		(@ 20,937.01 -44,585.68)	1.48	(20,935.55 -44,585.93)	4.39	(20,931.22 -44,586.64)	4.79				
		(20,926.45 -44,587.07)	5.65	(20,920.88 -44,588.01)	4.24	(20,916.78 -44,589.09)	5.04				
		(20,911.93 -44,590.45)	4.86	(20,907.31 -44,591.96)	6.19	(20,901.56 -44,594.25)	7.80				
		(20,894.44 -44,597.44)	1.88	(20,892.86 -44,598.46)	1.83	(20,893.75 -44,600.06)	41.80				
117	11	(2/ 2)									
		(20,893.75 -44,600.06)	1.83	(@ 20,892.86 -44,598.46)	1.80	(20,891.28 -44,599.32)	1.75				
		(20,889.70 -44,600.07)	4.05								
117	13	(2/ 2)									
		(20,889.70 -44,600.07)	1.75	(20,891.28 -44,599.32)	7.64	(20,889.38 -44,591.92)	6.37				
		(20,888.62 -44,585.60)	6.33	(20,888.66 -44,579.27)	5.81	(20,889.92 -44,573.60)	3.16				
		(20,891.74 -44,571.02)	3.62	(20,894.39 -44,568.56)	5.75	(20,898.93 -44,565.03)	4.99				
		(20,903.17 -44,562.39)	8.05	(20,910.07 -44,558.25)	0.97	(20,910.92 -44,557.78)	9.65				
		(@ 20,904.84 -44,550.29)	23.12	(20,883.67 -44,559.58)	15.42	(20,869.95 -44,566.61)	12.25				
		(20,869.04 -44,578.83)	21.27	(20,867.45 -44,600.04)	22.25						
117	12-	2 (1/ 2)									
		(@ 20,869.95 -44,566.61)	11.33	(20,860.17 -44,572.33)	11.88	(20,850.03 -44,578.52)	11.88				
		(20,850.03 -44,590.40)	5.56	(20,854.77 -44,587.49)	16.69	(20,869.04 -44,578.83)	12.25				
117	12-	1 (2/ 4)									
		(@ 20,869.04 -44,578.83)	16.69	(20,854.77 -44,587.49)	5.56	(20,850.03 -44,590.40)	9.60				
		(20,850.00 -44,600.00)	17.45	(20,867.45 -44,600.04)	21.27						
117	002-	2									
		(20,904.84 -44,550.29)	9.65	(20,910.92 -44,557.78)	0.33	(20,911.17 -44,558.00)	6.30				
		(20,916.25 -44,561.72)	3.59	(20,919.48 -44,563.29)	2.61	(20,922.05 -44,563.73)	2.28				
		(20,924.33 -44,563.60)	3.24	(20,927.35 -44,562.42)	6.40	(20,933.09 -44,559.58)	4.48				
		(20,937.17 -44,557.73)	0.87	(20,938.02 -44,557.90)	3.23	(20,938.47 -44,561.10)	11.79				
		(20,937.52 -44,572.85)	9.40	(20,938.23 -44,582.22)	1.76	(20,939.99 -44,582.12)	4.63				
		(20,944.31 -44,580.46)	19.70	(20,962.67 -44,573.32)	0.59	(20,963.20 -44,573.57)	4.10				
		(20,965.07 -44,577.22)	0.81	(20,965.74 -44,576.77)	4.07	(20,963.70 -44,573.25)	1.05				
		(20,963.05 -44,572.42)	1.05	(20,962.00 -44,572.45)	19.28	(20,943.93 -44,579.16)	4.22				
		(20,939.91 -44,580.45)	5.28	(20,939.15 -44,575.22)	6.15	(20,939.29 -44,569.07)	12.83				
		(20,940.71 -44,556.32)	0.93	(20,940.94 -44,555.42)	0.93	(20,940.06 -44,555.72)	2.83				
		(20,937.24 -44,555.95)	3.99	(20,933.54 -44,557.43)	4.77	(20,929.37 -44,559.74)	4.66				
		(20,925.22 -44,561.87)	2.61	(20,922.65 -44,562.33)	2.82	(20,919.85 -44,561.96)	3.11				
		(20,917.20 -44,560.34)	5.63	(20,913.11 -44,556.47)	9.65	(@ 20,906.50 -44,549.44)	1.86				
117	50										
		(20,906.50 -44,549.44)	9.65	(20,913.11 -44,556.47)	5.63	(20,917.20 -44,560.34)	3.11				
		(20,919.85 -44,561.96)	2.82	(20,922.65 -44,562.33)	2.61	(20,925.22 -44,561.87)	4.66				
		(20,929.37 -44,559.74)	4.77	(20,933.54 -44,557.43)	3.99	(20,937.24 -44,555.95)	2.83				
		(20,940.06 -44,555.72)	2.95	(20,940.38 -44,552.79)	4.75	(20,940.47 -44,548.04)	8.01				
		(20,941.23 -44,540.07)	4.37	(20,940.80 -44,535.72)	6.44	(@ 20,938.49 -44,529.71)	4.06				
		(20,935.06 -44,531.88)	28.01	(20,911.34 -44,546.78)	5.52						
117	47										
		(20,937.01 -44,585.68)	1.52	(20,937.92 -44,586.90)	8.81	(20,941.34 -44,595.02)	5.54				
		(20,945.68 -44,591.58)	4.98	(20,949.65 -44,588.58)	11.56	(20,958.41 -44,581.03)	7.67				
		(20,965.07 -44,577.22)	4.10	(20,963.20 -44,573.57)	0.59	(@ 20,962.67 -44,573.32)	19.70				
		(20,944.31 -44,580.46)	4.63	(20,939.99 -44,582.12)	1.76	(20,938.23 -44,582.22)	3.67				
117	14										
		(20,938.23 -44,582.22)	9.40	(20,937.52 -44,572.85)	11.79	(20,938.47 -44,561.10)	3.23				
		(20,938.02 -44,557.90)	0.87	(@ 20,937.17 -44,557.73)	4.48	(20,933.09 -44,559.58)	6.40				
		(20,927.35 -44,562.42)	3.24	(20,924.33 -44,563.60)	2.28	(20,922.05 -44,563.73)	2.61				

地区 ..003 作業 ..113 原図番号 .. R1 14-2 縮尺 ..1/ 500 基準点 ..X 20,850.00..Y -44,600.00 測定 年 5 月 7 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

(20,919.48	-44,563.29)	3.59	(20,916.25	-44,561.72)	6.30	(20,911.17	-44,558.00)	0.33
(20,910.92	-44,557.78)	0.97	(20,910.07	-44,558.25)	8.05	(20,903.17	-44,562.39)	4.99
(20,898.93	-44,565.03)	5.75	(20,894.39	-44,568.56)	3.62	(20,891.74	-44,571.02)	3.16
(20,889.92	-44,573.60)	5.81	(20,888.66	-44,579.27)	6.33	(20,888.62	-44,585.60)	6.37
(20,889.38	-44,591.92)	7.64	(20,891.28	-44,599.32)	1.80	(20,892.86	-44,598.46)	1.88
(20,894.44	-44,597.44)	7.80	(20,901.56	-44,594.25)	6.19	(20,907.31	-44,591.96)	4.86
(20,911.93	-44,590.45)	5.04	(20,916.78	-44,589.09)	4.24	(20,920.88	-44,588.01)	5.65
(20,926.45	-44,587.07)	4.79	(20,931.22	-44,586.64)	4.39	(20,935.55	-44,585.93)	1.48
(20,937.01	-44,585.68)	3.67						