

地区 ..003 作業 ..122 原図番号 .. R1 22-2 縮尺 ..1/ 500 基準点 ..X 20,550.00..Y -45,400.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,550.00 -45,400.00)	50.03	(20,600.03 -45,400.01)	50.05	(20,650.08 -45,400.01)	49.95
		(20,700.03 -45,400.07)	50.05	(20,699.98 -45,350.02)	49.95	(20,700.04 -45,300.07)	50.00
		(20,699.99 -45,250.07)	49.98	(20,700.00 -45,200.09)	50.00	(20,650.00 -45,200.06)	50.05
		(20,599.95 -45,200.06)	49.95	(20,550.00 -45,200.05)	49.95	(20,549.99 -45,250.00)	50.05
		(20,549.99 -45,300.05)	49.95	(20,550.03 -45,350.00)	50.00		
144	000- 1	(20,550.00 -45,400.00)	15.10	(20,565.10 -45,400.01)	2.36	(20,565.32 -45,397.66)	7.55
		(20,565.15 -45,390.11)	20.87	(20,564.14 -45,369.26)	6.22	(20,561.75 -45,363.52)	5.32
		(20,558.23 -45,359.53)	8.92	(20,555.68 -45,350.98)	5.14	(20,553.40 -45,346.37)	4.85
144	002- 5	(20,550.01 -45,342.90)	57.10				
		(20,550.01 -45,342.90)	4.85	(20,553.40 -45,346.37)	5.14	(20,555.68 -45,350.98)	8.92
		(20,558.23 -45,359.53)	5.32	(20,561.75 -45,363.52)	6.22	(20,564.14 -45,369.26)	20.87
		(20,565.15 -45,390.11)	7.55	(20,565.32 -45,397.66)	2.36	(20,565.10 -45,400.01)	1.83
		(20,566.93 -45,400.03)	0.23	(20,566.92 -45,399.80)	2.40	(20,567.87 -45,397.60)	2.03
		(20,569.41 -45,396.28)	7.45	(20,568.81 -45,388.85)	1.16	(20,568.69 -45,387.70)	8.72
		(20,567.41 -45,379.07)	6.87	(20,568.60 -45,372.30)	14.69	(20,565.13 -45,358.03)	1.33
		(20,563.84 -45,358.36)	3.10	(20,560.83 -45,359.12)	15.33	(20,556.62 -45,344.38)	4.78
		(20,553.01 -45,341.24)	4.41	(20,551.04 -45,337.30)	4.04	(20,549.98 -45,333.40)	9.50
144	930	(1/ 2)					
		(20,549.98 -45,333.40)	4.04	(20,551.04 -45,337.30)	4.41	(20,553.01 -45,341.24)	4.78
		(20,556.62 -45,344.38)	15.33	(20,560.83 -45,359.12)	3.10	(20,563.84 -45,358.36)	8.63
		(20,561.83 -45,349.97)	6.14	(20,560.96 -45,343.89)	1.16	(20,561.48 -45,342.85)	2.92
		(20,561.75 -45,339.94)	2.93	(20,562.49 -45,337.11)	3.99	(20,564.11 -45,333.46)	9.34
		(20,569.49 -45,325.82)	7.56	(20,574.17 -45,319.88)	4.14	(20,577.09 -45,316.95)	5.35
		(20,581.10 -45,313.41)	3.53	(20,583.47 -45,310.80)	8.68	(20,588.00 -45,303.39)	6.60
		(20,591.73 -45,297.95)	5.19	(20,594.94 -45,293.87)	4.65	(20,598.21 -45,290.56)	7.92
		(20,603.99 -45,285.14)	25.24	(20,583.80 -45,270.00)	6.43	(20,580.04 -45,275.21)	5.43
		(20,576.68 -45,279.47)	2.48	(20,574.93 -45,281.23)	25.49	(20,550.00 -45,286.55)	46.85
144	002- 4	(20,550.00 -45,286.55)	25.49	(20,574.93 -45,281.23)	2.48	(20,576.68 -45,279.47)	5.43
		(20,580.04 -45,275.21)	6.43	(20,583.80 -45,270.00)	18.03	(20,594.41 -45,255.42)	25.70
		(20,610.92 -45,235.72)	11.83	(20,615.62 -45,224.86)	24.19	(20,623.98 -45,202.16)	2.36
		(20,625.05 -45,200.06)	2.35	(20,622.70 -45,200.07)	5.49	(20,620.87 -45,205.25)	15.85
		(20,615.21 -45,220.06)	12.81	(20,609.97 -45,231.75)	7.60	(20,605.86 -45,238.14)	23.33
		(20,591.11 -45,256.21)	24.66	(20,576.09 -45,275.77)	3.01	(20,574.05 -45,277.98)	2.38
		(20,571.83 -45,278.84)	6.14	(20,565.76 -45,279.77)	7.52	(20,558.33 -45,280.93)	5.85
		(20,552.48 -45,281.04)	1.50	(20,552.44 -45,282.54)	0.53	(20,552.44 -45,283.07)	2.49
		(20,549.99 -45,283.50)	3.05				
145	958	(1/ 2)					
		(20,549.99 -45,283.50)	2.49	(20,552.44 -45,283.07)	0.53	(20,552.44 -45,282.54)	2.45
		(20,549.99 -45,282.50)	1.00				
145	950	(1/ 2)					
		(20,549.99 -45,282.50)	2.45	(20,552.44 -45,282.54)	1.50	(20,552.48 -45,281.04)	5.85
		(20,558.33 -45,280.93)	7.52	(20,565.76 -45,279.77)	58.23	(20,565.90 -45,221.54)	15.93
		(20,550.01 -45,222.60)	59.90				
145	951- 1	(1/ 4)					
		(20,550.01 -45,222.60)	15.93	(20,565.90 -45,221.54)	7.57	(20,573.46 -45,221.08)	21.17
		(20,571.45 -45,200.01)	21.45	(20,550.00 -45,200.05)	22.55		
145	948	(1/ 2)					
		(20,571.45 -45,200.01)	21.17	(20,573.46 -45,221.08)	39.91	(20,613.30 -45,218.74)	17.46

地区 ..003

作業 ..122

原図番号 .. R1 22-2

縮尺 ..1/ 500

基準点 ..X 20,550.00..Y -45,400.00

測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

145	949	(20,619.11 (1/ 2)	-45,202.28)	2.37	(20,619.90	-45,200.05)	48.45		
		(@ 20,619.90	-45,200.05)	2.37	(20,619.11	-45,202.28)	17.46	(20,613.30	-45,218.74) 39.91
		(20,573.46	-45,221.08)	7.57	(20,565.90	-45,221.54)	58.23	(20,565.76	-45,279.77) 6.14
		(20,571.83	-45,278.84)	2.38	(20,574.05	-45,277.98)	3.01	(20,576.09	-45,275.77) 24.66
		(20,591.11	-45,256.21)	23.33	(20,605.86	-45,238.14)	7.60	(20,609.97	-45,231.75) 12.81
144	938	(20,615.21 (1/ 2)	-45,220.06)	15.85	(20,620.87	-45,205.25)	5.49	(20,622.70	-45,200.07) 2.80
		(20,625.05	-45,200.06)	2.36	(20,623.98	-45,202.16)	24.19	(20,615.62	-45,224.86) 11.83
144	937- 1	(20,610.92 (1/ 2)	-45,235.72)	17.09	(20,625.53	-45,244.58)	46.30	(@ 20,638.20	-45,200.05) 13.15
		(@ 20,638.20	-45,200.05)	46.30	(20,625.53	-45,244.58)	7.84	(20,622.50	-45,251.81) 1.57
		(20,624.00	-45,252.26)	3.51	(20,624.79	-45,255.68)	5.53	(20,626.25	-45,261.01) 4.48
		(20,628.02	-45,265.13)	32.07	(20,659.74	-45,260.38)	59.04	(20,655.25	-45,201.51) 8.28
144	002- 3	(20,647.10	-45,200.07)	8.90					
144	001- 3	(@ 20,647.10	-45,200.07)	8.28	(20,655.25	-45,201.51)	1.41	(20,655.30	-45,200.10) 8.20
		(20,655.30	-45,200.10)	1.41	(20,655.25	-45,201.51)	59.04	(20,659.74	-45,260.38) 47.08
		(20,663.36	-45,307.32)	1.52	(20,663.61	-45,308.82)	2.36	(20,663.82	-45,311.17) 9.26
		(20,669.46	-45,303.83)	1.79	(20,669.44	-45,302.04)	64.11	(20,664.56	-45,238.12) 32.96
144	002- 2	(20,662.03	-45,205.26)	5.19	(@ 20,661.65	-45,200.08)	6.35		
		(@ 20,661.65	-45,200.08)	5.19	(20,662.03	-45,205.26)	7.03	(20,668.58	-45,202.71) 5.35
		(20,673.78	-45,201.44)	6.33	(20,680.10	-45,201.05)	5.57	(20,685.65	-45,200.61) 2.55
144	898- 1	(20,688.15 (3/ 4)	-45,200.10)	2.55	(20,685.65	-45,200.61)	5.57	(20,680.10	-45,201.05) 6.33
		(20,673.78	-45,201.44)	5.35	(20,668.58	-45,202.71)	7.03	(20,662.03	-45,205.26) 32.96
		(20,664.56	-45,238.12)	25.16	(20,689.71	-45,238.85)	29.35	(20,696.86	-45,210.38) 0.29
144	002- 1	(20,697.13	-45,210.48)	7.04	(20,700.04	-45,204.07)	3.98	(@ 20,700.00	-45,200.09) 11.85
		(@ 20,700.04	-45,204.07)	7.04	(20,697.13	-45,210.48)	0.68	(20,697.78	-45,210.69) 2.29
		(20,699.64	-45,212.03)	0.77	(20,700.03	-45,211.37)	7.30		
3	001- 1	(@ 20,700.03	-45,211.37)	0.77	(20,699.64	-45,212.03)	0.40	(20,699.99	-45,212.22) 0.85
3	002- 10	(20,699.99	-45,212.22)	0.40	(20,699.64	-45,212.03)	2.29	(@ 20,697.78	-45,210.69) 29.12
		(20,690.71	-45,238.94)	24.11	(20,684.33	-45,262.19)	23.71	(20,677.54	-45,284.91) 16.17
		(20,672.09	-45,300.13)	3.70	(20,675.09	-45,302.30)	2.39	(20,675.09	-45,299.91) 59.03
3	36	(20,691.27 (3/ 3)	-45,243.14)	26.29	(20,698.10	-45,217.75)	5.44	(20,700.04	-45,212.67) 0.45
		(@ 20,700.04	-45,212.67)	5.44	(20,698.10	-45,217.75)	26.29	(20,691.27	-45,243.14) 9.31
		(20,699.93	-45,246.57)	33.90					
3	40	(20,699.93 (2/ 2)	-45,246.57)	9.31	(@ 20,691.27	-45,243.14)	59.03	(20,675.09	-45,299.91) 2.39
		(20,675.09	-45,302.30)	2.37	(20,676.30	-45,304.34)	2.69	(20,678.26	-45,306.18) 5.07
		(20,682.41	-45,309.09)	4.93	(20,687.07	-45,310.71)	10.25	(20,697.20	-45,312.30) 1.85
3	002- 9	(20,698.80	-45,311.37)	5.44	(20,700.01	-45,306.07)	59.50		
		(20,700.01	-45,306.07)	5.44	(20,698.80	-45,311.37)	1.85	(20,697.20	-45,312.30) 10.25
		(20,687.07	-45,310.71)	4.93	(20,682.41	-45,309.09)	5.07	(20,678.26	-45,306.18) 2.69

地区 ..003

作業 ..122

原図番号 .. R1 22-2

縮尺 ..1/ 500

基準点 ..X 20,550.00..Y -45,400.00

測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,676.30 -45,304.34)	2.37	(20,675.09 -45,302.30)	3.70	(@ 20,672.09 -45,300.13)	4.54
		(20,669.46 -45,303.83)	2.59	(20,669.66 -45,306.41)	0.76	(20,670.42 -45,306.39)	1.96
		(20,672.36 -45,306.67)	12.67	(20,683.72 -45,312.27)	9.83	(20,693.23 -45,314.74)	3.33
		(20,696.48 -45,315.48)	3.54	(20,699.19 -45,317.75)	1.33	(20,700.04 -45,318.77)	12.70
4	45	(2/ 2)					
		(20,700.04 -45,318.77)	1.33	(20,699.19 -45,317.75)	3.54	(20,696.48 -45,315.48)	3.33
		(20,693.23 -45,314.74)	9.83	(20,683.72 -45,312.27)	12.67	(20,672.36 -45,306.67)	1.96
		(@ 20,670.42 -45,306.39)	55.47	(20,674.52 -45,361.71)	23.04	(20,696.70 -45,355.48)	11.66
		(20,699.33 -45,366.84)	0.72	(20,700.03 -45,366.67)	47.90		
4	48	(3/ 3)					
		(@ 20,700.03 -45,366.67)	0.72	(20,699.33 -45,366.84)	3.01	(20,700.04 -45,369.77)	3.10
4	49	(4/ 4)					
		(20,700.04 -45,369.77)	3.01	(20,699.33 -45,366.84)	11.66	(@ 20,696.70 -45,355.48)	23.04
		(20,674.52 -45,361.71)	31.81	(20,676.96 -45,393.43)	8.29	(20,681.88 -45,400.10)	18.15
		(20,700.03 -45,400.07)	30.30				
144	908	(2/ 2)					
		(20,681.88 -45,400.10)	8.29	(@ 20,676.96 -45,393.43)	6.72	(20,677.53 -45,400.13)	4.35
144	002-	7					
		(20,677.53 -45,400.13)	6.72	(20,676.96 -45,393.43)	1.18	(@ 20,676.27 -45,392.47)	7.59
		(20,676.88 -45,400.04)	0.66				
144	001-	4					
		(20,676.88 -45,400.04)	7.59	(20,676.27 -45,392.47)	31.03	(20,673.86 -45,361.53)	15.64
		(@ 20,666.64 -45,347.66)	28.15	(20,668.76 -45,375.73)	24.39	(20,670.63 -45,400.05)	6.25
144	002-	6					
		(20,670.63 -45,400.05)	24.39	(20,668.76 -45,375.73)	28.15	(20,666.64 -45,347.66)	36.60
		(20,663.82 -45,311.17)	2.36	(20,663.61 -45,308.82)	1.52	(@ 20,663.36 -45,307.32)	18.65
		(20,646.81 -45,315.92)	6.30	(20,641.01 -45,318.39)	1.19	(20,641.33 -45,319.54)	6.44
		(20,647.34 -45,317.22)	17.71	(20,662.96 -45,308.87)	32.54	(20,665.34 -45,341.32)	21.69
		(20,666.97 -45,362.95)	12.46	(20,667.85 -45,375.38)	18.18	(20,669.26 -45,393.51)	5.50
		(20,669.72 -45,398.99)	1.08	(20,669.83 -45,400.06)	0.80		
144	909-	1	(2/ 2)				
		(20,669.83 -45,400.06)	1.08	(@ 20,669.72 -45,398.99)	2.44	(20,667.53 -45,400.06)	2.30
144	907-	1	(2/ 2)				
		(20,667.53 -45,400.06)	2.44	(20,669.72 -45,398.99)	5.50	(20,669.26 -45,393.51)	18.18
		(@ 20,667.85 -45,375.38)	18.96	(20,650.60 -45,383.24)	28.47	(20,625.11 -45,395.92)	4.56
		(20,626.98 -45,400.08)	40.55				
144	926	(2/ 2)					
		(20,626.98 -45,400.08)	4.56	(@ 20,625.11 -45,395.92)	9.15	(20,616.93 -45,400.01)	10.05
144	906-	1	(2/ 2)				
		(20,616.93 -45,400.01)	9.15	(20,625.11 -45,395.92)	28.47	(20,650.60 -45,383.24)	18.96
		(20,667.85 -45,375.38)	12.46	(@ 20,666.97 -45,362.95)	6.83	(20,661.08 -45,366.41)	5.54
		(20,656.14 -45,368.92)	9.53	(20,647.40 -45,372.72)	12.33	(20,636.40 -45,378.29)	19.54
		(20,618.84 -45,386.85)	13.03	(20,606.85 -45,391.96)	7.29	(20,600.01 -45,394.48)	13.53
		(20,587.06 -45,398.39)	1.89	(20,587.98 -45,400.04)	28.95		
144	928	(2/ 2)					
		(20,587.98 -45,400.04)	1.89	(20,587.06 -45,398.39)	5.00	(20,584.86 -45,393.90)	9.36
		(@ 20,581.62 -45,385.12)	13.34	(20,568.81 -45,388.85)	7.45	(20,569.41 -45,396.28)	3.95
		(20,570.63 -45,400.04)	17.35				
144	923	(2/ 2)					
		(20,570.63 -45,400.04)	3.95	(@ 20,569.41 -45,396.28)	2.03	(20,567.87 -45,397.60)	2.40
		(20,566.92 -45,399.80)	0.23	(20,566.93 -45,400.03)	3.70		
144	929						

地区 ..003

作業 ..122

原図番号 .. R1 22-2

縮尺 ..1/ 500

基準点 ..X 20,550.00..Y -45,400.00

測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,562.89 -45,342.76)	1.41	(20,561.48 -45,342.85)	1.16	(20,560.96 -45,343.89)	6.14
		(20,561.83 -45,349.97)	8.63	(20,563.84 -45,358.36)	1.33	(20,565.13 -45,358.03)	14.69
		(20,568.60 -45,372.30)	6.87	(20,567.41 -45,379.07)	8.72	(20,568.69 -45,387.70)	1.16
		(20,568.81 -45,388.85)	13.34	(20,581.62 -45,385.12)	10.49	(20,578.60 -45,375.07)	6.16
		(20,577.14 -45,369.09)	14.50	(20,574.99 -45,354.75)	14.65	(20,571.70 -45,340.47)	9.10
144	902	(20,571.70 -45,340.47)	14.65	(20,574.99 -45,354.75)	14.50	(20,577.14 -45,369.09)	26.99
		(20,603.24 -45,362.22)	11.43	(20,614.31 -45,359.36)	12.68	(20,626.72 -45,356.78)	1.23
		(20,626.30 -45,355.62)	33.15	(20,617.32 -45,323.71)	4.53	(20,612.98 -45,325.02)	4.17
		(20,609.06 -45,326.43)	5.93	(20,603.57 -45,328.67)	5.68	(20,598.45 -45,331.14)	4.91
		(20,594.08 -45,333.37)	8.05	(20,586.64 -45,336.44)	6.56	(20,580.40 -45,338.46)	8.93
144	934	(20,580.40 -45,338.46)	6.56	(20,586.64 -45,336.44)	8.05	(20,594.08 -45,333.37)	4.91
		(20,598.45 -45,331.14)	5.68	(20,603.57 -45,328.67)	5.93	(20,609.06 -45,326.43)	4.17
		(20,612.98 -45,325.02)	4.53	(20,617.32 -45,323.71)	4.06	(20,621.25 -45,322.69)	9.64
		(20,630.75 -45,321.07)	7.20	(20,637.92 -45,320.45)	3.56	(20,641.42 -45,319.81)	0.28
		(20,641.33 -45,319.54)	1.19	(20,641.01 -45,318.39)	10.06	(20,637.34 -45,309.02)	9.96
		(20,634.74 -45,299.41)	9.85	(20,632.61 -45,289.79)	11.61	(20,631.48 -45,278.24)	6.77
		(20,630.31 -45,271.57)	6.84	(20,628.02 -45,265.13)	4.48	(20,626.25 -45,261.01)	5.53
		(20,624.79 -45,255.68)	3.51	(20,624.00 -45,252.26)	1.57	(20,622.50 -45,251.81)	4.05
		(20,620.21 -45,255.15)	10.29	(20,614.66 -45,263.81)	11.94	(20,609.11 -45,274.38)	8.49
		(20,605.59 -45,282.11)	2.32	(20,604.62 -45,284.22)	1.12	(20,603.99 -45,285.14)	7.92
		(20,598.21 -45,290.56)	4.65	(20,594.94 -45,293.87)	5.19	(20,591.73 -45,297.95)	6.60
		(20,588.00 -45,303.39)	8.68	(20,583.47 -45,310.80)	3.53	(20,581.10 -45,313.41)	5.35
		(20,577.09 -45,316.95)	4.14	(20,574.17 -45,319.88)	7.56	(20,569.49 -45,325.82)	9.34
		(20,564.11 -45,333.46)	3.99	(20,562.49 -45,337.11)	2.93	(20,561.75 -45,339.94)	2.92
		(20,561.48 -45,342.85)	1.41	(20,562.89 -45,342.76)	9.10	(20,571.70 -45,340.47)	8.93
144	904	(20,577.14 -45,369.09)	6.16	(20,578.60 -45,375.07)	10.49	(20,581.62 -45,385.12)	9.36
		(20,584.86 -45,393.90)	5.00	(20,587.06 -45,398.39)	13.53	(20,600.01 -45,394.48)	7.29
		(20,606.85 -45,391.96)	13.03	(20,618.84 -45,386.85)	19.54	(20,636.40 -45,378.29)	23.59
		(20,626.72 -45,356.78)	12.68	(20,614.31 -45,359.36)	11.43	(20,603.24 -45,362.22)	26.99
144	905- 1	(20,626.72 -45,356.78)	23.59	(20,636.40 -45,378.29)	12.33	(20,647.40 -45,372.72)	9.53
		(20,656.14 -45,368.92)	5.54	(20,661.08 -45,366.41)	6.83	(20,666.97 -45,362.95)	21.69
		(20,665.34 -45,341.32)	41.58	(20,626.30 -45,355.62)	1.23		
144	901	(20,626.30 -45,355.62)	41.58	(20,665.34 -45,341.32)	32.54	(20,662.96 -45,308.87)	17.71
		(20,647.34 -45,317.22)	6.44	(20,641.33 -45,319.54)	0.28	(20,641.42 -45,319.81)	3.56
		(20,637.92 -45,320.45)	7.20	(20,630.75 -45,321.07)	9.64	(20,621.25 -45,322.69)	4.06
		(20,617.32 -45,323.71)	33.15				
144	900	(20,641.01 -45,318.39)	6.30	(20,646.81 -45,315.92)	18.65	(20,663.36 -45,307.32)	47.08
		(20,659.74 -45,260.38)	32.07	(20,628.02 -45,265.13)	6.84	(20,630.31 -45,271.57)	6.77
		(20,631.48 -45,278.24)	11.61	(20,632.61 -45,289.79)	9.85	(20,634.74 -45,299.41)	9.96
		(20,637.34 -45,309.02)	10.06				
144	936	(20,603.99 -45,285.14)	1.12	(20,604.62 -45,284.22)	2.32	(20,605.59 -45,282.11)	8.49
		(20,609.11 -45,274.38)	11.94	(20,614.66 -45,263.81)	10.29	(20,620.21 -45,255.15)	4.05
		(20,622.50 -45,251.81)	7.84	(20,625.53 -45,244.58)	17.09	(20,610.92 -45,235.72)	25.70
		(20,594.41 -45,255.42)	18.03	(20,583.80 -45,270.00)	25.24		
144	899- 1						

地区 ..003 作業 ..122 原図番号 .. R1 22-2 縮尺 ..1/ 500 基準点 ..X 20,550.00..Y -45,400.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

	(20,669.44 -45,302.04)	2.92	(20,671.19 -45,299.70)	15.73	(20,676.49 -45,284.89)	23.71
	(20,683.28 -45,262.17)	24.19	(20,689.71 -45,238.85)	25.16	(20,664.56 -45,238.12)	64.11
4 002- 8	(20,670.42 -45,306.39)	0.76	(20,669.66 -45,306.41)	55.28	(20,673.86 -45,361.53)	31.03
	(20,676.27 -45,392.47)	1.18	(20,676.96 -45,393.43)	31.81	(20,674.52 -45,361.71)	55.47
4 001- 5	(20,669.46 -45,303.83)	9.26	(20,663.82 -45,311.17)	36.60	(20,666.64 -45,347.66)	15.64
	(20,673.86 -45,361.53)	57.87				
144 001- 2	(20,669.46 -45,303.83)	4.54	(20,672.09 -45,300.13)	16.17	(20,677.54 -45,284.91)	23.71
	(20,684.33 -45,262.19)	24.11	(20,690.71 -45,238.94)	29.12	(20,697.78 -45,210.69)	0.68
	(20,697.13 -45,210.48)	0.29	(20,696.86 -45,210.38)	29.35	(20,689.71 -45,238.85)	24.19
	(20,683.28 -45,262.17)	23.71	(20,676.49 -45,284.89)	15.73	(20,671.19 -45,299.70)	2.92
	(20,669.44 -45,302.04)	1.79				