

地区..003 作業..126 原図番号.. R1 23-2 縮尺..1/ 500 基準点..X 20,550.00..Y -45,000.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(	20,550.00	-45,000.00)	50.00	(	20,600.00	-45,000.02)	50.00	(	20,650.00	-45,000.05)	50.03
		(	20,700.03	-45,000.07)	50.00	(	20,699.98	-44,950.07)	50.00	(	20,700.00	-44,900.07)	50.00
		(	20,700.03	-44,850.07)	50.00	(	20,700.00	-44,800.07)	50.00	(	20,650.00	-44,800.05)	50.05
		(	20,599.95	-44,800.02)	49.95	(	20,550.00	-44,800.05)	49.95	(	20,550.02	-44,850.00)	50.00
		(	20,549.95	-44,900.00)	50.00	(	20,549.97	-44,950.00)	50.00				
146	991-	1	(2/ 4)										
		(	20,550.00	-45,000.00)	5.40	(	20,555.40	-45,000.04)	7.11	(	20,556.54	-44,993.02)	14.31
		(	20,558.78	-44,978.89)	8.83	(	20,549.97	-44,978.30)	21.70				
146	002-	6											
		(	20,549.97	-44,978.30)	8.83	(	20,558.78	-44,978.89)	9.56	(	20,568.32	-44,979.52)	3.63
		(	20,571.90	-44,980.12)	12.98	(	20,584.82	-44,981.41)	1.54	(	20,586.36	-44,981.46)	2.07
		(	20,586.07	-44,979.41)	2.68	(	20,583.39	-44,979.45)	33.50	(	20,549.97	-44,977.10)	1.20
147	001-	6											
		(	20,549.97	-44,977.10)	33.50	(	20,583.39	-44,979.45)	2.68	(	20,586.07	-44,979.41)	4.79
		(	20,590.69	-44,978.14)	4.74	(	20,595.19	-44,976.66)	2.88	(	20,597.93	-44,975.76)	3.34
		(	20,596.91	-44,972.58)	7.30	(	20,589.81	-44,974.29)	29.45	(	20,560.41	-44,975.93)	10.49
		(	20,549.96	-44,975.05)	2.05								
147	1003	(1/ 2)											
		(	20,549.96	-44,975.05)	10.49	(	20,560.41	-44,975.93)	29.45	(	20,589.81	-44,974.29)	32.49
		(	20,584.41	-44,942.25)	3.00	(	20,587.41	-44,942.24)	2.68	(	20,589.93	-44,943.16)	9.70
		(	20,587.75	-44,933.71)	3.42	(	20,584.35	-44,934.05)	26.75	(	20,557.76	-44,937.01)	41.80
		(	20,550.47	-44,895.85)	0.83	(	20,550.83	-44,895.10)	20.80	(	20,550.49	-44,874.30)	0.89
		(	20,550.21	-44,873.45)	0.25	(	20,549.96	-44,873.45)	101.60				
147	1013-	1	(1/ 2)										
		(	20,549.96	-44,873.45)	0.25	(	20,550.21	-44,873.45)	7.91	(	20,557.92	-44,871.67)	33.72
		(	20,549.96	-44,838.90)	34.55								
147	1014-	1	(1/ 2)										
		(	20,549.96	-44,838.90)	33.72	(	20,557.92	-44,871.67)	9.13	(	20,566.79	-44,869.51)	11.91
		(	20,564.74	-44,857.78)	1.22	(	20,565.94	-44,857.56)	2.45	(	20,565.35	-44,855.18)	29.80
		(	20,558.04	-44,826.29)	7.52	(	20,556.40	-44,818.95)	0.00	(	20,556.40	-44,818.95)	1.00
		(	20,555.43	-44,819.18)	5.83	(	20,549.98	-44,821.25)	17.65				
147	1017-	1	(1/ 4)										
		(	20,549.98	-44,821.25)	5.83	(	20,555.43	-44,819.18)	19.79	(	20,550.28	-44,800.07)	0.28
		(	20,550.00	-44,800.05)	21.20								
147	1018-	1	(1/ 3)										
		(	20,550.28	-44,800.07)	19.79	(	20,555.43	-44,819.18)	1.00	(	20,556.40	-44,818.95)	0.14
		(	20,556.43	-44,819.09)	11.18	(	20,566.67	-44,814.61)	11.74	(	20,564.75	-44,803.03)	2.97
		(	20,564.40	-44,800.08)	14.12								
150	001-	4											
		(	20,564.40	-44,800.08)	2.97	(	20,564.75	-44,803.03)	11.74	(	20,566.67	-44,814.61)	0.50
		(	20,566.72	-44,815.11)	9.08	(	20,568.19	-44,824.07)	1.43	(	20,569.59	-44,823.77)	9.57
		(	20,571.10	-44,833.22)	14.74	(	20,573.52	-44,847.76)	8.26	(	20,574.90	-44,855.90)	11.20
		(	20,576.69	-44,866.96)	5.94	(	20,582.55	-44,867.93)	4.08	(	20,581.90	-44,863.90)	19.29
		(	20,578.82	-44,844.86)	21.61	(	20,575.20	-44,823.56)	21.97	(	20,571.62	-44,801.88)	1.84
		(	20,571.30	-44,800.07)	6.90								
150	001-	3											
		(	20,571.30	-44,800.07)	1.84	(	20,571.62	-44,801.88)	9.20	(	20,580.78	-44,802.73)	5.40
		(	20,586.18	-44,802.85)	5.37	(	20,591.55	-44,802.71)	10.95	(	20,602.48	-44,802.02)	26.29
		(	20,628.70	-44,800.08)	57.40								
150	1230	(1/ 2)											
		(	20,628.70	-44,800.08)	26.29	(	20,602.48	-44,802.02)	10.95	(	20,591.55	-44,802.71)	5.37

地区 ..003

作業 ..126

原図番号 .. R1 23-2

縮尺 ..1/ 500

基準点 ..X 20,550.00..Y -45,000.00

測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,586.18 -44,802.85)	5.40	(20,580.78 -44,802.73)	9.20	(20,571.62 -44,801.88)	21.97
		(20,575.20 -44,823.56)	12.99	(20,588.18 -44,823.17)	13.49	(20,601.63 -44,822.17)	4.06
		(20,601.39 -44,826.22)	3.05	(20,604.44 -44,826.27)	7.06	(20,611.50 -44,826.41)	8.83
		(20,620.32 -44,826.72)	0.35	(20,620.32 -44,827.07)	11.56	(20,631.88 -44,827.36)	8.39
		(20,632.25 -44,818.98)	16.56	(20,648.79 -44,818.12)	7.66	(20,648.04 -44,810.50)	2.99
		(20,651.03 -44,810.36)	10.27	(20,650.65 -44,800.10)	21.95		
150	1217-	2 (1/ 2)					
		(20,650.65 -44,800.10)	10.27	(20,651.03 -44,810.36)	12.34	(20,663.36 -44,809.93)	1.29
		(20,663.51 -44,808.65)	16.87	(20,680.38 -44,808.70)	8.05	(20,680.55 -44,800.65)	0.68
		(20,680.15 -44,800.10)	29.50				
150	001-	2					
		(20,680.15 -44,800.10)	0.68	(20,680.55 -44,800.65)	8.05	(20,680.38 -44,808.70)	17.41
		(20,679.95 -44,826.10)	6.59	(20,679.67 -44,832.68)	7.57	(20,678.91 -44,840.21)	16.28
		(20,678.28 -44,856.48)	3.60	(20,678.08 -44,860.07)	13.02	(20,676.66 -44,873.01)	1.15
		(20,676.56 -44,874.16)	0.25	(20,676.51 -44,874.41)	8.15	(20,675.12 -44,882.44)	19.30
		(20,670.80 -44,901.25)	12.12	(20,668.12 -44,913.07)	15.95	(20,665.99 -44,928.88)	1.87
		(20,665.95 -44,930.75)	1.68	(20,666.00 -44,932.43)	3.72	(20,665.88 -44,936.15)	2.30
		(20,664.76 -44,938.16)	4.81	(20,669.57 -44,938.31)	2.30	(20,668.50 -44,936.27)	5.65
		(20,668.50 -44,930.62)	2.54	(20,669.13 -44,928.16)	6.12	(20,669.60 -44,922.06)	1.41
		(20,669.68 -44,920.65)	13.42	(20,672.38 -44,907.50)	23.69	(20,677.81 -44,884.44)	1.19
		(20,678.69 -44,883.64)	8.76	(20,679.46 -44,874.91)	3.32	(20,679.84 -44,871.61)	4.60
		(20,680.20 -44,867.02)	7.60	(20,680.92 -44,859.45)	19.05	(20,681.26 -44,840.40)	0.42
		(20,681.29 -44,839.98)	6.02	(20,681.90 -44,833.99)	10.92	(20,682.63 -44,823.09)	11.92
		(20,682.88 -44,811.17)	1.82	(20,682.81 -44,809.35)	9.26	(20,683.20 -44,800.10)	3.05
150	1137-	1 (3/ 4)					
		(20,683.20 -44,800.10)	9.26	(20,682.81 -44,809.35)	17.20	(20,700.01 -44,809.70)	9.63
		(20,700.00 -44,800.07)	16.80				
150	1140	(2/ 2)					
		(20,700.01 -44,809.70)	17.20	(20,682.81 -44,809.35)	1.82	(20,682.88 -44,811.17)	17.15
		(20,700.02 -44,811.72)	2.02				
150	1141	(2/ 2)					
		(20,700.02 -44,811.72)	17.15	(20,682.88 -44,811.17)	11.92	(20,682.63 -44,823.09)	17.43
		(20,699.99 -44,824.62)	12.90				
150	1142	(2/ 2)					
		(20,699.99 -44,824.62)	17.43	(20,682.63 -44,823.09)	10.92	(20,681.90 -44,833.99)	2.74
		(20,684.60 -44,834.45)	2.70	(20,687.20 -44,835.18)	6.26	(20,693.14 -44,837.14)	7.24
		(20,700.01 -44,839.42)	14.80				
150	1189-	2 (2/ 2)					
		(20,700.01 -44,839.42)	7.24	(20,693.14 -44,837.14)	12.76	(20,692.62 -44,849.89)	13.11
		(20,692.11 -44,862.99)	7.91	(20,700.00 -44,863.57)	24.15		
150	001-	1					
		(20,700.00 -44,863.57)	7.91	(20,692.11 -44,862.99)	7.89	(20,684.24 -44,862.50)	0.86
		(20,683.39 -44,862.37)	1.37	(20,682.14 -44,861.80)	1.24	(20,681.19 -44,861.00)	1.57
		(20,680.92 -44,859.45)	7.60	(20,680.20 -44,867.02)	1.31	(20,681.00 -44,865.98)	2.25
		(20,683.02 -44,865.00)	17.00	(20,700.00 -44,865.87)	2.30		
150	1149	(2/ 2)					
		(20,700.00 -44,865.87)	17.00	(20,683.02 -44,865.00)	2.25	(20,681.00 -44,865.98)	1.31
		(20,680.20 -44,867.02)	4.60	(20,679.84 -44,871.61)	20.23	(20,700.01 -44,873.17)	7.30
150	1154-	1 (2/ 2)					
		(20,700.01 -44,873.17)	20.23	(20,679.84 -44,871.61)	3.32	(20,679.46 -44,874.91)	8.76
		(20,678.69 -44,883.64)	12.39	(20,689.36 -44,889.94)	3.00	(20,692.34 -44,890.26)	7.65
		(20,699.99 -44,890.32)	17.15				

地区 ..003

作業 ..126

原図番号 .. R1 23-2

縮尺 ..1/ 500

基準点 ..X 20,550.00..Y -45,000.00

測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

150	002-	1	(20,699.99 -44,890.32)	7.65	(20,692.34 -44,890.26)	3.00	(20,689.36 -44,889.94)	12.39
		(a	20,678.69 -44,883.64)	1.19	(20,677.81 -44,884.44)	9.76	(20,685.93 -44,889.85)	3.29
		(	20,688.94 -44,891.17)	3.27	(20,692.14 -44,891.84)	7.85	(20,699.99 -44,891.87)	1.55
150	1155-	1	(2/ 2)					
		(	20,699.99 -44,891.87)	7.85	(20,692.14 -44,891.84)	3.27	(20,688.94 -44,891.17)	3.29
		(	20,685.93 -44,889.85)	9.76	(a 20,677.81 -44,884.44)	23.69	(20,672.38 -44,907.50)	20.42
		(	20,679.21 -44,926.74)	11.07	(20,690.28 -44,927.04)	4.16	(20,694.44 -44,927.13)	3.20
		(	20,697.64 -44,927.08)	2.37	(20,699.99 -44,926.77)	34.90		
150	1161		(2/ 2)					
		(a	20,699.99 -44,926.77)	2.37	(20,697.64 -44,927.08)	3.20	(20,694.44 -44,927.13)	4.16
		(	20,690.28 -44,927.04)	2.23	(20,690.14 -44,929.27)	7.53	(20,697.67 -44,929.23)	2.35
		(	20,699.99 -44,928.87)	2.10				
150	1162		(2/ 2)					
		(a	20,699.99 -44,928.87)	2.35	(20,697.67 -44,929.23)	7.53	(20,690.14 -44,929.27)	6.63
		(	20,689.82 -44,935.89)	10.20	(20,700.00 -44,935.32)	6.45		
150	002-	2	(a 20,700.00 -44,935.32)	10.20	(20,689.82 -44,935.89)	3.94	(20,687.59 -44,939.14)	0.62
		(	20,687.31 -44,939.69)	3.84	(20,691.03 -44,940.64)	9.01	(20,700.01 -44,941.37)	6.05
143	001-	9	(20,700.01 -44,941.37)	9.01	(a 20,691.03 -44,940.64)	2.83	(20,691.03 -44,943.47)	4.44
		(	20,695.47 -44,943.63)	1.13	(20,696.52 -44,944.06)	1.15	(20,697.52 -44,944.63)	1.19
		(	20,698.44 -44,945.38)	0.98	(20,698.97 -44,946.20)	1.03	(20,699.42 -44,947.13)	1.36
		(	20,699.57 -44,948.48)	3.67	(20,699.70 -44,952.15)	16.31	(20,698.70 -44,968.43)	4.20
		(	20,698.34 -44,972.61)	14.98	(20,696.56 -44,987.48)	2.73	(20,695.91 -44,990.13)	10.24
		(	20,693.50 -45,000.08)	2.80	(20,696.30 -45,000.08)	7.18	(20,698.12 -44,993.13)	5.01
		(	20,699.23 -44,988.24)	6.42	(20,700.02 -44,981.87)	40.50		
143	879-	3	(2/ 2)					
		(a	20,700.02 -44,981.87)	6.42	(20,699.23 -44,988.24)	0.50	(20,699.71 -44,988.38)	0.36
		(	20,700.03 -44,988.22)	6.35				
143	879-	4	(2/ 2)					
		(a	20,700.03 -44,988.22)	0.36	(20,699.71 -44,988.38)	0.50	(20,699.23 -44,988.24)	5.01
		(	20,698.12 -44,993.13)	1.92	(20,700.04 -44,993.17)	4.95		
143	880-	2	(4/ 4)					
		(	20,700.04 -44,993.17)	1.92	(a 20,698.12 -44,993.13)	7.18	(20,696.30 -45,000.08)	0.73
		(	20,697.03 -45,000.08)	3.74	(20,700.05 -44,997.87)	4.70		
143	881		(4/ 4)					
		(a	20,700.05 -44,997.87)	3.74	(20,697.03 -45,000.08)	3.00	(20,700.03 -45,000.07)	2.20
143	884-	1	(2/ 2)					
		(	20,693.50 -45,000.08)	10.24	(20,695.91 -44,990.13)	2.73	(20,696.56 -44,987.48)	14.98
		(	20,698.34 -44,972.61)	12.47	(a 20,685.91 -44,971.65)	2.97	(20,683.81 -44,973.75)	1.22
		(	20,682.81 -44,974.45)	2.93	(20,680.26 -44,975.90)	1.65	(20,678.77 -44,976.61)	7.60
		(	20,671.62 -44,979.19)	4.41	(20,668.52 -44,982.32)	3.48	(20,665.10 -44,982.96)	3.84
		(	20,664.71 -44,986.78)	2.46	(20,664.48 -44,989.23)	3.58	(20,664.42 -44,992.81)	12.53
		(	20,676.94 -44,992.26)	7.82	(20,676.45 -45,000.06)	17.05		
143	884-	2	(2/ 2)					
		(	20,676.45 -45,000.06)	7.82	(a 20,676.94 -44,992.26)	12.53	(20,664.42 -44,992.81)	7.30
		(	20,665.05 -45,000.08)	11.40				
143	890		(2/ 2)					
		(	20,665.05 -45,000.08)	7.30	(20,664.42 -44,992.81)	3.58	(20,664.48 -44,989.23)	2.46
		(	20,664.71 -44,986.78)	3.84	(a 20,665.10 -44,982.96)	26.64	(20,638.68 -44,986.34)	5.92
		(	20,632.93 -44,987.73)	3.17	(20,633.34 -44,990.87)	0.45	(20,632.89 -44,990.91)	9.13

字 地番及び座標 (X ; Y) & 座標間距離 (m)

146	995-	(20,633.45 (2 / 2)	-45,000.02)	31.60							
		(20,633.45	-45,000.02)	9.13	(@ 20,632.89	-44,990.91)	2.50	(20,630.39	-44,991.06)	18.74	
		(20,611.70	-44,992.39)	2.97	(20,608.74	-44,992.66)	7.83	(20,611.45	-45,000.01)	22.00	
146	001-	11									
		(20,611.45	-45,000.01)	7.83	(20,608.74	-44,992.66)	13.13	(20,604.39	-44,980.27)	1.82	
		(@ 20,603.85	-44,978.53)	5.23	(20,598.86	-44,980.11)	13.67	(20,603.00	-44,993.14)	7.34	
		(20,605.55	-45,000.02)	5.90							
146	995-	1	(2 / 2)								
		(20,605.55	-45,000.02)	7.34	(@ 20,603.00	-44,993.14)	12.49	(20,590.53	-44,993.82)	6.24	
		(20,591.00	-45,000.04)	14.55							
146	002-	7									
		(20,591.00	-45,000.04)	6.24	(20,590.53	-44,993.82)	0.83	(20,590.51	-44,992.99)	6.96	
		(20,590.80	-44,986.04)	2.90	(20,591.72	-44,983.29)	4.26	(20,595.30	-44,980.98)	3.66	
		(20,598.86	-44,980.11)	5.23	(20,603.85	-44,978.53)	5.39	(20,609.12	-44,977.41)	5.53	
		(20,614.62	-44,976.80)	4.81	(20,619.42	-44,977.12)	3.90	(20,623.27	-44,977.74)	3.66	
		(20,626.92	-44,977.98)	6.09	(20,622.46	-44,973.84)	9.40	(20,613.06	-44,973.98)	1.86	
		(20,611.21	-44,973.83)	6.42	(20,604.79	-44,974.02)	0.44	(@ 20,604.41	-44,973.79)	1.87	
		(20,602.60	-44,974.27)	4.90	(20,597.93	-44,975.76)	2.88	(20,595.19	-44,976.66)	4.74	
		(20,590.69	-44,978.14)	4.79	(20,586.07	-44,979.41)	2.07	(20,586.36	-44,981.46)	1.98	
		(20,587.03	-44,983.32)	9.06	(20,585.84	-44,992.30)	5.18	(20,585.45	-44,997.47)	2.59	
		(20,585.65	-45,000.05)	5.35							
146	001-	12									
		(20,585.65	-45,000.05)	2.59	(20,585.45	-44,997.47)	5.18	(20,585.84	-44,992.30)	9.06	
		(20,587.03	-44,983.32)	1.98	(20,586.36	-44,981.46)	1.54	(@ 20,584.82	-44,981.41)	2.30	
		(20,586.10	-44,983.32)	8.81	(20,584.94	-44,992.05)	5.57	(20,584.42	-44,997.60)	2.46	
		(20,584.65	-45,000.05)	1.00							
146	992-	1	(2 / 2)								
		(20,584.65	-45,000.05)	2.46	(20,584.42	-44,997.60)	5.57	(20,584.94	-44,992.05)	8.81	
		(20,586.10	-44,983.32)	2.30	(20,584.82	-44,981.41)	12.98	(20,571.90	-44,980.12)	3.63	
		(20,568.32	-44,979.52)	9.56	(@ 20,558.78	-44,978.89)	14.31	(20,556.54	-44,993.02)	7.11	
		(20,555.40	-45,000.04)	29.25							
146	996-	1									
		(20,590.53	-44,993.82)	12.49	(20,603.00	-44,993.14)	13.67	(@ 20,598.86	-44,980.11)	3.66	
		(20,595.30	-44,980.98)	4.22	(20,591.77	-44,983.29)	2.92	(20,590.80	-44,986.04)	6.96	
		(20,590.51	-44,992.99)	0.83							
146	996-	2									
		(20,608.74	-44,992.66)	2.97	(20,611.70	-44,992.39)	13.13	(@ 20,609.57	-44,979.43)	5.25	
		(20,604.39	-44,980.27)	13.13							
146	997										
		(20,609.57	-44,979.43)	13.13	(20,611.70	-44,992.39)	18.74	(20,630.39	-44,991.06)	4.79	
		(20,630.10	-44,986.28)	3.81	(20,628.15	-44,983.01)	2.30	(20,626.45	-44,981.46)	2.12	
		(20,624.62	-44,980.39)	1.85	(20,622.84	-44,979.87)	3.95	(20,618.97	-44,979.10)	4.10	
		(@ 20,614.87	-44,979.03)	3.06	(20,611.82	-44,979.21)	2.26				
146	001-	10									
		(20,611.82	-44,979.21)	3.06	(20,614.87	-44,979.03)	4.10	(20,618.97	-44,979.10)	3.95	
		(20,622.84	-44,979.87)	1.85	(20,624.62	-44,980.39)	2.12	(20,626.45	-44,981.46)	2.30	
		(20,628.15	-44,983.01)	3.81	(20,630.10	-44,986.28)	4.79	(20,630.39	-44,991.06)	2.50	
		(20,632.89	-44,990.91)	0.45	(20,633.34	-44,990.87)	3.17	(20,632.93	-44,987.73)	1.06	
		(20,632.78	-44,986.68)	5.15	(20,630.27	-44,982.18)	3.77	(20,628.12	-44,979.08)	1.63	
		(20,626.92	-44,977.98)	3.66	(20,623.27	-44,977.74)	3.90	(20,619.42	-44,977.12)	4.81	
		(@ 20,614.62	-44,976.80)	5.53	(20,609.12	-44,977.41)	5.39	(20,603.85	-44,978.53)	1.82	

地区..003 作業..126 原図番号.. R1 23-2 縮尺..1/ 500 基準点..X 20,550.00..Y -45,000.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

143	002- 8	(20,604.39 -44,980.27)	5.25	(20,609.57 -44,979.43)	2.26				
		(20,632.93 -44,987.73)	5.92	(20,638.68 -44,986.34)	26.64	(20,665.10 -44,982.96)	3.91		
		(20,661.31 -44,981.98)	23.58	(20,637.98 -44,985.39)	5.36	(20,632.78 -44,986.68)	1.06		
143	889	(20,632.78 -44,986.68)	5.36	(20,637.98 -44,985.39)	23.58	(20,661.31 -44,981.98)	14.63		
		(20,647.32 -44,977.70)	10.76	(20,636.57 -44,978.22)	9.65	(20,626.92 -44,977.98)	1.63		
		(20,628.12 -44,979.08)	3.77	(20,630.27 -44,982.18)	5.15				
143	002- 9	(20,626.92 -44,977.98)	9.65	(20,636.57 -44,978.22)	10.76	(20,647.32 -44,977.70)	14.63		
		(20,661.31 -44,981.98)	3.91	(20,665.10 -44,982.96)	3.48	(20,668.52 -44,982.32)	4.41		
		(20,671.62 -44,979.19)	7.60	(20,678.77 -44,976.61)	1.65	(20,680.26 -44,975.90)	2.93		
		(20,682.81 -44,974.45)	1.22	(20,683.81 -44,973.75)	2.97	(20,685.91 -44,971.65)	4.95		
		(20,689.05 -44,967.82)	1.80	(20,689.95 -44,966.26)	2.27	(20,690.75 -44,964.14)	1.71		
		(20,691.07 -44,962.46)	7.30	(20,691.18 -44,955.16)	11.69	(20,691.03 -44,943.47)	2.83		
		(20,691.03 -44,940.64)	3.84	(20,687.31 -44,939.69)	3.69	(20,685.30 -44,942.78)	8.30		
		(20,686.33 -44,951.02)	6.01	(20,687.39 -44,956.94)	1.17	(20,687.47 -44,958.11)	4.01		
		(20,687.64 -44,962.12)	2.85	(20,687.10 -44,964.92)	3.45	(20,685.05 -44,967.70)	3.62		
		(20,682.64 -44,970.40)	3.62	(20,679.66 -44,972.46)	7.69	(20,672.46 -44,975.17)	9.83		
		(20,662.68 -44,976.13)	3.00	(20,659.69 -44,976.36)	4.07	(20,655.70 -44,975.58)	3.01		
		(20,652.74 -44,975.05)	5.07	(20,647.99 -44,973.28)	4.26	(20,643.73 -44,973.08)	6.88		
		(20,636.86 -44,973.49)	14.40	(20,622.46 -44,973.84)	6.09				
143	888	(20,655.70 -44,975.58)	4.07	(20,659.69 -44,976.36)	3.00	(20,662.68 -44,976.13)	6.92		
		(20,663.20 -44,969.23)	7.07	(20,656.14 -44,968.79)	6.80				
143	886	(20,656.14 -44,968.79)	7.07	(20,663.20 -44,969.23)	6.92	(20,662.68 -44,976.13)	9.83		
		(20,672.46 -44,975.17)	7.69	(20,679.66 -44,972.46)	3.62	(20,682.64 -44,970.40)	13.21		
		(20,687.47 -44,958.11)	1.17	(20,687.39 -44,956.94)	6.01	(20,686.33 -44,951.02)	8.30		
		(20,685.30 -44,942.78)	14.78	(20,670.56 -44,941.67)	12.34	(20,658.23 -44,941.27)	17.78		
		(20,656.77 -44,958.99)	9.82						
143	885- 2	(20,682.64 -44,970.40)	3.62	(20,685.05 -44,967.70)	3.45	(20,687.10 -44,964.92)	2.85		
		(20,687.64 -44,962.12)	4.01	(20,687.47 -44,958.11)	13.21				
143	885- 1	(20,685.91 -44,971.65)	12.47	(20,698.34 -44,972.61)	4.20	(20,698.70 -44,968.43)	16.31		
		(20,699.70 -44,952.15)	3.67	(20,699.57 -44,948.48)	1.36	(20,699.42 -44,947.13)	1.03		
		(20,698.97 -44,946.20)	0.98	(20,698.44 -44,945.38)	1.19	(20,697.52 -44,944.63)	1.15		
		(20,696.52 -44,944.06)	1.13	(20,695.47 -44,943.63)	4.44	(20,691.03 -44,943.47)	11.69		
		(20,691.18 -44,955.16)	7.30	(20,691.07 -44,962.46)	1.71	(20,690.75 -44,964.14)	2.27		
		(20,689.95 -44,966.26)	1.80	(20,689.05 -44,967.82)	4.95				
143	001- 8	(20,685.30 -44,942.78)	3.69	(20,687.31 -44,939.69)	17.51	(20,669.81 -44,938.97)	4.96		
		(20,664.86 -44,938.73)	6.42	(20,658.44 -44,938.60)	2.68	(20,658.23 -44,941.27)	12.34		
		(20,670.56 -44,941.67)	14.78						
150	002- 3	(20,618.94 -44,936.48)	21.77	(20,640.68 -44,937.54)	11.61	(20,652.26 -44,938.42)	6.18		
		(20,658.44 -44,938.60)	6.42	(20,664.86 -44,938.73)	4.96	(20,669.81 -44,938.97)	17.51		
		(20,687.31 -44,939.69)	0.62	(20,687.59 -44,939.14)	8.69	(20,678.91 -44,938.71)	9.35		
		(20,669.57 -44,938.31)	4.81	(20,664.76 -44,938.16)	12.33	(20,652.43 -44,937.85)	11.73		
		(20,640.73 -44,936.96)	21.96	(20,618.80 -44,935.83)	0.66				
150	1168								

地区 ..003

作業 ..126

原図番号 .. R1 23-2

縮尺 ..1/ 500

基準点 ..X 20,550.00..Y -45,000.00

測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,618.80 -44,935.83)	21.89	(20,640.66 -44,936.91)	7.76	(20,641.49 -44,929.19)	12.23
		(20,629.27 -44,928.68)	12.66	(20,627.02 -44,916.22)	6.68	(20,625.81 -44,909.65)	12.49
		(20,613.37 -44,910.82)	10.10	(20,615.23 -44,920.75)	2.77	(20,615.59 -44,923.50)	4.79
		(20,616.74 -44,928.15)	7.95				
150	1170- 1	(20,613.37 -44,910.82)	12.49	(20,625.81 -44,909.65)	2.01	(20,627.81 -44,909.48)	2.64
		(20,629.98 -44,907.98)	3.28	(20,629.86 -44,904.70)	17.35	(20,612.66 -44,907.01)	3.88
150	1170- 2	(20,612.66 -44,907.01)	17.35	(20,629.86 -44,904.70)	2.47	(20,629.72 -44,902.23)	1.90
		(20,629.60 -44,900.33)	18.26	(20,611.47 -44,902.51)	4.65		
150	1171- 1	(20,611.47 -44,902.51)	18.26	(20,629.60 -44,900.33)	5.43	(20,629.44 -44,894.90)	19.56
		(20,610.15 -44,898.11)	4.59				
150	1171- 2	(20,610.15 -44,898.11)	19.56	(20,629.44 -44,894.90)	2.77	(20,629.46 -44,892.13)	20.27
		(20,609.44 -44,895.31)	2.89				
150	1178	(20,609.44 -44,895.31)	20.27	(20,629.46 -44,892.13)	3.86	(20,628.82 -44,888.32)	20.56
		(20,608.52 -44,891.58)	1.21	(20,608.79 -44,892.76)	2.63		
150	1179	(20,608.52 -44,891.58)	20.56	(20,628.82 -44,888.32)	5.69	(20,626.71 -44,883.04)	20.95
		(20,606.08 -44,886.67)	5.48				
150	1182	(20,606.08 -44,886.67)	20.95	(20,626.71 -44,883.04)	9.67	(20,626.13 -44,873.39)	0.89
		(20,626.32 -44,872.52)	12.71	(20,613.66 -44,873.65)	6.90	(20,614.52 -44,880.50)	9.69
		(20,605.01 -44,882.37)	4.43				
150	1233- 1	(20,605.01 -44,882.37)	9.69	(20,614.52 -44,880.50)	6.90	(20,613.66 -44,873.65)	9.16
		(20,612.71 -44,864.54)	4.64	(20,612.29 -44,859.92)	14.65	(20,611.08 -44,845.32)	8.53
		(20,602.57 -44,844.77)	10.09	(20,592.48 -44,844.79)	17.49	(20,593.82 -44,862.23)	12.04
		(20,581.90 -44,863.90)	4.08	(20,582.55 -44,867.93)	17.58	(20,599.90 -44,865.12)	17.91
		(20,603.60 -44,882.64)	1.44				
150	1233- 3	(20,581.90 -44,863.90)	12.04	(20,593.82 -44,862.23)	17.49	(20,592.48 -44,844.79)	13.66
		(20,578.82 -44,844.86)	19.29				
150	1232- 1	(20,578.82 -44,844.86)	13.66	(20,592.48 -44,844.79)	10.09	(20,602.57 -44,844.77)	8.53
		(20,611.08 -44,845.32)	8.62	(20,610.76 -44,836.71)	6.23	(20,604.53 -44,836.72)	10.45
		(20,604.44 -44,826.27)	3.05	(20,601.39 -44,826.22)	4.06	(20,601.63 -44,822.17)	13.49
		(20,588.18 -44,823.17)	12.99	(20,575.20 -44,823.56)	21.61		
150	1193	(20,604.44 -44,826.27)	10.45	(20,604.53 -44,836.72)	6.23	(20,610.76 -44,836.71)	6.53
		(20,617.29 -44,836.71)	2.95	(20,617.03 -44,833.77)	4.69	(20,612.37 -44,833.21)	2.24
		(20,612.06 -44,830.99)	4.61	(20,611.50 -44,826.41)	7.06		
150	1196- 2	(20,611.50 -44,826.41)	4.61	(20,612.06 -44,830.99)	9.50	(20,621.55 -44,831.49)	4.70
		(20,621.35 -44,836.19)	10.60	(20,631.95 -44,836.23)	8.87	(20,631.88 -44,827.36)	11.56
		(20,620.32 -44,827.07)	0.35	(20,620.32 -44,826.72)	8.83		
150	1195	(20,621.55 -44,831.49)	9.50	(20,612.06 -44,830.99)	2.24	(20,612.37 -44,833.21)	4.69
		(20,617.03 -44,833.77)	2.95	(20,617.29 -44,836.71)	4.09	(20,621.35 -44,836.19)	4.70
150	1196- 4						

地区 ..003

作業 ..126

原図番号 .. R1 23-2

縮尺 ..1/ 500

基準点 ..X 20,550.00..Y -45,000.00

測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,631.95 -44,836.23)	4.15	(20,636.10 -44,836.42)	1.83	(20,637.91 -44,836.72)	3.50
		(20,641.41 -44,836.66)	8.56	(20,641.39 -44,828.10)	9.54	(20,631.88 -44,827.36)	8.87
150	1197	(20,631.88 -44,827.36)	9.54	(20,641.39 -44,828.10)	7.93	(20,649.31 -44,827.62)	9.51
		(20,648.79 -44,818.12)	16.56	(20,632.25 -44,818.98)	8.39		
150	1199- 1	(20,648.04 -44,810.50)	7.66	(20,648.79 -44,818.12)	9.51	(20,649.31 -44,827.62)	9.48
		(20,658.79 -44,827.66)	5.85	(20,664.64 -44,827.50)	4.50	(20,669.01 -44,826.42)	3.85
		(20,672.84 -44,826.02)	7.11	(20,679.95 -44,826.10)	17.41	(20,680.38 -44,808.70)	16.87
		(20,663.51 -44,808.65)	1.29	(20,663.36 -44,809.93)	12.34	(20,651.03 -44,810.36)	2.99
150	1191	(20,679.95 -44,826.10)	7.11	(20,672.84 -44,826.02)	3.85	(20,669.01 -44,826.42)	4.50
		(20,664.64 -44,827.50)	5.85	(20,658.79 -44,827.66)	9.48	(20,649.31 -44,827.62)	7.93
		(20,641.39 -44,828.10)	8.56	(20,641.41 -44,836.66)	3.50	(20,637.91 -44,836.72)	1.83
		(20,636.10 -44,836.42)	4.15	(20,631.95 -44,836.23)	19.16	(20,634.51 -44,855.22)	2.93
		(20,635.29 -44,858.04)	4.95	(20,636.54 -44,862.83)	13.26	(20,649.72 -44,861.35)	12.27
		(20,661.89 -44,859.78)	0.85	(20,661.81 -44,858.93)	16.31	(20,678.08 -44,860.07)	3.60
		(20,678.28 -44,856.48)	16.28	(20,678.91 -44,840.21)	7.57	(20,679.67 -44,832.68)	6.59
150	1189- 3	(20,684.60 -44,834.45)	2.74	(20,681.90 -44,833.99)	6.02	(20,681.29 -44,839.98)	0.42
		(20,681.26 -44,840.40)	5.68	(20,686.94 -44,840.62)	5.45	(20,687.20 -44,835.18)	2.70
150	1189- 1	(20,687.20 -44,835.18)	5.45	(20,686.94 -44,840.62)	5.68	(20,681.26 -44,840.40)	19.05
		(20,680.92 -44,859.45)	1.57	(20,681.19 -44,861.00)	1.24	(20,682.14 -44,861.80)	1.37
		(20,683.39 -44,862.37)	0.86	(20,684.24 -44,862.50)	7.89	(20,692.11 -44,862.99)	13.11
		(20,692.62 -44,849.89)	12.76	(20,693.14 -44,837.14)	6.26		
150	1188- 1	(20,678.08 -44,860.07)	16.31	(20,661.81 -44,858.93)	0.85	(20,661.89 -44,859.78)	12.27
		(20,649.72 -44,861.35)	13.26	(20,636.54 -44,862.83)	9.60	(20,638.11 -44,872.30)	9.20
		(20,647.31 -44,872.15)	5.65	(20,652.96 -44,871.95)	23.72	(20,676.66 -44,873.01)	13.02
150	1181	(20,676.66 -44,873.01)	23.72	(20,652.96 -44,871.95)	5.65	(20,647.31 -44,872.15)	9.20
		(20,638.11 -44,872.30)	3.88	(20,634.23 -44,872.27)	7.91	(20,626.32 -44,872.52)	0.89
		(20,626.13 -44,873.39)	8.14	(20,634.27 -44,873.14)	13.19	(20,647.46 -44,872.95)	5.75
		(20,653.21 -44,873.00)	23.38	(20,676.56 -44,874.16)	1.15		
150	1176- 2	(20,676.56 -44,874.16)	23.38	(20,653.21 -44,873.00)	0.28	(20,653.22 -44,873.28)	23.32
		(20,676.51 -44,874.41)	0.25				
150	1176- 1	(20,676.51 -44,874.41)	23.32	(20,653.22 -44,873.28)	16.15	(20,653.32 -44,889.43)	6.17
		(20,659.41 -44,888.41)	12.64	(20,659.02 -44,901.04)	11.78	(20,670.80 -44,901.25)	19.30
		(20,675.12 -44,882.44)	8.15				
150	1174- 1	(20,670.80 -44,901.25)	11.78	(20,659.02 -44,901.04)	16.32	(20,642.70 -44,900.66)	2.07
		(20,642.95 -44,902.71)	5.39	(20,643.63 -44,908.06)	4.16	(20,644.32 -44,912.16)	23.82
		(20,668.12 -44,913.07)	12.12				
150	1155- 3	(20,669.68 -44,920.67)	1.40	(20,669.58 -44,922.07)	2.04	(20,670.44 -44,923.92)	1.28
		(20,671.44 -44,924.72)	1.88	(20,673.14 -44,925.52)	2.53	(20,675.59 -44,926.16)	3.70
		(20,679.24 -44,926.76)	20.42	(20,672.41 -44,907.52)	13.43		
150	1155- 2	(20,669.60 -44,922.06)	6.12	(20,669.13 -44,928.16)	10.22	(20,679.34 -44,928.67)	10.82

地区 ..003

作業 ..126

原図番号 .. R1 23-2

縮尺 ..1/ 500

基準点 ..X 20,550.00..Y -45,000.00

測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,690.14 -44,929.27)	2.23	(20,690.28 -44,927.04)	11.07	(20,679.21 -44,926.74)	3.67
		(20,675.59 -44,926.16)	2.53	(20,673.14 -44,925.52)	1.89	(20,671.44 -44,924.69)	1.28
		(20,670.44 -44,923.89)	2.01	(20,669.60 -44,922.06)	0.00		
150	1163-2	(20,669.13 -44,928.16)	2.54	(20,668.50 -44,930.62)	5.65	(20,668.50 -44,936.27)	2.30
		(20,669.57 -44,938.31)	9.35	(20,678.91 -44,938.71)	10.05	(20,679.34 -44,928.67)	10.22
150	1163-1	(20,679.34 -44,928.67)	10.05	(20,678.91 -44,938.71)	8.69	(20,687.59 -44,939.14)	3.94
		(20,689.82 -44,935.89)	6.63	(20,690.14 -44,929.27)	10.82		
150	1164	(20,668.12 -44,913.07)	23.82	(20,644.32 -44,912.16)	13.66	(20,630.67 -44,911.58)	3.93
		(20,631.35 -44,915.45)	4.40	(20,627.02 -44,916.22)	12.66	(20,629.27 -44,928.68)	12.23
		(20,641.49 -44,929.19)	7.81	(20,640.73 -44,936.96)	11.73	(20,652.43 -44,937.85)	12.33
		(20,664.76 -44,938.16)	2.30	(20,665.88 -44,936.15)	3.72	(20,666.00 -44,932.43)	1.68
		(20,665.95 -44,930.75)	1.87	(20,665.99 -44,928.88)	15.95		
150	1169-1	(20,629.98 -44,907.98)	2.64	(20,627.81 -44,909.48)	2.01	(20,625.81 -44,909.65)	6.68
		(20,627.02 -44,916.22)	4.40	(20,631.35 -44,915.45)	3.93	(20,630.67 -44,911.58)	3.67
150	1172-3	(20,630.67 -44,911.58)	13.66	(20,644.32 -44,912.16)	4.16	(20,643.63 -44,908.06)	13.65
		(20,629.98 -44,907.98)	3.67				
150	1172-2	(20,629.98 -44,907.98)	13.65	(20,643.63 -44,908.06)	5.39	(20,642.95 -44,902.71)	13.24
		(20,629.72 -44,902.23)	2.47	(20,629.86 -44,904.70)	3.28		
150	1172-1	(20,629.72 -44,902.23)	13.24	(20,642.95 -44,902.71)	2.07	(20,642.70 -44,900.66)	10.09
		(20,641.34 -44,890.66)	11.97	(20,629.46 -44,892.13)	2.77	(20,629.44 -44,894.90)	5.43
		(20,629.60 -44,900.33)	1.90				
150	1173	(20,642.70 -44,900.66)	16.32	(20,659.02 -44,901.04)	12.64	(20,659.41 -44,888.41)	6.17
		(20,653.32 -44,889.43)	12.04	(20,641.34 -44,890.66)	10.09		
150	1177	(20,641.34 -44,890.66)	12.04	(20,653.32 -44,889.43)	16.15	(20,653.22 -44,873.28)	0.28
		(20,653.21 -44,873.00)	5.75	(20,647.46 -44,872.95)	13.19	(20,634.27 -44,873.14)	8.55
		(20,634.85 -44,881.67)	8.25	(20,626.71 -44,883.04)	5.69	(20,628.82 -44,888.32)	3.86
		(20,629.46 -44,892.13)	11.97				
150	1183	(20,626.71 -44,883.04)	8.25	(20,634.85 -44,881.67)	8.55	(20,634.27 -44,873.14)	8.14
		(20,626.13 -44,873.39)	9.67				
150	1187	(20,626.32 -44,872.52)	7.91	(20,634.23 -44,872.27)	3.88	(20,638.11 -44,872.30)	9.60
		(20,636.54 -44,862.83)	11.40	(20,625.30 -44,864.74)	7.85		
150	1184	(20,625.30 -44,864.74)	12.59	(20,612.71 -44,864.54)	9.16	(20,613.66 -44,873.65)	12.71
		(20,626.32 -44,872.52)	7.85				
150	1186	(20,625.30 -44,864.74)	11.40	(20,636.54 -44,862.83)	4.95	(20,635.29 -44,858.04)	23.08
		(20,612.29 -44,859.92)	4.64	(20,612.71 -44,864.54)	12.59		
150	1194	(20,612.29 -44,859.92)	23.08	(20,635.29 -44,858.04)	2.93	(20,634.51 -44,855.22)	19.16
		(20,631.95 -44,836.23)	10.60	(20,621.35 -44,836.19)	4.09	(20,617.29 -44,836.71)	6.53
		(20,610.76 -44,836.71)	8.62	(20,611.08 -44,845.32)	14.65		

地区 ..003 作業 ..126 原図番号 .. R1 23-2 縮尺 ..1/ 500 基準点 ..X 20,550.00..Y -45,000.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

147	999-	2	(20,589.93 -44,943.16)	2.68	(@ 20,587.41 -44,942.24)	3.00	(20,584.41 -44,942.25)	32.49
			(20,589.81 -44,974.29)	7.30	(20,596.91 -44,972.58)	30.24		
147	001-	5	(20,596.91 -44,972.58)	3.34	(20,597.93 -44,975.76)	4.90	(20,602.60 -44,974.27)	17.60
			(20,598.19 -44,957.23)	3.70	(20,597.33 -44,953.63)	11.12	(20,595.11 -44,942.73)	4.73
			(20,594.61 -44,938.03)	0.67	(20,594.46 -44,937.38)	42.31	(20,587.04 -44,895.73)	28.16
			(20,582.55 -44,867.93)	5.94	(@ 20,576.69 -44,866.96)	24.46	(20,580.64 -44,891.10)	5.19
			(20,581.59 -44,896.20)	38.01	(20,587.75 -44,933.71)	9.70	(20,589.93 -44,943.16)	30.24
147	999-	1	(20,602.60 -44,974.27)	1.87	(20,604.41 -44,973.79)	0.44	(20,604.79 -44,974.02)	6.42
			(20,611.21 -44,973.83)	1.86	(20,613.06 -44,973.98)	9.40	(20,622.46 -44,973.84)	17.71
			(20,621.48 -44,956.16)	16.70	(20,620.22 -44,939.51)	5.47	(@ 20,614.76 -44,939.25)	11.97
			(20,602.81 -44,940.02)	6.89	(20,596.01 -44,941.13)	1.84	(20,595.11 -44,942.73)	11.12
			(20,597.33 -44,953.63)	3.70	(20,598.19 -44,957.23)	17.60		
147	001-	7	(20,595.11 -44,942.73)	1.84	(20,596.01 -44,941.13)	6.89	(20,602.81 -44,940.02)	11.97
			(20,614.76 -44,939.25)	5.47	(20,620.22 -44,939.51)	3.73	(20,623.94 -44,939.72)	15.04
			(20,638.96 -44,940.49)	19.29	(20,658.23 -44,941.27)	2.68	(20,658.44 -44,938.60)	6.18
			(20,652.26 -44,938.42)	11.61	(20,640.68 -44,937.54)	21.77	(20,618.94 -44,936.48)	3.25
			(@ 20,615.70 -44,936.28)	3.43	(20,612.28 -44,936.51)	17.74	(20,594.61 -44,938.03)	4.73
147	002-	4	(20,594.61 -44,938.03)	17.74	(20,612.28 -44,936.51)	3.43	(20,615.70 -44,936.28)	3.25
			(20,618.94 -44,936.48)	0.66	(20,618.80 -44,935.83)	3.25	(@ 20,615.55 -44,935.70)	3.30
			(20,612.25 -44,935.86)	17.85	(20,594.46 -44,937.38)	0.67		
147	1000-	1	(20,594.46 -44,937.38)	17.85	(20,612.25 -44,935.86)	3.30	(20,615.55 -44,935.70)	3.25
			(20,618.80 -44,935.83)	7.95	(20,616.74 -44,928.15)	4.79	(20,615.59 -44,923.50)	2.77
			(20,615.23 -44,920.75)	10.10	(20,613.37 -44,910.82)	3.88	(20,612.66 -44,907.01)	4.65
			(20,611.47 -44,902.51)	4.59	(20,610.15 -44,898.11)	2.89	(20,609.44 -44,895.31)	2.63
			(@ 20,608.79 -44,892.76)	21.95	(20,587.04 -44,895.73)	42.31		
147	1001-	1	(20,587.04 -44,895.73)	21.95	(20,608.79 -44,892.76)	1.21	(20,608.52 -44,891.58)	5.48
			(20,606.08 -44,886.67)	4.43	(20,605.01 -44,882.37)	1.44	(20,603.60 -44,882.64)	17.91
			(@ 20,599.90 -44,865.12)	17.58	(20,582.55 -44,867.93)	28.16		
147	1002-	2	(@ 20,576.69 -44,866.96)	10.22	(20,566.79 -44,869.51)	9.13	(20,557.92 -44,871.67)	7.91
			(20,550.21 -44,873.45)	0.89	(20,550.49 -44,874.30)	20.80	(20,550.83 -44,895.10)	27.77
			(20,578.56 -44,896.66)	3.06	(20,581.59 -44,896.20)	5.19	(20,580.64 -44,891.10)	24.46
147	1002-	1	(20,578.56 -44,896.66)	27.77	(@ 20,550.83 -44,895.10)	0.83	(20,550.47 -44,895.85)	41.80
			(20,557.76 -44,937.01)	26.75	(20,584.35 -44,934.05)	37.84		
147	1000-	2	(20,584.35 -44,934.05)	3.42	(20,587.75 -44,933.71)	38.01	(@ 20,581.59 -44,896.20)	3.06
			(20,578.56 -44,896.66)	37.84				
147	1014-	5	(20,566.79 -44,869.51)	10.22	(20,576.69 -44,866.96)	11.20	(@ 20,574.90 -44,855.90)	9.11
			(20,565.94 -44,857.56)	1.22	(20,564.74 -44,857.78)	11.91		
147	1014-	2	(20,565.94 -44,857.56)	9.11	(20,574.90 -44,855.90)	8.26	(@ 20,573.52 -44,847.76)	9.29
			(20,564.37 -44,849.39)	5.83	(20,565.76 -44,855.05)	0.43	(20,565.35 -44,855.18)	2.45
147	002-	5						

地区 ..003 作業 ..126 原図番号 .. R1 23-2 縮尺 ..1/ 500 基準点 ..X 20,550.00..Y -45,000.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,565.35 -44,855.18)	0.43	(20,565.76 -44,855.05)	5.83	(20,564.37 -44,849.39)	14.15
		(20,561.00 -44,835.65)	9.53	(20,558.57 -44,826.44)	6.87	(20,556.98 -44,819.76)	0.56
		(20,557.28 -44,819.29)	10.32	(20,566.72 -44,815.11)	0.50	(20,566.67 -44,814.61)	11.15
		(20,556.40 -44,818.95)	7.52	(20,558.04 -44,826.29)	29.80		
147	1015- 1	(20,564.37 -44,849.39)	9.29	(20,573.52 -44,847.76)	14.74	(20,571.10 -44,833.22)	10.39
		(20,561.00 -44,835.65)	14.15				
147	1015- 2	(20,561.00 -44,835.65)	10.39	(20,571.10 -44,833.22)	9.57	(20,569.59 -44,823.77)	1.43
		(20,568.19 -44,824.07)	9.91	(20,558.57 -44,826.44)	9.53		
147	1016- 1	(20,558.57 -44,826.44)	9.91	(20,568.19 -44,824.07)	9.08	(20,566.72 -44,815.11)	10.32
		(20,557.28 -44,819.29)	0.56	(20,556.98 -44,819.76)	6.87		
147	998- 2	(20,622.46 -44,973.84)	14.40	(20,636.86 -44,973.49)	6.88	(20,643.73 -44,973.08)	4.26
		(20,647.99 -44,973.28)	5.07	(20,652.74 -44,975.05)	3.01	(20,655.70 -44,975.58)	6.80
		(20,656.14 -44,968.79)	9.82	(20,656.77 -44,958.99)	13.65	(20,643.14 -44,958.21)	6.19
		(20,637.11 -44,956.79)	13.49	(20,623.63 -44,956.24)	2.15	(20,621.48 -44,956.16)	17.71
147	998- 3	(20,621.48 -44,956.16)	2.15	(20,623.63 -44,956.24)	14.70	(20,622.46 -44,941.59)	2.38
		(20,623.94 -44,939.72)	3.73	(20,620.22 -44,939.51)	16.70		
147	998- 1	(20,623.94 -44,939.72)	2.38	(20,622.46 -44,941.59)	14.70	(20,623.63 -44,956.24)	13.49
		(20,637.11 -44,956.79)	6.19	(20,643.14 -44,958.21)	13.65	(20,656.77 -44,958.99)	17.78
		(20,658.23 -44,941.27)	19.29	(20,638.96 -44,940.49)	15.04		