

地区 ..003 作業 ..129 原図番号 .. R1 24-1 縮尺 ..1/ 500 基準点 ..X 20,550.00..Y -44,800.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

			(20,550.00 -44,800.00)	50.00	(20,600.00 -44,800.01)	50.00	(20,650.00 -44,800.10)	50.03
			(20,700.03 -44,800.14)	50.00	(20,700.04 -44,750.14)	50.00	(20,700.03 -44,700.14)	50.00
			(20,700.01 -44,650.14)	50.00	(20,700.00 -44,600.14)	50.00	(20,650.00 -44,600.10)	50.00
			(20,600.00 -44,600.06)	50.00	(20,550.00 -44,600.02)	49.98	(20,549.96 -44,650.00)	50.03
			(20,549.98 -44,700.03)	50.00	(20,549.99 -44,750.03)	49.97		
147	1017-	1	(2 / 4)					
			(20,550.00 -44,800.00)	0.35	(20,550.35 -44,799.97)	1.14	(20,550.00 -44,798.88)	1.12
147	1018-	1	(2 / 3)					
			(20,550.00 -44,798.88)	1.14	(20,550.35 -44,799.97)	14.13	(20,564.48 -44,800.02)	1.77
			(20,564.25 -44,798.27)	9.78	(20,562.46 -44,788.66)	4.95	(20,558.07 -44,786.37)	9.74
			(20,550.00 -44,791.83)	7.05				
148	001-	6						
			(20,550.00 -44,791.83)	9.74	(20,558.07 -44,786.37)	4.95	(20,562.46 -44,788.66)	12.70
			(20,559.66 -44,776.27)	12.18	(20,550.70 -44,784.52)	0.76	(20,550.05 -44,784.92)	6.91
148	1034-	1	(1 / 2)					
			(20,550.05 -44,784.92)	0.76	(20,550.70 -44,784.52)	12.18	(20,559.66 -44,776.27)	3.75
			(20,559.67 -44,772.52)	19.10	(20,550.04 -44,756.02)	28.90		
148	001-	7						
			(20,550.04 -44,756.02)	19.10	(20,559.67 -44,772.52)	3.75	(20,559.66 -44,776.27)	11.89
			(20,567.24 -44,767.11)	3.02	(20,569.21 -44,764.82)	2.03	(20,567.24 -44,765.30)	1.06
			(20,566.22 -44,765.02)	1.44	(20,564.94 -44,764.35)	1.49	(20,563.97 -44,763.22)	19.81
			(20,554.06 -44,746.07)	0.37	(20,554.40 -44,745.92)	8.68	(20,550.03 -44,738.42)	17.60
148	1033-	4	(1 / 2)					
			(20,550.03 -44,738.42)	8.68	(20,554.40 -44,745.92)	4.74	(20,558.79 -44,744.12)	11.16
			(20,569.27 -44,740.27)	11.95	(20,563.21 -44,729.97)	10.24	(20,554.35 -44,735.11)	5.04
			(20,549.98 -44,737.63)	0.79				
148	001-	8						
			(20,549.98 -44,737.63)	5.04	(20,554.35 -44,735.11)	2.17	(20,553.28 -44,733.22)	3.84
			(20,549.98 -44,735.18)	2.45				
148	1038-	1	(1 / 2)					
			(20,549.98 -44,735.18)	3.84	(20,553.28 -44,733.22)	2.57	(20,551.96 -44,731.02)	8.04
			(20,559.33 -44,727.80)	10.17	(20,568.68 -44,723.80)	11.34	(20,579.67 -44,721.02)	1.27
			(20,579.03 -44,719.92)	28.01	(20,568.36 -44,694.02)	19.45	(20,549.98 -44,700.38)	34.80
148	1039-	1	(1 / 2)					
			(20,549.98 -44,700.38)	19.45	(20,568.36 -44,694.02)	7.24	(20,575.40 -44,692.32)	19.34
			(20,593.77 -44,686.28)	2.83	(20,596.37 -44,685.16)	2.24	(20,595.82 -44,682.99)	11.06
			(20,606.47 -44,680.01)	0.80	(20,606.47 -44,679.21)	3.27	(20,604.17 -44,676.89)	2.67
			(20,601.92 -44,675.46)	3.51	(20,599.22 -44,673.21)	4.73	(20,596.48 -44,669.36)	25.80
			(20,570.68 -44,669.72)	4.73	(20,566.17 -44,671.15)	2.30	(20,564.09 -44,672.12)	2.46
			(20,561.97 -44,673.37)	1.95	(20,560.47 -44,674.62)	2.25	(20,558.77 -44,676.10)	4.30
			(20,555.87 -44,679.27)	9.87	(20,549.97 -44,687.18)	13.20		
148	001-	9						
			(20,549.97 -44,687.18)	9.87	(20,555.87 -44,679.27)	4.30	(20,558.77 -44,676.10)	2.25
			(20,560.47 -44,674.62)	1.95	(20,561.97 -44,673.37)	2.46	(20,564.09 -44,672.12)	2.30
			(20,566.17 -44,671.15)	4.73	(20,570.68 -44,669.72)	1.21	(20,569.47 -44,669.82)	7.06
			(20,562.57 -44,671.32)	3.45	(20,559.57 -44,673.02)	6.06	(20,555.02 -44,677.02)	7.59
			(20,549.97 -44,682.68)	4.50				
148	002-	5						
			(20,549.97 -44,682.68)	7.59	(20,555.02 -44,677.02)	6.06	(20,559.57 -44,673.02)	3.45
			(20,562.57 -44,671.32)	7.06	(20,569.47 -44,669.82)	1.21	(20,570.68 -44,669.72)	25.80
			(20,596.48 -44,669.36)	8.88	(20,605.30 -44,668.36)	45.31	(20,650.27 -44,662.85)	3.10

地区 ..003

作業 ..129

原図番号 .. R1 24-1

縮尺 ..1/ 500

基準点 ..X 20,550.00..Y -44,800.00

測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,653.35 -44,662.48)	4.35	(20,657.54 -44,661.30)	8.93	(20,666.00 -44,658.43)	5.37
		(20,671.11 -44,656.79)	9.72	(20,680.29 -44,653.59)	1.13	(20,681.36 -44,653.94)	6.48
		(20,678.46 -44,648.14)	6.50	(20,672.41 -44,650.52)	18.61	(20,654.86 -44,656.70)	4.16
		(20,650.76 -44,657.40)	18.04	(20,632.81 -44,659.15)	17.42	(20,615.54 -44,661.46)	4.22
		(20,611.49 -44,662.66)	5.84	(20,605.72 -44,663.56)	9.45	(20,596.37 -44,664.94)	17.48
		(20,578.89 -44,665.22)	12.12	(20,566.77 -44,665.42)	4.04	(20,562.97 -44,666.80)	6.68
		(20,557.19 -44,670.15)	6.57	(20,552.42 -44,674.67)	3.73	(20,550.02 -44,677.52)	5.16
148	000- 1	(20,550.02 -44,677.52)	3.73	(20,552.42 -44,674.67)	6.57	(20,557.19 -44,670.15)	6.68
		(20,562.97 -44,666.80)	4.04	(20,566.77 -44,665.42)	12.12	(20,578.89 -44,665.22)	17.48
		(20,596.37 -44,664.94)	9.45	(20,605.72 -44,663.56)	5.84	(20,611.49 -44,662.66)	4.22
		(20,615.54 -44,661.46)	17.42	(20,632.81 -44,659.15)	18.04	(20,650.76 -44,657.40)	4.16
		(20,654.86 -44,656.70)	18.61	(20,672.41 -44,650.52)	6.50	(20,678.46 -44,648.14)	6.58
		(20,684.59 -44,645.74)	17.21	(20,700.01 -44,638.09)	37.95	(20,700.00 -44,600.14)	50.00
		(20,650.00 -44,600.10)	50.00	(20,600.00 -44,600.06)	50.00	(20,550.00 -44,600.02)	49.98
		(20,549.96 -44,650.00)	27.52				
117	002- 1	(20,700.01 -44,638.09)	17.21	(20,684.59 -44,645.74)	6.58	(20,678.46 -44,648.14)	6.48
		(20,681.36 -44,653.94)	8.77	(20,685.22 -44,661.82)	6.73	(20,688.87 -44,667.47)	10.89
		(20,693.32 -44,677.41)	7.71	(20,695.72 -44,684.74)	4.41	(20,700.02 -44,683.74)	5.33
		(20,700.02 -44,678.41)	0.66	(20,699.37 -44,678.29)	2.92	(20,697.37 -44,676.16)	12.93
		(20,692.47 -44,664.19)	5.73	(20,690.16 -44,658.95)	2.91	(20,689.09 -44,656.24)	4.02
		(20,688.34 -44,652.29)	2.57	(20,688.49 -44,649.72)	1.28	(20,689.46 -44,648.89)	10.24
		(20,698.56 -44,644.19)	1.70	(20,700.06 -44,643.39)	5.30		
117	4- 1	(2/ 2)					
		(20,700.06 -44,643.39)	1.70	(20,698.56 -44,644.19)	10.24	(20,689.46 -44,648.89)	1.28
		(20,688.49 -44,649.72)	2.57	(20,688.34 -44,652.29)	4.02	(20,689.09 -44,656.24)	2.91
		(20,690.16 -44,658.95)	10.04	(20,700.01 -44,656.99)	13.60		
117	5	(2/ 2)					
		(20,700.01 -44,656.99)	10.04	(20,690.16 -44,658.95)	5.73	(20,692.47 -44,664.19)	12.93
		(20,697.37 -44,676.16)	2.92	(20,699.37 -44,678.29)	0.66	(20,700.02 -44,678.41)	21.42
149	001- 1	(20,700.02 -44,683.74)	4.41	(20,695.72 -44,684.74)	12.28	(20,683.72 -44,687.34)	6.06
		(20,677.82 -44,688.74)	3.92	(20,674.07 -44,689.89)	3.64	(20,670.85 -44,691.59)	2.65
		(20,668.72 -44,693.17)	3.86	(20,665.90 -44,695.80)	1.97	(20,664.47 -44,697.15)	1.77
		(20,663.97 -44,698.85)	2.43	(20,663.18 -44,701.15)	4.24	(20,660.90 -44,704.72)	5.88
		(20,657.43 -44,709.47)	2.18	(20,655.83 -44,710.95)	2.30	(20,653.95 -44,712.27)	2.21
		(20,652.03 -44,713.37)	3.46	(20,648.93 -44,714.90)	3.56	(20,652.14 -44,716.45)	4.67
		(20,656.35 -44,714.42)	2.32	(20,658.38 -44,713.30)	1.40	(20,659.45 -44,712.40)	5.25
		(20,662.93 -44,708.47)	6.65	(20,665.64 -44,702.40)	3.45	(20,667.30 -44,699.37)	1.66
		(20,668.37 -44,698.10)	2.94	(20,670.45 -44,696.02)	2.90	(20,672.72 -44,694.22)	3.45
		(20,675.75 -44,692.57)	2.41	(20,677.97 -44,691.62)	9.16	(20,686.85 -44,689.39)	9.81
		(20,696.52 -44,687.74)	3.58	(20,700.02 -44,686.99)	3.25		
149	1044	(2/ 2)					
		(20,700.02 -44,686.99)	3.58	(20,696.52 -44,687.74)	9.81	(20,686.85 -44,689.39)	9.16
		(20,677.97 -44,691.62)	2.41	(20,675.75 -44,692.57)	3.45	(20,672.72 -44,694.22)	2.90
		(20,670.45 -44,696.02)	2.94	(20,668.37 -44,698.10)	1.66	(20,667.30 -44,699.37)	3.45
		(20,665.64 -44,702.40)	6.02	(20,671.20 -44,704.72)	9.08	(20,680.28 -44,704.84)	2.08
		(20,682.33 -44,704.49)	1.41	(20,683.65 -44,703.99)	3.48	(20,686.43 -44,701.89)	5.07
		(20,690.52 -44,698.89)	2.76	(20,693.12 -44,697.96)	7.15	(20,700.02 -44,696.09)	9.10
149	002- 2	(20,700.02 -44,696.09)	7.15	(20,693.12 -44,697.96)	2.76	(20,690.52 -44,698.89)	5.07

地区 ..003 作業 ..129 原図番号 .. R1 24-1 縮尺 ..1/ 500 基準点 ..X 20,550.00..Y -44,800.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,686.43 -44,701.89)	3.48	(20,683.65 -44,703.99)	1.41	(20,682.33 -44,704.49)	2.08
		(20,680.28 -44,704.84)	9.08	(20,671.20 -44,704.72)	6.02	(20,665.64 -44,702.40)	6.65
		(20,662.93 -44,708.47)	5.25	(20,659.45 -44,712.40)	1.40	(20,658.38 -44,713.30)	2.32
		(20,656.35 -44,714.42)	4.67	(20,652.14 -44,716.45)	1.02	(20,653.05 -44,716.90)	3.80
		(20,656.49 -44,715.28)	2.68	(20,658.80 -44,713.92)	1.92	(20,660.28 -44,712.70)	4.93
		(20,663.48 -44,708.95)	3.03	(20,666.50 -44,708.75)	4.80	(20,670.93 -44,706.89)	9.57
		(20,680.49 -44,706.49)	4.00	(20,684.43 -44,705.79)	3.36	(20,687.09 -44,703.73)	5.30
		(20,691.18 -44,700.36)	2.43	(20,693.45 -44,699.49)	4.48	(20,697.77 -44,698.30)	2.27
		(20,699.97 -44,697.74)	1.65				
149	1048	(2/ 2)					
		(@ 20,699.97 -44,697.74)	2.27	(20,697.77 -44,698.30)	16.93	(20,698.41 -44,715.22)	1.62
		(20,700.03 -44,715.24)	17.50				
149	001-	2					
		(20,700.03 -44,715.24)	1.62	(@ 20,698.41 -44,715.22)	9.05	(20,689.36 -44,715.39)	2.62
		(20,686.74 -44,715.53)	6.42	(20,686.41 -44,721.94)	1.09	(20,685.43 -44,722.42)	0.80
		(20,684.63 -44,722.49)	3.80	(20,680.83 -44,722.32)	3.43	(20,677.43 -44,721.84)	12.65
		(20,664.95 -44,719.80)	6.55	(20,658.95 -44,717.17)	3.10	(20,656.49 -44,715.28)	3.80
		(20,653.05 -44,716.90)	2.67	(20,655.55 -44,717.85)	9.31	(20,663.98 -44,721.80)	1.47
		(20,665.43 -44,722.01)	19.59	(20,684.70 -44,725.51)	4.67	(20,689.16 -44,726.90)	4.79
		(20,689.38 -44,722.12)	1.16	(20,689.53 -44,720.97)	1.76	(20,690.25 -44,719.36)	0.98
		(20,690.93 -44,718.66)	1.04	(20,691.78 -44,718.06)	1.25	(20,693.00 -44,717.79)	7.05
		(20,700.05 -44,717.69)	2.45				
149	1130	(2/ 2)					
		(@ 20,700.05 -44,717.69)	7.05	(20,693.00 -44,717.79)	1.25	(20,691.78 -44,718.06)	1.04
		(20,690.93 -44,718.66)	0.98	(20,690.25 -44,719.36)	1.76	(20,689.53 -44,720.97)	1.16
		(20,689.38 -44,722.12)	4.79	(20,689.16 -44,726.90)	10.82	(20,699.98 -44,726.89)	9.20
149	1132	(2/ 2)					
		(@ 20,699.98 -44,726.89)	10.82	(20,689.16 -44,726.90)	14.58	(20,688.09 -44,741.44)	11.96
		(20,700.04 -44,741.79)	14.90				
149	1133-	1 (2/ 2)					
		(20,700.04 -44,741.79)	11.96	(@ 20,688.09 -44,741.44)	21.82	(20,686.38 -44,763.19)	13.62
		(20,699.99 -44,763.79)	22.00				
149	1136-	1 (2/ 2)					
		(20,699.99 -44,763.79)	13.62	(@ 20,686.38 -44,763.19)	10.75	(20,685.77 -44,773.92)	7.21
		(20,685.00 -44,781.09)	2.93	(20,687.72 -44,782.17)	9.12	(20,696.80 -44,783.07)	3.31
		(20,700.05 -44,783.69)	19.90				
150	1137-	5 (2/ 2)					
		(20,700.05 -44,783.69)	3.31	(@ 20,696.80 -44,783.07)	4.93	(20,696.43 -44,787.99)	3.58
		(20,700.00 -44,787.79)	4.10				
150	001-	5					
		(20,700.00 -44,787.79)	3.58	(20,696.43 -44,787.99)	10.39	(20,686.06 -44,788.68)	5.40
		(20,680.70 -44,789.34)	21.17	(20,659.58 -44,790.80)	13.59	(20,646.01 -44,791.59)	8.00
		(20,638.03 -44,792.14)	6.24	(20,631.80 -44,792.57)	29.16	(20,602.72 -44,794.79)	10.79
		(20,591.95 -44,795.36)	1.52	(20,590.43 -44,795.46)	4.17	(20,586.27 -44,795.67)	4.14
		(20,582.67 -44,793.62)	2.84	(20,580.47 -44,791.82)	2.83	(20,578.42 -44,789.87)	2.09
		(20,577.05 -44,788.29)	4.34	(20,574.45 -44,784.82)	9.93	(20,570.59 -44,775.67)	1.01
		(20,570.23 -44,774.73)	8.19	(@ 20,567.24 -44,767.11)	11.89	(20,559.66 -44,776.27)	12.70
		(20,562.46 -44,788.66)	9.78	(20,564.25 -44,798.27)	1.77	(20,564.48 -44,800.02)	63.72
		(20,628.20 -44,800.06)	22.46	(20,650.60 -44,798.41)	27.16	(20,677.70 -44,796.63)	6.12
		(20,683.81 -44,796.23)	16.27	(20,700.05 -44,795.19)	7.40		
150	1137-	1 (4/ 4)					
		(@ 20,700.05 -44,795.19)	16.27	(20,683.81 -44,796.23)	1.82	(20,683.35 -44,797.99)	2.10

地区 ..003 作業 ..129 原図番号 .. R1 24-1 縮尺 ..1/ 500 基準点 ..X 20,550.00..Y -44,800.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

150	001-	4	(20,683.28 -44,800.09)	16.75	(20,700.03 -44,800.14)	4.95				
			(20,683.28 -44,800.09)	2.10	(20,683.35 -44,797.99)	1.82	(@ 20,683.81 -44,796.23)	6.12		
			(20,677.70 -44,796.63)	4.31	(20,680.20 -44,800.14)	3.08				
150	1217-	2	(2/ 2)							
			(20,680.20 -44,800.14)	4.31	(@ 20,677.70 -44,796.63)	27.16	(20,650.60 -44,798.41)	1.69		
			(20,650.70 -44,800.10)	29.50						
150	1230		(2/ 2)							
			(20,650.70 -44,800.10)	1.69	(@ 20,650.60 -44,798.41)	22.46	(20,628.20 -44,800.06)	22.50		
150	1224		(20,599.71 -44,778.28)	4.68	(20,602.42 -44,774.46)	8.72	(20,606.32 -44,766.66)	20.87		
			(@ 20,591.64 -44,751.83)	7.37	(20,585.91 -44,756.47)	3.71	(20,583.31 -44,759.12)	5.49		
			(20,579.09 -44,762.63)	25.89						
150	1225-	1								
			(@ 20,579.09 -44,762.63)	11.19	(20,570.69 -44,770.02)	1.13	(20,570.17 -44,771.02)	2.02		
			(20,569.92 -44,773.02)	1.74	(20,570.23 -44,774.73)	1.01	(20,570.59 -44,775.67)	9.93		
			(20,574.45 -44,784.82)	4.34	(20,577.05 -44,788.29)	2.09	(20,578.42 -44,789.87)	2.83		
			(20,580.47 -44,791.82)	2.84	(20,582.67 -44,793.62)	4.14	(20,586.27 -44,795.67)	4.17		
			(20,590.43 -44,795.46)	5.65	(20,592.32 -44,790.14)	3.78	(20,594.20 -44,786.86)	10.20		
			(20,599.71 -44,778.28)	25.89						
150	002-	3								
			(20,594.20 -44,786.86)	3.76	(20,592.30 -44,790.11)	5.66	(20,590.45 -44,795.46)	1.51		
			(20,591.95 -44,795.31)	4.05	(20,593.35 -44,791.51)	14.20	(20,600.79 -44,779.41)	5.06		
			(20,603.54 -44,775.16)	5.58	(20,606.39 -44,770.36)	3.65	(20,607.84 -44,767.01)	0.85		
			(20,607.89 -44,766.16)	21.43	(@ 20,592.64 -44,751.11)	1.25	(20,591.64 -44,751.86)	20.82		
			(20,606.29 -44,766.66)	8.70	(20,602.44 -44,774.46)	4.69	(20,599.69 -44,778.26)	10.20		
150	1205-	1								
			(20,606.41 -44,770.35)	5.63	(20,603.54 -44,775.19)	5.05	(20,600.77 -44,779.41)	14.21		
			(20,593.32 -44,791.51)	4.09	(20,591.95 -44,795.36)	10.79	(20,602.72 -44,794.79)	29.16		
			(20,631.80 -44,792.57)	9.30	(20,633.33 -44,783.40)	4.08	(20,633.81 -44,779.35)	5.71		
			(20,634.54 -44,773.69)	16.29	(20,618.58 -44,770.41)	5.80	(@ 20,612.92 -44,769.16)	1.28		
			(20,611.64 -44,769.23)	5.35						
150	1222-	2								
			(20,611.64 -44,769.23)	1.28	(20,612.92 -44,769.16)	5.80	(20,618.58 -44,770.41)	12.45		
			(20,624.21 -44,759.31)	8.50	(20,618.04 -44,753.47)	3.08	(20,616.09 -44,755.86)	17.15		
			(@ 20,603.49 -44,744.23)	2.54	(20,601.29 -44,745.49)	10.32	(20,592.65 -44,751.13)	21.43		
			(20,607.92 -44,766.16)	0.85	(20,607.87 -44,767.01)	3.65	(20,606.41 -44,770.35)	5.35		
150	1207-	1								
			(20,618.04 -44,753.47)	8.50	(20,624.21 -44,759.31)	12.45	(20,618.58 -44,770.41)	16.29		
			(20,634.54 -44,773.69)	1.65	(20,636.17 -44,773.95)	6.94	(20,637.66 -44,767.17)	13.18		
			(20,641.10 -44,754.45)	3.69	(20,637.70 -44,753.02)	12.33	(20,626.52 -44,747.81)	2.42		
			(@ 20,624.24 -44,747.01)	8.95						
150	1222-	1								
			(20,624.24 -44,747.01)	2.42	(20,626.52 -44,747.81)	15.43	(20,632.65 -44,733.65)	5.93		
			(@ 20,627.33 -44,731.02)	12.57	(20,616.51 -44,737.41)	14.70	(20,603.49 -44,744.23)	17.15		
			(20,616.09 -44,755.86)	3.08	(20,618.04 -44,753.47)	8.95				
150	1220-	1								
			(20,626.52 -44,747.81)	12.33	(20,637.70 -44,753.02)	15.28	(20,641.93 -44,738.34)	10.40		
			(@ 20,632.65 -44,733.65)	15.43						
150	1220-	3								
			(20,632.65 -44,733.65)	10.40	(20,641.93 -44,738.34)	2.85	(20,642.73 -44,735.60)	13.94		
			(@ 20,630.27 -44,729.35)	3.38	(20,627.33 -44,731.02)	5.93				

地区..003

作業..129 原図番号.. R1 24-1

縮尺..1/ 500

基準点..X 20,550.00..Y -44,800.00 測定

年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

150	002- 4	(20,627.33 -44,731.02)	3.38	(20,630.27 -44,729.35)	10.39	(20,639.28 -44,724.18)	10.20
		(20,648.15 -44,719.15)	5.39	(20,653.05 -44,716.90)	1.02	(20,652.14 -44,716.45)	4.95
		(20,647.68 -44,718.60)	10.45	(20,638.61 -44,723.80)	4.67	(20,634.53 -44,726.08)	8.74
		(20,626.98 -44,730.48)	12.47	(20,616.21 -44,736.76)	14.53	(20,603.34 -44,743.51)	2.45
		(20,601.19 -44,744.69)	10.75	(20,592.19 -44,750.56)	8.99	(20,585.21 -44,756.22)	3.48
		(20,582.74 -44,758.67)	5.32	(20,578.69 -44,762.12)	11.17	(20,570.29 -44,769.49)	0.66
		(20,570.69 -44,770.02)	11.19	(20,579.09 -44,762.63)	5.49	(20,583.31 -44,759.12)	3.71
		(20,585.91 -44,756.47)	7.37	(20,591.64 -44,751.83)	1.23	(20,592.65 -44,751.13)	10.32
		(20,601.29 -44,745.49)	2.54	(20,603.49 -44,744.23)	14.70	(20,616.51 -44,737.41)	12.57
150	1220- 2	(20,630.27 -44,729.35)	13.94	(20,642.73 -44,735.60)	6.96	(20,644.63 -44,728.90)	8.67
		(20,653.30 -44,729.11)	12.21	(20,653.05 -44,716.90)	5.39	(20,648.15 -44,719.15)	10.20
		(20,639.28 -44,724.18)	10.39				
150	1217- 6	(20,644.63 -44,728.90)	6.96	(20,642.73 -44,735.60)	2.85	(20,641.93 -44,738.34)	15.28
		(20,637.70 -44,753.02)	3.69	(20,641.10 -44,754.45)	13.37	(20,654.36 -44,752.75)	16.55
		(20,652.59 -44,769.21)	1.65	(20,654.24 -44,769.30)	16.65	(20,656.24 -44,752.77)	8.96
		(20,665.19 -44,753.15)	14.05	(20,665.56 -44,739.10)	8.52	(20,665.50 -44,730.58)	12.29
		(20,653.30 -44,729.11)	8.67				
150	1219	(20,653.30 -44,729.11)	12.29	(20,665.50 -44,730.58)	8.57	(20,665.43 -44,722.01)	1.47
		(20,663.98 -44,721.80)	9.31	(20,655.55 -44,717.85)	2.67	(20,653.05 -44,716.90)	12.21
150	1217- 5	(20,684.34 -44,754.11)	3.18	(20,684.59 -44,750.94)	7.45	(20,685.49 -44,743.54)	10.09
		(20,686.33 -44,733.49)	2.00	(20,686.38 -44,731.49)	2.33	(20,686.18 -44,729.17)	1.36
		(20,685.98 -44,727.82)	2.64	(20,684.70 -44,725.51)	19.59	(20,665.43 -44,722.01)	8.57
		(20,665.50 -44,730.58)	8.52	(20,665.56 -44,739.10)	14.05	(20,665.19 -44,753.15)	19.17
150	1217- 4	(20,665.19 -44,753.15)	8.96	(20,656.24 -44,752.77)	16.65	(20,654.24 -44,769.30)	6.68
		(20,660.89 -44,769.90)	22.23	(20,683.04 -44,771.79)	17.73	(20,684.34 -44,754.11)	19.17
150	001- 3	(20,684.52 -44,786.92)	5.85	(20,685.00 -44,781.09)	7.21	(20,685.77 -44,773.92)	10.75
		(20,686.38 -44,763.19)	21.82	(20,688.09 -44,741.44)	14.58	(20,689.16 -44,726.90)	4.67
		(20,684.70 -44,725.51)	2.64	(20,685.98 -44,727.82)	1.36	(20,686.18 -44,729.17)	2.33
		(20,686.38 -44,731.49)	2.00	(20,686.33 -44,733.49)	10.09	(20,685.49 -44,743.54)	7.45
		(20,684.59 -44,750.94)	3.18	(20,684.34 -44,754.11)	17.73	(20,683.04 -44,771.79)	10.92
		(20,682.35 -44,782.69)	5.22	(20,681.85 -44,787.89)	1.85	(20,680.70 -44,789.34)	5.40
		(20,686.06 -44,788.68)	2.34				
150	1137- 2	(20,686.06 -44,788.68)	10.39	(20,696.43 -44,787.99)	4.93	(20,696.80 -44,783.07)	9.12
		(20,687.72 -44,782.17)	2.93	(20,685.00 -44,781.09)	5.85	(20,684.52 -44,786.92)	2.34
150	1217- 1	(20,680.70 -44,789.34)	1.85	(20,681.85 -44,787.89)	5.22	(20,682.35 -44,782.69)	10.92
		(20,683.04 -44,771.79)	22.23	(20,660.89 -44,769.90)	20.94	(20,659.58 -44,790.80)	21.17
150	1210	(20,659.58 -44,790.80)	20.94	(20,660.89 -44,769.90)	6.68	(20,654.24 -44,769.30)	1.65
		(20,652.59 -44,769.21)	15.07	(20,637.66 -44,767.17)	6.94	(20,636.17 -44,773.95)	1.65
		(20,634.54 -44,773.69)	5.71	(20,633.81 -44,779.35)	11.41	(20,645.19 -44,778.48)	3.95
		(20,645.48 -44,782.42)	9.19	(20,646.01 -44,791.59)	13.59		
150	1217- 9	(20,646.01 -44,791.59)	9.19	(20,645.48 -44,782.42)	8.06	(20,637.45 -44,783.17)	8.99

地区 ..003

作業 ..129

原図番号 .. R1 24-1

縮尺 ..1/ 500

基準点 ..X 20,550.00..Y -44,800.00

測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

150	1209	(20,638.03 -44,792.14)	8.00						
		(20,638.03 -44,792.14)	8.99	(@ 20,637.45 -44,783.17)	4.13	(20,633.33 -44,783.40)	9.30		
		(20,631.80 -44,792.57)	6.24						
150	1208	(20,633.33 -44,783.40)	4.13	(20,637.45 -44,783.17)	8.06	(20,645.48 -44,782.42)	3.95		
		(@ 20,645.19 -44,778.48)	11.41	(20,633.81 -44,779.35)	4.08				
150	001- 10	(20,567.24 -44,767.11)	8.19	(20,570.23 -44,774.73)	1.74	(20,569.92 -44,773.02)	2.02		
		(20,570.17 -44,771.02)	1.13	(20,570.69 -44,770.02)	0.66	(20,570.29 -44,769.49)	11.17		
		(20,578.69 -44,762.12)	5.32	(20,582.74 -44,758.67)	3.48	(20,585.21 -44,756.22)	8.99		
		(20,592.19 -44,750.56)	10.75	(20,601.19 -44,744.69)	2.45	(20,603.34 -44,743.51)	14.53		
		(20,616.21 -44,736.76)	12.47	(20,626.98 -44,730.48)	8.74	(20,634.53 -44,726.08)	4.67		
		(20,638.61 -44,723.80)	10.45	(20,647.68 -44,718.60)	4.95	(20,652.14 -44,716.45)	3.56		
		(@ 20,648.93 -44,714.90)	19.92	(20,631.20 -44,723.97)	18.47	(20,615.18 -44,733.16)	4.16		
		(20,611.68 -44,735.41)	16.89	(20,597.14 -44,744.01)	0.32	(20,596.94 -44,743.76)	4.40		
		(20,593.12 -44,745.95)	11.94	(20,583.59 -44,753.14)	11.13	(20,575.09 -44,760.32)	7.40		
		(20,569.21 -44,764.82)	3.02						
148	1036- 1	(20,569.27 -44,740.27)	11.16	(20,558.79 -44,744.12)	4.74	(20,554.40 -44,745.92)	0.37		
		(20,554.06 -44,746.07)	19.81	(20,563.97 -44,763.22)	1.49	(20,564.94 -44,764.35)	1.44		
		(20,566.22 -44,765.02)	1.06	(20,567.24 -44,765.30)	2.03	(20,569.21 -44,764.82)	7.40		
		(20,575.09 -44,760.32)	11.13	(20,583.59 -44,753.14)	11.94	(20,593.12 -44,745.95)	13.77		
		(@ 20,586.13 -44,734.09)	17.96						
148	1037	(20,586.13 -44,734.09)	13.77	(20,593.12 -44,745.95)	4.40	(20,596.94 -44,743.76)	1.58		
		(20,597.24 -44,742.21)	12.35	(20,591.43 -44,731.31)	17.15	(20,606.60 -44,723.31)	7.45		
		(20,602.83 -44,716.89)	1.71	(20,601.18 -44,716.44)	6.30	(20,595.08 -44,718.01)	2.41		
		(@ 20,594.28 -44,715.74)	15.53	(20,579.67 -44,721.02)	11.34	(20,568.68 -44,723.80)	10.17		
		(20,559.33 -44,727.80)	8.04	(20,551.96 -44,731.02)	2.57	(20,553.28 -44,733.22)	2.17		
		(20,554.35 -44,735.11)	10.24	(20,563.21 -44,729.97)	11.95	(20,569.27 -44,740.27)	17.96		
148	1036- 2	(20,591.43 -44,731.31)	12.35	(20,597.24 -44,742.21)	1.58	(20,596.94 -44,743.76)	0.32		
		(20,597.14 -44,744.01)	16.89	(20,611.68 -44,735.41)	2.33	(20,611.71 -44,733.08)	11.03		
		(@ 20,606.60 -44,723.31)	17.15						
148	1038- 3	(20,606.60 -44,723.31)	11.03	(20,611.71 -44,733.08)	2.33	(20,611.68 -44,735.41)	4.16		
		(20,615.18 -44,733.16)	19.96	(20,606.06 -44,715.41)	31.62	(@ 20,593.77 -44,686.28)	19.34		
		(20,575.40 -44,692.32)	7.24	(20,568.36 -44,694.02)	28.01	(20,579.03 -44,719.92)	1.27		
		(20,579.67 -44,721.02)	15.53	(20,594.28 -44,715.74)	2.41	(20,595.08 -44,718.01)	6.30		
		(20,601.18 -44,716.44)	1.71	(20,602.83 -44,716.89)	7.45				
148	1036- 4	(20,606.06 -44,715.41)	19.96	(20,615.18 -44,733.16)	18.47	(20,631.20 -44,723.97)	16.40		
		(@ 20,623.53 -44,709.47)	16.51	(20,607.91 -44,714.81)	1.94				
148	1041- 2	(20,607.91 -44,714.81)	31.82	(@ 20,596.37 -44,685.16)	2.83	(20,593.77 -44,686.28)	31.62		
		(20,606.06 -44,715.41)	1.94						
148	1041- 1	(20,607.91 -44,714.81)	16.51	(20,623.53 -44,709.47)	10.37	(20,633.35 -44,706.15)	4.18		
		(20,637.48 -44,705.50)	5.54	(20,642.95 -44,704.65)	5.15	(20,647.98 -44,703.55)	5.25		
		(20,653.18 -44,702.80)	4.15	(20,657.05 -44,701.30)	5.24	(20,661.67 -44,698.82)	2.78		
		(20,663.18 -44,701.15)	2.43	(20,663.97 -44,698.85)	37.89	(@ 20,653.35 -44,662.48)	3.10		

地区 ..003 作業 ..129 原図番号 .. R1 24-1 縮尺 ..1/ 500 基準点 ..X 20,550.00..Y -44,800.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,650.27 -44,662.85)	45.31	(20,605.30 -44,668.36)	7.86	(20,601.92 -44,675.46)	2.67
		(20,604.17 -44,676.89)	3.27	(20,606.47 -44,679.21)	0.80	(20,606.47 -44,680.01)	11.06
148	1042	(20,595.82 -44,682.99)	2.24	(20,596.37 -44,685.16)	31.82		
		(20,601.92 -44,675.46)	7.86	(20,605.30 -44,668.36)	8.88	(20,596.48 -44,669.36)	4.73
		(20,599.22 -44,673.21)	3.51				
148	1036-	3					
		(20,623.53 -44,709.47)	16.40	(20,631.20 -44,723.97)	19.92	(20,648.93 -44,714.90)	3.46
		(20,652.03 -44,713.37)	2.21	(20,653.95 -44,712.27)	2.30	(20,655.83 -44,710.95)	2.18
		(20,657.43 -44,709.47)	5.88	(20,660.90 -44,704.72)	4.24	(20,663.18 -44,701.15)	2.78
		(20,661.67 -44,698.82)	5.24	(20,657.05 -44,701.30)	4.15	(20,653.18 -44,702.80)	5.25
		(20,647.98 -44,703.55)	5.15	(20,642.95 -44,704.65)	5.54	(20,637.48 -44,705.50)	4.18
		(20,633.35 -44,706.15)	10.37				
148	1043-	2					
		(20,674.07 -44,689.89)	3.92	(20,677.82 -44,688.74)	6.06	(20,683.72 -44,687.34)	12.28
		(20,695.72 -44,684.74)	7.71	(20,693.32 -44,677.41)	10.89	(20,688.87 -44,667.47)	6.73
		(20,685.22 -44,661.82)	8.77	(20,681.36 -44,653.94)	1.13	(20,680.29 -44,653.59)	9.72
		(20,671.11 -44,656.79)	5.37	(20,666.00 -44,658.43)	32.48		
148	1043-	1					
		(20,666.00 -44,658.43)	8.93	(20,657.54 -44,661.30)	4.35	(20,653.35 -44,662.48)	37.89
		(20,663.97 -44,698.85)	1.77	(20,664.47 -44,697.15)	1.97	(20,665.90 -44,695.80)	3.86
		(20,668.72 -44,693.17)	2.65	(20,670.85 -44,691.59)	3.64	(20,674.07 -44,689.89)	32.48
149	1047						
		(20,688.74 -44,712.09)	3.36	(20,689.36 -44,715.39)	9.05	(20,698.41 -44,715.22)	16.93
		(20,697.77 -44,698.30)	4.48	(20,693.45 -44,699.49)	2.43	(20,691.18 -44,700.36)	5.30
		(20,687.09 -44,703.73)	8.52				
149	1046-	1					
		(20,687.09 -44,703.73)	3.36	(20,684.43 -44,705.79)	4.00	(20,680.49 -44,706.49)	6.12
		(20,681.68 -44,712.49)	7.07	(20,688.74 -44,712.09)	8.52		
149	1046-	2					
		(20,688.74 -44,712.09)	7.07	(20,681.68 -44,712.49)	3.33	(20,682.40 -44,715.74)	4.35
		(20,686.74 -44,715.53)	2.62	(20,689.36 -44,715.39)	3.36		
149	1045-	1					
		(20,686.74 -44,715.53)	4.35	(20,682.40 -44,715.74)	3.33	(20,681.68 -44,712.49)	6.12
		(20,680.49 -44,706.49)	9.57	(20,670.93 -44,706.89)	4.80	(20,666.50 -44,708.75)	3.03
		(20,663.48 -44,708.95)	4.93	(20,660.28 -44,712.70)	1.92	(20,658.80 -44,713.92)	2.68
		(20,656.49 -44,715.28)	3.10	(20,658.95 -44,717.17)	6.55	(20,664.95 -44,719.80)	12.65
		(20,677.43 -44,721.84)	3.43	(20,680.83 -44,722.32)	3.80	(20,684.63 -44,722.49)	0.80
		(20,685.43 -44,722.42)	1.09	(20,686.41 -44,721.94)	6.42	(20,686.74 -44,715.53)	0.00
150	1217-	7					
		(20,654.36 -44,752.75)	13.37	(20,641.10 -44,754.45)	13.18	(20,637.66 -44,767.17)	15.07
		(20,652.59 -44,769.21)	16.55				