

地区 ..003 作業 ..130 原図番号 .. R1 24-3 縮尺 ..1/ 500 基準点 ..X 20,400.00..Y -44,800.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,400.00 -44,800.00)	50.05	(20,450.05 -44,799.89)	50.00	(20,500.05 -44,799.89)	50.00
		(20,550.05 -44,799.83)	50.02	(20,550.04 -44,749.81)	49.98	(20,549.99 -44,699.83)	50.02
		(20,549.98 -44,649.81)	49.98	(20,550.03 -44,599.83)	50.03	(20,500.00 -44,599.89)	50.02
		(20,449.98 -44,599.92)	49.98	(20,400.00 -44,600.00)	50.00	(20,399.98 -44,650.00)	50.00
		(20,399.99 -44,700.00)	50.00	(20,400.02 -44,750.00)	50.00		
148	000- 2	(20,400.00 -44,800.00)	11.78	(20,411.78 -44,799.97)	12.04	(20,403.97 -44,790.81)	5.09
		(20,400.02 -44,787.60)	12.40				
148	001- 5	(20,400.02 -44,787.60)	5.09	(20,403.97 -44,790.81)	12.04	(20,411.78 -44,799.97)	1.52
		(20,413.30 -44,799.97)	1.91	(20,412.08 -44,798.50)	10.32	(20,405.35 -44,790.68)	6.96
		(20,400.03 -44,786.20)	1.40				
148	1028- 1	(1/ 2)					
		(20,400.03 -44,786.20)	6.96	(20,405.35 -44,790.68)	16.22	(20,416.99 -44,779.38)	7.45
		(20,422.47 -44,774.34)	12.31	(20,431.88 -44,766.41)	2.38	(20,430.32 -44,764.61)	12.85
		(20,421.83 -44,754.97)	3.94	(20,419.19 -44,752.04)	2.20	(20,417.54 -44,750.58)	3.26
		(20,415.05 -44,748.48)	1.65	(20,413.82 -44,749.58)	20.84	(20,400.02 -44,765.20)	21.00
148	002- 1	(20,400.02 -44,765.20)	20.84	(20,413.82 -44,749.58)	1.65	(20,415.05 -44,748.48)	24.95
		(20,431.83 -44,730.01)	4.55	(20,435.14 -44,726.89)	13.21	(20,445.52 -44,718.72)	9.20
		(20,452.99 -44,713.35)	5.80	(20,457.99 -44,710.41)	6.32	(20,463.92 -44,708.22)	3.39
		(20,467.27 -44,707.68)	40.39	(20,507.64 -44,708.95)	12.57	(20,520.20 -44,709.54)	10.94
		(20,530.92 -44,707.35)	8.35	(20,537.26 -44,701.91)	21.36	(20,548.67 -44,683.85)	1.97
		(20,550.02 -44,682.41)	4.98	(20,550.01 -44,677.43)	6.05	(20,546.12 -44,682.07)	27.01
		(20,527.71 -44,701.84)	12.45	(20,515.58 -44,704.64)	51.55	(20,464.08 -44,702.37)	4.74
		(20,459.56 -44,703.81)	5.10	(20,455.08 -44,706.25)	5.21	(20,450.82 -44,709.25)	16.15
		(20,437.70 -44,718.67)	7.84	(20,431.74 -44,723.76)	6.19	(20,427.19 -44,727.95)	26.01
		(20,409.55 -44,747.07)	14.08	(20,400.03 -44,757.45)	7.75		
148	000- 1	(20,400.03 -44,757.45)	14.08	(20,409.55 -44,747.07)	26.01	(20,427.19 -44,727.95)	6.19
		(20,431.74 -44,723.76)	7.84	(20,437.70 -44,718.67)	16.15	(20,450.82 -44,709.25)	5.21
		(20,455.08 -44,706.25)	5.10	(20,459.56 -44,703.81)	4.74	(20,464.08 -44,702.37)	51.55
		(20,515.58 -44,704.64)	12.45	(20,527.71 -44,701.84)	27.01	(20,546.12 -44,682.07)	6.05
		(20,550.01 -44,677.43)	27.62	(20,549.98 -44,649.81)	49.98	(20,550.03 -44,599.83)	50.03
		(20,500.00 -44,599.89)	50.02	(20,449.98 -44,599.92)	49.98	(20,400.00 -44,600.00)	50.00
		(20,399.98 -44,650.00)	50.00	(20,399.99 -44,700.00)	50.00	(20,400.02 -44,750.00)	7.45
148	001- 1	(20,550.02 -44,682.41)	1.97	(20,548.67 -44,683.85)	21.36	(20,537.26 -44,701.91)	8.35
		(20,530.92 -44,707.35)	4.13	(20,533.98 -44,710.12)	7.06	(20,539.18 -44,705.34)	12.25
		(20,545.46 -44,694.82)	1.15	(20,545.12 -44,693.72)	8.25	(20,550.01 -44,687.08)	4.67
148	1039- 1	(2/ 2)					
		(20,550.01 -44,687.08)	8.25	(20,545.12 -44,693.72)	1.15	(20,545.46 -44,694.82)	4.47
		(20,546.96 -44,699.03)	2.04	(20,547.91 -44,700.83)	2.26	(20,550.04 -44,700.08)	13.00
148	1038- 1	(2/ 2)					
		(20,550.04 -44,700.08)	2.26	(20,547.91 -44,700.83)	2.04	(20,546.96 -44,699.03)	4.47
		(20,545.46 -44,694.82)	12.25	(20,539.18 -44,705.34)	7.06	(20,533.98 -44,710.12)	29.54
		(20,548.92 -44,735.60)	1.29	(20,550.02 -44,734.93)	34.85		
148	001- 3	(20,550.02 -44,734.93)	1.29	(20,548.92 -44,735.60)	29.54	(20,533.98 -44,710.12)	4.13
		(20,530.92 -44,707.35)	10.94	(20,520.20 -44,709.54)	6.08	(20,524.40 -44,713.93)	30.70
		(20,539.76 -44,740.51)	6.94	(20,533.76 -44,744.00)	2.82	(20,535.20 -44,746.43)	3.84

R24-3

地区..003 作業..130 原図番号.. R1 24-3 縮尺..1/ 500 基準点..X 20,400.00..Y -44,800.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,538.55 -44,744.56)	2.05	(20,540.53 -44,745.11)	5.68	(20,543.39 -44,750.02)	5.18
		(20,546.04 -44,754.47)	2.73	(20,548.36 -44,753.03)	3.35	(20,550.03 -44,755.93)	6.12
		(20,550.04 -44,749.81)	11.58	(20,550.02 -44,738.23)	0.68	(20,549.69 -44,737.63)	0.43
		(20,550.07 -44,737.43)	2.50				
148	1033-	4 (2/ 2)					
	(@	20,550.07 -44,737.43)	0.43	(20,549.69 -44,737.63)	0.68	(20,550.02 -44,738.23)	0.80
148	1034-	1 (2/ 2)					
	(	20,550.03 -44,755.93)	3.35	(@ 20,548.36 -44,753.03)	2.73	(20,546.04 -44,754.47)	32.40
	(	20,518.40 -44,771.37)	0.50	(20,518.00 -44,771.67)	13.43	(20,525.88 -44,782.54)	0.30
	(	20,525.68 -44,782.77)	13.91	(20,533.16 -44,794.50)	19.56	(20,550.08 -44,784.68)	28.75
148	001-	4					
	(@	20,550.08 -44,784.68)	19.56	(20,533.16 -44,794.50)	5.06	(20,528.84 -44,797.14)	5.26
	(	20,524.35 -44,799.88)	9.38	(20,533.73 -44,799.85)	16.57	(20,548.17 -44,791.73)	1.08
	(	20,548.41 -44,792.78)	1.99	(20,550.07 -44,791.68)	7.00		
147	1018-	1 (3/ 3)					
	(@	20,550.07 -44,791.68)	1.99	(20,548.41 -44,792.78)	6.25	(20,550.05 -44,798.81)	7.13
147	1017-	1 (4/ 4)					
	(	20,550.05 -44,798.81)	6.25	(20,548.41 -44,792.78)	1.08	(@ 20,548.17 -44,791.73)	16.57
	(	20,533.73 -44,799.85)	16.32	(20,550.05 -44,799.83)	1.02		
148	1034-	2 (2/ 2)					
	(	20,524.35 -44,799.88)	5.26	(20,528.84 -44,797.14)	12.78	(20,521.83 -44,786.45)	1.07
	(	20,521.90 -44,785.38)	4.59	(20,525.68 -44,782.77)	0.30	(20,525.88 -44,782.54)	13.43
	(	20,518.00 -44,771.67)	0.50	(20,518.40 -44,771.37)	12.88	(@ 20,511.17 -44,760.71)	3.30
	(	20,508.07 -44,761.83)	2.66	(20,505.82 -44,763.25)	7.79	(20,499.71 -44,768.09)	9.68
	(	20,493.05 -44,775.12)	6.60	(20,488.74 -44,780.12)	6.34	(20,490.78 -44,786.12)	7.22
	(	20,496.29 -44,790.78)	2.91	(20,498.00 -44,793.13)	13.86	(20,510.23 -44,786.61)	4.20
	(	20,513.17 -44,789.61)	13.77	(20,522.35 -44,799.88)	2.00		
148	1021-	2 (2/ 2)					
	(	20,522.35 -44,799.88)	13.77	(20,513.17 -44,789.61)	4.20	(@ 20,510.23 -44,786.61)	13.86
	(	20,498.00 -44,793.13)	4.66	(20,499.18 -44,797.64)	3.81	(20,496.10 -44,799.88)	26.25
148	1022-	1 (2/ 2)					
	(	20,496.10 -44,799.88)	3.81	(20,499.18 -44,797.64)	4.66	(20,498.00 -44,793.13)	2.91
	(	20,496.29 -44,790.78)	7.22	(@ 20,490.78 -44,786.12)	9.58	(20,482.89 -44,791.56)	13.81
	(	20,471.90 -44,799.93)	24.20				
148	1023-	1 (2/ 2)					
	(	20,471.90 -44,799.93)	13.81	(20,482.89 -44,791.56)	9.58	(20,490.78 -44,786.12)	6.34
	(	20,488.74 -44,780.12)	6.96	(20,486.28 -44,773.61)	0.81	(@ 20,485.69 -44,773.05)	4.91
	(	20,481.05 -44,774.65)	3.54	(20,477.82 -44,776.10)	5.50	(20,473.14 -44,778.99)	3.98
	(	20,470.08 -44,781.53)	21.77	(20,453.26 -44,795.35)	7.40	(20,447.50 -44,799.99)	24.40
148	1025-	1 (2/ 2)					
	(	20,447.50 -44,799.99)	7.40	(20,453.26 -44,795.35)	21.77	(20,470.08 -44,781.53)	3.98
	(	20,473.14 -44,778.99)	5.50	(20,477.82 -44,776.10)	3.54	(20,481.05 -44,774.65)	4.91
	(	20,485.69 -44,773.05)	4.63	(20,484.23 -44,768.66)	5.31	(20,482.02 -44,763.83)	5.62
	(	20,479.48 -44,758.82)	3.97	(@ 20,477.03 -44,755.69)	12.83	(20,466.87 -44,763.53)	18.80
	(	20,452.85 -44,776.05)	9.94	(20,445.53 -44,782.77)	19.08	(20,430.54 -44,794.58)	8.38
	(	20,424.15 -44,800.00)	23.35				
148	1027-	1 (2/ 2)					
	(	20,424.15 -44,800.00)	8.38	(20,430.54 -44,794.58)	19.08	(20,445.53 -44,782.77)	11.71
	(	20,438.22 -44,773.62)	9.60	(@ 20,431.88 -44,766.41)	12.31	(20,422.47 -44,774.34)	7.45
	(	20,416.99 -44,779.38)	16.22	(20,405.35 -44,790.68)	10.32	(20,412.08 -44,798.50)	1.91
	(	20,413.30 -44,799.97)	10.85				
148	1026						

地区 ..003

作業 ..130

原図番号 .. R1 24-3

縮尺 ..1/ 500

基準点 ..X 20,400.00..Y -44,800.00

測定

年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,430.32 -44,764.61)	2.38	(20,431.88 -44,766.41)	9.60	(20,438.22 -44,773.62)	11.71
		(20,445.53 -44,782.77)	9.94	(20,452.85 -44,776.05)	18.80	(20,466.87 -44,763.53)	12.83
148	1029	(20,477.03 -44,755.69)	3.41	(20,474.79 -44,753.12)	20.82	(20,460.77 -44,737.73)	40.62
		(20,460.77 -44,737.73)	1.54	(20,459.92 -44,736.44)	16.99	(20,448.94 -44,723.47)	5.85
		(20,445.52 -44,718.72)	13.21	(20,435.14 -44,726.89)	4.55	(20,431.83 -44,730.01)	24.95
		(20,415.05 -44,748.48)	3.26	(20,417.54 -44,750.58)	2.20	(20,419.19 -44,752.04)	3.94
		(20,421.83 -44,754.97)	12.85	(20,430.32 -44,764.61)	40.62		
148	1031- 1	(20,459.92 -44,736.44)	1.54	(20,460.77 -44,737.73)	20.82	(20,474.79 -44,753.12)	3.41
		(20,477.03 -44,755.69)	3.97	(20,479.48 -44,758.82)	5.62	(20,482.02 -44,763.83)	5.31
		(20,484.23 -44,768.66)	4.63	(20,485.69 -44,773.05)	0.81	(20,486.28 -44,773.61)	8.31
		(20,492.14 -44,767.72)	7.86	(20,497.82 -44,762.28)	5.04	(20,501.83 -44,759.22)	6.49
		(20,507.38 -44,755.85)	9.44	(20,515.92 -44,751.82)	15.29	(20,529.83 -44,745.47)	4.20
		(20,533.76 -44,744.00)	6.94	(20,539.76 -44,740.51)	30.70	(20,524.40 -44,713.93)	6.66
		(20,517.90 -44,712.47)	5.17	(20,517.45 -44,717.62)	5.61	(20,511.85 -44,718.01)	11.01
		(20,500.85 -44,718.49)	12.41	(20,488.45 -44,718.87)	6.10	(20,482.40 -44,719.63)	3.66
		(20,478.90 -44,720.70)	4.14	(20,475.27 -44,722.69)	5.69	(20,470.59 -44,725.93)	2.27
		(20,468.84 -44,727.38)	3.83	(20,465.93 -44,729.87)	4.88	(20,462.53 -44,733.37)	4.03
		(20,459.92 -44,736.44)	0.00				
148	1030- 1	(20,459.92 -44,736.44)	4.03	(20,462.53 -44,733.37)	4.88	(20,465.93 -44,729.87)	3.83
		(20,468.84 -44,727.38)	2.27	(20,470.59 -44,725.93)	5.69	(20,475.27 -44,722.69)	4.14
		(20,478.90 -44,720.70)	3.66	(20,482.40 -44,719.63)	6.10	(20,488.45 -44,718.87)	12.41
		(20,500.85 -44,718.49)	11.01	(20,511.85 -44,718.01)	5.61	(20,517.45 -44,717.62)	5.17
		(20,517.90 -44,712.47)	10.55	(20,507.64 -44,710.03)	1.08	(20,507.64 -44,708.95)	40.39
		(20,467.27 -44,707.68)	3.39	(20,463.92 -44,708.22)	6.32	(20,457.99 -44,710.41)	5.80
		(20,452.99 -44,713.35)	9.20	(20,445.52 -44,718.72)	5.85	(20,448.94 -44,723.47)	16.99
148	001- 2	(20,507.64 -44,708.95)	1.08	(20,507.64 -44,710.03)	10.55	(20,517.90 -44,712.47)	6.66
		(20,524.40 -44,713.93)	6.08	(20,520.20 -44,709.54)	12.57		
148	1033- 1	(20,540.53 -44,745.11)	2.05	(20,538.55 -44,744.56)	3.84	(20,535.20 -44,746.43)	2.82
		(20,533.76 -44,744.00)	4.20	(20,529.83 -44,745.47)	15.29	(20,515.92 -44,751.82)	9.44
		(20,507.38 -44,755.85)	6.49	(20,501.83 -44,759.22)	5.04	(20,497.82 -44,762.28)	7.86
		(20,492.14 -44,767.72)	8.31	(20,486.28 -44,773.61)	6.96	(20,488.74 -44,780.12)	6.60
		(20,493.05 -44,775.12)	9.68	(20,499.71 -44,768.09)	7.79	(20,505.82 -44,763.25)	2.66
		(20,508.07 -44,761.83)	3.30	(20,511.17 -44,760.71)	13.92	(20,524.38 -44,756.31)	9.61
		(20,533.61 -44,753.65)	10.43	(20,543.39 -44,750.02)	5.68		
148	1034- 5	(20,543.39 -44,750.02)	10.43	(20,533.61 -44,753.65)	9.61	(20,524.38 -44,756.31)	13.92
		(20,511.17 -44,760.71)	12.88	(20,518.40 -44,771.37)	32.40	(20,546.04 -44,754.47)	5.18
148	1035- 7	(20,528.84 -44,797.14)	5.06	(20,533.16 -44,794.50)	13.91	(20,525.68 -44,782.77)	4.59
		(20,521.90 -44,785.38)	1.07	(20,521.83 -44,786.45)	12.78		