

地区 ..003

作業 ..131

原図番号 .. R1 31-1

縮尺 ..1/ 500

基準点 ..X 20,250.00..Y -46,000.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,250.00 -46,000.00)	50.00	(20,300.00 -45,999.98)	50.00	(20,350.00 -45,999.95)	49.98
		(20,399.98 -45,999.90)	50.00	(20,400.00 -45,949.90)	50.05	(20,400.00 -45,899.85)	49.95
		(20,400.00 -45,849.90)	50.00	(20,400.03 -45,799.90)	50.03	(20,350.00 -45,799.95)	50.00
		(20,300.00 -45,799.97)	50.00	(20,250.00 -45,800.00)	50.00	(20,250.00 -45,850.00)	50.00
		(20,250.00 -45,900.00)	50.00	(20,250.00 -45,950.00)	50.00		
16	252-	1 (2/ 4)					
		(20,250.00 -46,000.00)	7.25	(20,257.25 -46,000.01)	4.19	(20,257.79 -45,995.85)	7.90
		(20,249.96 -45,994.80)	5.20				
16	001-	3					
		(20,249.96 -45,994.80)	7.90	(20,257.79 -45,995.85)	21.17	(20,278.73 -45,998.98)	1.04
		(20,278.60 -46,000.01)	3.13	(20,281.73 -46,000.01)	0.55	(20,281.80 -45,999.46)	2.90
		(20,284.65 -46,000.02)	15.35	(20,300.00 -45,999.98)	14.53	(20,314.53 -45,999.98)	1.26
		(20,313.30 -45,999.69)	12.82	(20,300.66 -45,997.54)	21.33	(20,279.66 -45,993.82)	1.95
		(20,277.71 -45,993.71)	19.20	(20,258.75 -45,990.70)	8.85	(20,249.97 -45,989.60)	5.20
16	263-	4- 1 (1/ 2)					
		(20,249.97 -45,989.60)	8.85	(20,258.75 -45,990.70)	21.81	(20,261.71 -45,969.09)	2.81
		(20,258.91 -45,968.87)	8.99	(20,249.96 -45,968.00)	21.60		
16	263-	11 (1/ 2)					
		(20,249.96 -45,968.00)	8.99	(20,258.91 -45,968.87)	8.94	(20,260.18 -45,960.02)	2.62
		(20,260.54 -45,957.42)	10.67	(20,249.99 -45,955.80)	12.20		
16	263-	19 (1/ 2)					
		(20,249.99 -45,955.80)	10.67	(20,260.54 -45,957.42)	1.48	(20,260.74 -45,955.95)	10.85
		(20,249.99 -45,954.45)	1.35				
16	271-	1 (1/ 2)					
		(20,249.99 -45,954.45)	10.85	(20,260.74 -45,955.95)	1.48	(20,260.54 -45,957.42)	2.62
		(20,260.18 -45,960.02)	21.50	(20,281.56 -45,962.31)	27.96	(20,284.60 -45,934.52)	19.96
		(20,264.73 -45,932.63)	3.62	(20,265.42 -45,929.08)	0.53	(20,264.89 -45,929.10)	10.20
		(20,257.10 -45,922.51)	7.29	(20,252.07 -45,917.23)	2.07	(20,250.02 -45,916.95)	37.50
16	270	(1/ 2)					
		(20,250.02 -45,916.95)	2.07	(20,252.07 -45,917.23)	7.29	(20,257.10 -45,922.51)	10.20
		(20,264.89 -45,929.10)	0.53	(20,265.42 -45,929.08)	3.62	(20,264.73 -45,932.63)	19.96
		(20,284.60 -45,934.52)	7.51	(20,292.10 -45,934.13)	3.59	(20,290.94 -45,930.73)	5.31
		(20,288.05 -45,926.28)	11.67	(20,281.12 -45,916.89)	4.05	(20,278.62 -45,913.71)	12.02
		(20,270.67 -45,904.69)	5.41	(20,266.95 -45,900.76)	9.97	(20,259.79 -45,893.82)	6.16
		(20,254.94 -45,890.03)	5.88	(20,250.03 -45,886.80)	30.15		
16	004-	1					
		(20,250.03 -45,886.80)	5.88	(20,254.94 -45,890.03)	6.16	(20,259.79 -45,893.82)	9.97
		(20,266.95 -45,900.76)	5.41	(20,270.67 -45,904.69)	12.02	(20,278.62 -45,913.71)	4.05
		(20,281.12 -45,916.89)	11.67	(20,288.05 -45,926.28)	5.31	(20,290.94 -45,930.73)	3.59
		(20,292.10 -45,934.13)	2.68	(20,293.74 -45,936.25)	20.88	(20,304.38 -45,954.21)	27.00
		(20,318.20 -45,977.40)	17.20	(20,325.56 -45,992.95)	7.67	(20,328.68 -45,999.96)	11.37
		(20,340.05 -45,999.93)	9.64	(20,335.72 -45,991.32)	22.57	(20,325.01 -45,971.45)	12.09
		(20,319.44 -45,960.72)	7.12	(20,316.41 -45,954.28)	12.22	(20,311.26 -45,943.20)	14.10
		(20,304.09 -45,931.06)	14.26	(20,295.76 -45,919.49)	8.76	(20,290.58 -45,912.42)	8.58
		(20,285.55 -45,905.47)	9.10	(20,279.85 -45,898.37)	8.83	(20,274.82 -45,891.11)	25.73
		(20,252.46 -45,878.37)	2.77	(20,250.05 -45,877.00)	9.80		
16	236-	4 (1/ 2)					
		(20,250.05 -45,877.00)	2.77	(20,252.46 -45,878.37)	16.76	(20,259.22 -45,863.03)	16.14
		(20,267.30 -45,849.06)	4.99	(20,268.66 -45,844.26)	3.01	(20,269.90 -45,841.52)	5.67
		(20,264.66 -45,843.68)	3.70	(20,263.81 -45,847.28)	15.49	(20,256.26 -45,860.81)	13.14
		(20,250.06 -45,872.40)	4.60				

地区 ..003

作業 ..131

原図番号 .. R1 31-1

縮尺 ..1/ 500

基準点 ..X 20,250.00..Y -46,000.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,400.00 -45,823.42)	2.47	(20,400.01 -45,820.95)	0.31	(20,399.73 -45,820.82)	1.40
		(20,398.96 -45,819.65)	2.34	(20,398.42 -45,817.37)	8.09	(20,397.53 -45,809.33)	9.51
15	221	(20,396.35 -45,799.89)	2.10				
		(3/ 4)					
		(@ 20,396.35 -45,799.89)	9.51	(20,397.53 -45,809.33)	2.50	(20,400.03 -45,809.22)	9.32
15	220	(20,400.03 -45,799.90)	3.68				
		(2/ 2)					
		(@ 20,400.03 -45,809.22)	2.50	(20,397.53 -45,809.33)	8.09	(20,398.42 -45,817.37)	2.34
14	211	(20,398.96 -45,819.65)	1.40	(20,399.73 -45,820.82)	0.31	(20,400.01 -45,820.95)	11.73
		(2/ 2)					
		(@ 20,400.00 -45,823.42)	2.92	(20,397.09 -45,823.69)	3.42	(20,393.68 -45,823.99)	14.27
14	210	(20,379.45 -45,825.09)	14.58	(20,381.57 -45,839.51)	18.62	(20,399.98 -45,836.70)	13.28
		(2/ 2)					
		(20,399.98 -45,836.70)	18.62	(20,381.57 -45,839.51)	14.58	(@ 20,379.45 -45,825.09)	34.78
		(20,345.04 -45,830.17)	8.39	(20,348.25 -45,837.92)	15.94	(20,353.94 -45,852.81)	4.52
14	209	(20,356.14 -45,856.76)	4.01	(20,358.43 -45,860.05)	41.98	(20,399.99 -45,854.10)	17.40
		(2/ 2)					
		(@ 20,399.99 -45,854.10)	41.98	(20,358.43 -45,860.05)	3.40	(20,360.35 -45,862.85)	4.63
		(20,363.72 -45,866.03)	6.96	(20,369.44 -45,869.99)	11.46	(20,379.25 -45,875.91)	4.96
		(20,383.74 -45,878.02)	3.73	(20,387.32 -45,879.07)	3.04	(20,390.29 -45,879.73)	5.01
14	205	(20,395.22 -45,880.63)	4.77	(20,399.99 -45,880.77)	26.67		
		(2/ 2)					
		(20,399.99 -45,880.77)	4.77	(@ 20,395.22 -45,880.63)	1.41	(20,394.85 -45,881.99)	6.25
14	206	(20,395.66 -45,888.19)	4.38	(20,400.02 -45,887.80)	7.03		
		(2/ 2)					
		(@ 20,400.02 -45,887.80)	4.38	(20,395.66 -45,888.19)	11.95	(20,400.05 -45,899.30)	11.50
14	207	(20,400.05 -45,899.30)	11.95	(20,395.66 -45,888.19)	6.25	(20,394.85 -45,881.99)	8.40
		(2/ 2)					
		(20,386.59 -45,880.47)	3.61	(20,383.14 -45,879.42)	5.08	(20,378.57 -45,877.21)	11.85
		(20,368.48 -45,870.99)	7.93	(20,361.74 -45,866.82)	7.52	(20,356.20 -45,861.74)	1.63
		(@ 20,354.58 -45,861.61)	5.56	(20,349.61 -45,864.10)	6.08	(20,354.26 -45,868.01)	14.89
		(20,360.29 -45,881.62)	9.82	(20,362.92 -45,891.08)	6.82	(20,365.28 -45,897.48)	5.82
		(20,368.15 -45,902.54)	8.46	(20,373.23 -45,909.30)	5.71	(20,376.32 -45,914.10)	5.41
		(20,380.01 -45,918.06)	4.99	(20,383.86 -45,921.24)	6.16	(20,389.00 -45,924.63)	6.21
16	246	(20,394.45 -45,927.61)	6.08	(20,400.02 -45,930.05)	30.75		
		(2/ 2)					
		(20,400.02 -45,941.45)	9.31	(20,391.07 -45,938.88)	5.07	(20,386.53 -45,936.62)	7.13
		(@ 20,380.47 -45,932.86)	1.11	(20,380.31 -45,933.96)	2.63	(20,380.03 -45,936.58)	7.51
		(20,379.51 -45,944.07)	0.00	(20,379.51 -45,944.07)	4.79	(20,379.00 -45,948.83)	4.52
		(20,378.39 -45,953.31)	4.76	(20,377.61 -45,958.01)	5.36	(20,376.47 -45,963.25)	0.52
16	247- 1	(20,376.97 -45,963.40)	3.25	(20,376.42 -45,966.60)	23.62	(20,400.02 -45,967.50)	26.05
		(4/ 4)					
		(20,400.02 -45,967.50)	23.62	(@ 20,376.42 -45,966.60)	2.36	(20,375.81 -45,968.88)	6.68
		(20,374.47 -45,975.42)	4.97	(20,373.87 -45,980.35)	8.08	(20,373.64 -45,988.43)	11.49
		(20,373.00 -45,999.90)	26.98	(20,399.98 -45,999.90)	32.40		
16	245- 3	(2/ 2)					
		(20,373.00 -45,999.90)	11.49	(@ 20,373.64 -45,988.43)	11.91	(20,362.32 -45,992.12)	7.82
		(20,362.70 -45,999.93)	10.30				
16	244- 2	(2/ 2)					
		(20,362.70 -45,999.93)	7.82	(@ 20,362.32 -45,992.12)	12.43	(20,350.51 -45,996.00)	3.98
		(20,350.00 -45,999.95)	12.70				
16	244- 3	(2/ 2)					

地区 ..003

作業 ..131

原図番号 .. R1 31-1

縮尺 ..1/ 500

基準点 ..X 20,250.00..Y -46,000.00

測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

		(20,350.00 -45,999.95)	3.98	(20,350.51 -45,996.00)	8.77	(20,346.21 -45,988.36)	10.90
		(20,335.72 -45,991.32)	9.64	(20,340.05 -45,999.93)	9.95		
16	263- 6	(20,328.68 -45,999.96)	7.67	(20,325.56 -45,992.95)	17.20	(20,318.20 -45,977.40)	15.02
	次々-3"あり	(20,303.33 -45,975.26)	10.79	(20,301.99 -45,985.97)	9.81	(20,311.68 -45,987.47)	1.58
		(20,311.37 -45,989.02)	3.58	(20,314.85 -45,989.88)	9.93	(20,313.30 -45,999.69)	1.26
		(20,314.53 -45,999.98)	14.15				
16	251- 12	(20,284.65 -46,000.02)	2.90	(20,281.80 -45,999.46)	0.55	(20,281.73 -46,000.01)	2.92
16	252- 3	(20,278.60 -46,000.01)	1.04	(20,278.73 -45,998.98)	21.17	(20,257.79 -45,995.85)	4.19
		(20,257.25 -46,000.01)	21.35				
16	263- 4- 2	(20,258.75 -45,990.70)	19.20	(20,277.71 -45,993.71)	23.03	(20,280.59 -45,970.86)	18.96
		(20,261.71 -45,969.09)	21.81				
16	263- 18	(20,258.91 -45,968.87)	2.81	(20,261.71 -45,969.09)	18.96	(20,280.59 -45,970.86)	8.60
		(20,281.56 -45,962.31)	21.50	(20,260.18 -45,960.02)	8.94		
16	263- 5	(20,279.66 -45,993.82)	21.33	(20,300.66 -45,997.54)	11.65	(20,301.99 -45,985.97)	10.79
		(20,303.33 -45,975.26)	12.70	(20,290.79 -45,973.22)	8.64	(20,282.26 -45,971.86)	22.11
16	263- 7	(20,282.26 -45,971.86)	8.64	(20,290.79 -45,973.22)	20.48	(20,293.24 -45,952.89)	11.22
		(20,304.38 -45,954.21)	20.88	(20,293.74 -45,936.25)	7.12	(20,286.63 -45,935.82)	36.30
16	001- 2	(20,286.63 -45,935.82)	7.12	(20,293.74 -45,936.25)	2.68	(20,292.10 -45,934.13)	7.51
		(20,284.60 -45,934.52)	27.96	(20,281.56 -45,962.31)	8.60	(20,280.59 -45,970.86)	23.03
		(20,277.71 -45,993.71)	1.95	(20,279.66 -45,993.82)	22.11	(20,282.26 -45,971.86)	36.30
16	263- 20	(20,293.24 -45,952.89)	20.48	(20,290.79 -45,973.22)	12.70	(20,303.33 -45,975.26)	15.02
		(20,318.20 -45,977.40)	27.00	(20,304.38 -45,954.21)	11.22		
16	263- 21	(20,301.99 -45,985.97)	11.65	(20,300.66 -45,997.54)	12.82	(20,313.30 -45,999.69)	9.93
		(20,314.85 -45,989.88)	3.58	(20,311.37 -45,989.02)	1.58	(20,311.68 -45,987.47)	9.81
16	236- 5	(20,261.22 -45,867.27)	4.33	(20,264.40 -45,864.33)	6.74	(20,267.96 -45,858.61)	6.11
		(20,270.37 -45,852.99)	5.04	(20,272.20 -45,848.29)	6.59	(20,273.25 -45,841.78)	3.36
		(20,269.90 -45,841.52)	3.01	(20,268.66 -45,844.26)	4.99	(20,267.30 -45,849.06)	16.14
		(20,259.22 -45,863.03)	4.69				
16	236- 6	(20,259.22 -45,863.03)	16.76	(20,252.46 -45,878.37)	25.73	(20,274.82 -45,891.11)	27.45
		(20,261.22 -45,867.27)	4.69				
16	237	(20,323.46 -45,846.41)	13.05	(20,311.32 -45,841.62)	12.94	(20,298.70 -45,838.75)	12.79
		(20,285.92 -45,838.27)	13.15	(20,273.25 -45,841.78)	6.59	(20,272.20 -45,848.29)	5.04
		(20,270.37 -45,852.99)	6.11	(20,267.96 -45,858.61)	6.74	(20,264.40 -45,864.33)	4.33
		(20,261.22 -45,867.27)	27.45	(20,274.82 -45,891.11)	66.06		
16	238- 1	(20,274.82 -45,891.11)	8.83	(20,279.85 -45,898.37)	67.44	(20,330.21 -45,853.51)	5.39
		(20,326.85 -45,849.30)	4.45	(20,323.46 -45,846.41)	66.06		
16	238- 2	(20,335.69 -45,860.37)	8.78	(20,330.21 -45,853.51)	67.44	(20,279.85 -45,898.37)	9.10

地区..003

作業..131

原図番号 . . R1 31-1

縮尺 1/500

基準点..X 20,250.00..Y -46,000.00 測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

16	239-	2	(20,285.55 -45,905.47)	67.44					
			(20,285.55 -45,905.47)	8.58	(20,290.58 -45,912.42)	66.61	(20,341.21 -45,869.13)	5.35	
			(20,338.80 -45,864.35)	5.05	(20,335.69 -45,860.37)	67.44			
16	239-	1	(20,346.61 -45,877.99)	1.26	(20,346.10 -45,876.84)	6.51	(20,342.41 -45,871.48)	2.64	
			(20,341.21 -45,869.13)	66.61	(20,290.58 -45,912.42)	8.76	(20,295.76 -45,919.49)	65.64	
16	240-	2	(20,295.76 -45,919.49)	14.26	(20,304.09 -45,931.06)	19.62	(20,320.31 -45,920.03)	16.04	
			(20,311.14 -45,906.87)	19.89					
16	240-	1	(20,311.14 -45,906.87)	16.04	(20,320.31 -45,920.03)	40.58	(20,353.02 -45,896.02)	5.05	
			(20,351.22 -45,891.30)	6.78	(20,349.68 -45,884.70)	7.38	(20,346.61 -45,877.99)	45.74	
16	241-	1	(20,362.31 -45,914.17)	1.11	(20,361.60 -45,913.32)	8.63	(20,357.54 -45,905.71)	8.05	
			(20,354.00 -45,898.48)	2.65	(20,353.02 -45,896.02)	40.58	(20,320.31 -45,920.03)	19.80	
			(20,333.13 -45,935.12)	35.92					
16	241-	3	(20,333.13 -45,935.12)	19.80	(20,320.31 -45,920.03)	19.62	(20,304.09 -45,931.06)	14.10	
			(20,311.26 -45,943.20)	12.22	(20,316.41 -45,954.28)	22.82	(20,338.06 -45,947.08)	12.94	
16	243		(20,338.06 -45,947.08)	22.82	(20,316.41 -45,954.28)	7.12	(20,319.44 -45,960.72)	22.49	
			(20,340.74 -45,953.50)	6.96					
16	244-	1	(20,340.74 -45,953.50)	22.49	(20,319.44 -45,960.72)	12.09	(20,325.01 -45,971.45)	21.62	
			(20,345.07 -45,963.39)	10.80					
16	245-	1	(20,345.07 -45,963.39)	21.62	(20,325.01 -45,971.45)	22.57	(20,335.72 -45,991.32)	10.90	
			(20,346.21 -45,988.36)	3.72	(20,349.78 -45,987.31)	17.15	(20,348.01 -45,970.25)	7.46	
16	242-	1	(20,348.01 -45,970.25)	18.24	(20,365.72 -45,965.88)	11.07	(20,376.47 -45,963.25)	5.36	
			(20,377.61 -45,958.01)	4.76	(20,378.39 -45,953.31)	4.52	(20,379.00 -45,948.83)	4.79	
			(20,379.51 -45,944.07)	7.51	(20,380.03 -45,936.58)	2.63	(20,380.31 -45,933.96)	1.11	
			(20,380.47 -45,932.86)	7.18	(20,375.19 -45,928.00)	6.17	(20,370.50 -45,923.99)	12.79	
			(20,362.31 -45,914.17)	35.92	(20,333.13 -45,935.12)	12.94	(20,338.06 -45,947.08)	6.96	
			(20,340.74 -45,953.50)	10.80	(20,345.07 -45,963.39)	7.46			
16	245-	5	(20,367.44 -45,982.23)	6.70	(20,373.87 -45,980.35)	4.97	(20,374.47 -45,975.42)	6.68	
			(20,375.81 -45,968.88)	2.36	(20,376.42 -45,966.60)	3.25	(20,376.97 -45,963.40)	0.52	
			(20,376.47 -45,963.25)	11.07	(20,365.72 -45,965.88)	16.44			
16	245-	2	(20,365.72 -45,965.88)	18.24	(20,348.01 -45,970.25)	17.15	(20,349.78 -45,987.31)	18.38	
			(20,367.44 -45,982.23)	16.44					
16	245-	4	(20,367.44 -45,982.23)	18.38	(20,349.78 -45,987.31)	3.72	(20,346.21 -45,988.36)	8.77	
			(20,350.51 -45,996.00)	12.43	(20,362.32 -45,992.12)	11.91	(20,373.64 -45,988.43)	8.08	
			(20,373.87 -45,980.35)	6.70					
14	002-	2	(20,349.61 -45,864.10)	5.56	(20,354.58 -45,861.61)	1.63	(20,356.20 -45,861.74)	7.52	
			(20,361.74 -45,866.82)	7.93	(20,368.48 -45,870.99)	11.85	(20,378.57 -45,877.21)	5.08	
			(20,383.14 -45,879.42)	3.61	(20,386.59 -45,880.47)	8.40	(20,394.85 -45,881.99)	1.41	
			(20,395.22 -45,880.63)	5.01	(20,390.29 -45,879.73)	3.04	(20,387.32 -45,879.07)	3.73	

地区 ..003

作業 ..131

原図番号 .. R1 31-1

縮尺 ..1/ 500

基準点 ..X 20,250.00..Y -46,000.00

測定 年 5 月 8 日

字 地番及び座標 (X ; Y) & 座標間距離 (m)

15	214	(20,383.74 -45,878.02)	4.96	(20,379.25 -45,875.91)	11.46	(20,369.44 -45,869.99)	6.96
		(20,363.72 -45,866.03)	4.63	(20,360.35 -45,862.85)	3.40	(20,358.43 -45,860.05)	5.05
		(20,353.43 -45,859.37)	0.00	(20,353.43 -45,859.37)	5.48	(20,348.13 -45,860.78)	3.63
15	219	(20,348.13 -45,860.78)	5.48	(20,353.43 -45,859.37)	23.49	(20,344.63 -45,837.59)	10.18
		(20,335.72 -45,842.52)	22.08				
		(20,342.32 -45,817.37)	4.75	(20,342.86 -45,822.09)	5.51	(20,343.95 -45,827.49)	2.89
		(20,345.04 -45,830.17)	34.78	(20,379.45 -45,825.09)	14.27	(20,393.68 -45,823.99)	3.42
		(20,397.09 -45,823.69)	14.61	(20,395.32 -45,809.19)	53.63	(20,342.32 -45,817.37)	0.00

R'31-1

* * 座標面積成果表 * *

地番 (263-6(2/2))

NO	点 名	X	Y	緯 距	經 距	倍横距	倍 積	方向角	内 角	辺 長	測 線
10	10	20314.843	-46000.000								
9	9	20313.300	-45999.690	-1.543	0.310	0.310	-0.478330	168-38-24	92-22-53	1.574	10 - 9
8	8	20314.850	-45989.880	1.550	9.810	10.430	16.166500	81-01-17	265-05-51	9.932	9 - 8
7	7	20311.370	-45989.020	-3.480	0.860	21.100	-73.428000	166-07-08	92-34-16	3.585	8 - 7
6	6	20311.680	-45987.470	0.310	1.550	23.510	7.288100	78-41-24	272-30-38	1.581	7 - 6
5	5	20301.990	-45985.970	-9.690	1.500	26.560	-257.366400	171-12-02	91-40-04	9.805	6 - 5
4	4	20303.330	-45975.260	1.340	10.710	38.770	51.951800	82-52-06	88-56-32	10.794	5 - 4
3	3	20318.200	-45977.400	14.870	-2.140	47.340	703.945800	351-48-38	127-09-05	15.023	4 - 3
2	2	20322.860	-45985.820	4.660	-8.420	36.780	171.394800	298-57-43	171-46-44	9.624	3 - 2
46	46	20325.560	-45992.950	2.700	-7.130	21.230	57.321000	290-44-27	182-39-38	7.624	2 - 46
1	1	20328.611	-46000.000	3.051	-7.050	7.050	21.509550	293-24-05	66-35-55	7.682	46 - 1
10	10	20314.843	-46000.000	-13.768	0.000	0.000	0.000000	180-00-00	168-38-24	13.768	1 - 10
							倍面積		1620-00-00	90.992	
							面 積	349.1524100	坪 数	105.6186	