

面積測定手簿及び計算簿

XYは図上座標法による
使用機種 武藤 TXE-1600

市町村コード	40211	市町村名	筑後市	面積 (A)	30000.000 m ²	閉合差 (E = A - C)	20.840 m ²	公差 (0.10+0.0015N)	
図郭番号	D1-33-4	基準座標 (左下)		図郭測定面積 (B)	29973.047 m ²	閉合比 (F = E ÷ A × 100)	0.0695		0.1585
縮尺	1/500	X	26100.000 m	図郭内合計面積 (C)	29979.160 m ²	測定閉合差 (G = B - C)	-6.113 m ²	0.0695 < 0.1585	判定
筆数 (N)	39	Y	-47000.000 m	決定面積 (D)	30000.000 m ²	測定閉合比 (H = G ÷ B × 100)	0.0204	0.0204 < 0.1585	合格
合計測点数	292								
地区	X (m)	Y (m)	辺長 (m)	X (m)	Y (m)	辺長 (m)	X (m)	Y (m)	辺長 (m)
図郭 4 点			(辺長 mm)	面積	29973.047 mm ²				
-200.24	-199.28	(299.951)	99.71	-200.04	(399.871)				
100.67	199.83	(300.011)	-200.24	200.57	(399.851)				
図郭 対角点			(辺長 mm)						
-200.24	-199.28	(499.835)	100.67	199.83					
99.71	-200.04	(499.919)	-199.34	200.57					

地区外	地番 AAA	地目 その他	面積	134.736 m ²					
26250.00	-47000.00	33.590	26250.00	-46966.41	6.361	26247.48	-46972.25	12.340	
26245.38	-46984.41	2.134	26245.25	-46986.54	5.077	26244.99	-46991.61	0.410	
26245.00	-46992.02	6.983	26243.41	-46998.82	1.180	26243.39	-47000.00	6.610	
地区外	地番 BBB	地目 その他	面積	78.713 m ²					
26250.00	-46907.98	34.700	26250.00	-46873.28	8.708	26246.88	-46881.41	5.468	
26246.33	-46886.85	4.534	26246.51	-46891.38	10.960	26248.49	-46902.16	6.013	
地区外	地番 CCC	地目 その他	面積	2089.393 m ²					
26193.58	-46800.00	5.660	26193.51	-46805.66	8.859	26184.71	-46806.68	2.775	
26182.02	-46807.36	6.296	26185.34	-46812.71	1.964	26186.39	-46814.37	1.672	
26187.32	-46815.76	2.979	26190.13	-46814.77	5.984	26196.05	-46813.90	1.947	
26197.75	-46814.85	4.138	26200.76	-46817.69	3.325	26203.18	-46819.97	5.574	
26206.81	-46824.20	5.132	26210.00	-46828.22	1.263	26210.96	-46829.04	4.098	
26214.06	-46831.72	9.629	26222.17	-46836.91	0.626	26222.74	-46837.17	3.048	
26225.52	-46838.42	6.033	26230.01	-46842.45	6.873	26235.84	-46846.09	8.269	
26243.25	-46849.76	3.596	26245.91	-46852.18	1.557	26246.72	-46853.51	3.075	
26247.85	-46856.37	7.869	26250.00	-46863.94	63.940	26250.00	-46800.00	56.420	
六反田	地番 3005-1(2/2)	地目 道路	面積	504.683 m ²					
26150.50	-47000.00	1.124	26150.81	-46998.92	0.620	26151.03	-46998.34	2.952	
26152.05	-46995.57	9.473	26155.68	-46986.82	5.452	26157.41	-46981.65	2.856	
26158.02	-46978.86	2.195	26158.28	-46976.68	1.521	26158.46	-46975.17	2.962	
26159.11	-46972.28	6.986	26160.38	-46965.41	3.083	26161.17	-46962.43	3.971	
26162.78	-46958.80	8.662	26167.13	-46951.31	3.698	26168.56	-46947.90	3.438	
26169.29	-46944.54	4.334	26169.47	-46940.21	14.504	26168.34	-46925.75	5.626	
26167.42	-46920.20	6.013	26165.91	-46914.38	4.934	26164.54	-46909.64	4.374	
26164.36	-46905.27	7.718	26166.45	-46897.84	5.037	26167.06	-46892.84	6.631	
26167.19	-46886.21	4.481	26167.50	-46881.74	3.309	26168.17	-46878.50	8.282	
26169.85	-46870.39	5.624	26170.25	-46864.78	2.620	26170.48	-46862.17	18.320	
26174.19	-46844.23	13.168	26176.93	-46831.35	3.709	26178.39	-46827.94	0.897	
26178.85	-46827.17	3.639	26180.74	-46824.06	3.934	26183.32	-46821.09	5.643	
26187.36	-46817.15	0.742	26187.89	-46816.63	1.040	26187.32	-46815.76	1.672	
26186.39	-46814.37	1.964	26185.34	-46812.71	6.296	26182.02	-46807.36	2.471	

面積測定手簿及び計算簿

P. 2

市町村コード		市町村名		XYは図上座標法による					
40211		筑後市		使用機種		武藤 TXE-1600			
図郭番号	D1-33-4	基準座標(左下)	定面積(A)	30000.000 m ²	閉合差(E=A-C)	20.840 m ²	公差(0.10+0.0015N)		
縮尺	1/500	X	26100.000 m	図郭測定面積(B)	29973.047 m ²	閉合比(F=E÷A×100)	0.0695	0.1585	
筆数(N)	39	Y	-47000.000 m	図郭内合計面積(C)	29979.160 m ²	測定閉合差(G=B-C)	-6.113 m ²	0.0695<0.1585	判定
合計測点数	292		決定面積(D)	30000.000 m ²	測定閉合比(H=G÷B×100)	0.0204	0.0204<0.1585	合格	
地区	X (m)	Y (m)	辺長 (m)	X (m)	Y (m)	辺長 (m)	X (m)	Y (m)	辺長 (m)
	26180.19	-46809.02	1.444	26181.17	-46810.08	2.849	26182.72	-46812.47	3.597
	26184.69	-46815.48	1.730	26184.14	-46817.12	0.351	26183.81	-46817.24	2.404
	26182.09	-46818.92	4.724	26178.78	-46822.29	4.842	26176.37	-46826.49	4.346
	26174.58	-46830.45	12.937	26171.87	-46843.10	18.711	26167.97	-46861.40	2.794
	26167.83	-46864.19	5.202	26167.68	-46869.39	7.896	26166.12	-46877.13	5.198
	26164.85	-46882.17	3.677	26165.08	-46885.84	5.153	26164.91	-46890.99	1.410
	26164.91	-46892.40	5.165	26164.23	-46897.52	7.801	26161.98	-46904.99	4.919
	26161.68	-46909.90	5.690	26162.89	-46915.46	2.579	26164.15	-46917.71	3.195
	26165.00	-46920.79	5.659	26165.94	-46926.37	13.973	26167.04	-46940.30	3.813
	26166.88	-46944.11	6.616	26164.83	-46950.40	8.957	26160.34	-46958.15	4.029
	26158.77	-46961.86	3.112	26157.98	-46964.87	6.810	26156.76	-46971.57	0.886
	26156.45	-46972.40	5.537	26155.14	-46977.78	0.841	26155.11	-46978.62	2.430
	26154.73	-46981.02	4.902	26153.21	-46985.68	4.312	26151.65	-46989.70	4.518
	26149.71	-46993.78	2.652	26148.48	-46996.13	2.062	26148.02	-46998.14	0.618
	26148.63	-46998.24	1.824	26148.15	-47000.00	2.350			
六反田	地番	3005-2(1/2)	地目	道路	面積	114.257 m ²			
	26100.00	-46979.35	4.026	26103.83	-46978.11	5.742	26109.46	-46976.98	8.127
	26117.54	-46976.11	31.988	26149.52	-46975.41	1.426	26150.94	-46975.54	2.459
	26151.52	-46973.15	1.791	26149.73	-46973.21	32.488	26117.25	-46973.92	8.122
	26109.17	-46974.74	6.031	26103.26	-46975.94	3.413	26100.00	-46976.95	2.400
六反田	地番	4005-3(2/2)	地目	用悪水路	面積	876.003 m ²			
	26147.15	-47000.00	2.053	26148.02	-46998.14	2.062	26148.48	-46996.13	2.652
	26149.71	-46993.78	4.518	26151.65	-46989.70	4.312	26153.21	-46985.68	4.902
	26154.73	-46981.02	2.430	26155.11	-46978.62	0.841	26155.14	-46977.78	5.537
	26156.45	-46972.40	0.886	26156.76	-46971.57	6.810	26157.98	-46964.87	3.112
	26158.77	-46961.86	4.029	26160.34	-46958.15	8.957	26164.83	-46950.40	6.616
	26166.88	-46944.11	3.813	26167.04	-46940.30	13.973	26165.94	-46926.37	5.659
	26165.00	-46920.79	3.195	26164.15	-46917.71	2.579	26162.89	-46915.46	5.690
	26161.68	-46909.90	4.919	26161.98	-46904.99	7.801	26164.23	-46897.52	5.165
	26164.91	-46892.40	1.410	26164.91	-46890.99	5.153	26165.08	-46885.84	3.677
	26164.85	-46882.17	5.198	26166.12	-46877.13	7.896	26167.68	-46869.39	5.202
	26167.83	-46864.19	2.794	26167.97	-46861.40	18.711	26171.87	-46843.10	12.937
	26174.58	-46830.45	4.346	26176.37	-46826.49	4.842	26178.78	-46822.29	4.724
	26182.09	-46818.92	2.404	26183.81	-46817.24	0.351	26184.14	-46817.12	1.730
	26184.69	-46815.48	3.597	26182.72	-46812.47	2.940	26180.21	-46814.00	3.105
	26178.07	-46816.25	1.115	26177.47	-46817.19	5.934	26174.29	-46822.20	3.747
	26172.46	-46825.47	2.138	26171.76	-46827.49	1.350	26171.33	-46828.77	29.897
	26164.56	-46857.89	1.090	26164.35	-46858.96	12.009	26162.89	-46870.88	15.317
	26160.38	-46885.99	5.050	26160.31	-46891.04	4.709	26159.63	-46895.70	8.116
	26156.92	-46903.35	1.651	26156.44	-46904.93	2.067	26156.27	-46906.99	6.488
	26157.65	-46913.33	8.872	26160.73	-46921.65	6.229	26161.78	-46927.79	15.874
	26162.12	-46943.66	1.866	26161.81	-46945.50	8.145	26157.53	-46952.43	4.374
	26155.55	-46956.33	2.665	26154.55	-46958.80	5.228	26152.96	-46963.78	9.480

面積測定手簿及び計算簿

P. 3

市町村コード							市町村名		X・Yは図上座標法による										
40211							筑後市		使用機種 武藤 TXE-1600										
図郭番号		D1-33-4		基準座標(左下)		定 面 積 (A)		30000.000 m ²		閉 合 差 (E = A - C)		20.840 m ²		公 差 (0.10+0.0015N)					
縮 尺		1/500		X 26100.000m		図郭測定面積(B)		29973.047 m ²		閉 合 比 (F = E ÷ A × 100)		0.0695		0.1585					
筆 数 (N)		39		Y -47000.000m		図郭内合計面積(C)		29979.160 m ²		測定閉合差 (G = B - C)		-6.113 m ²		0.0695< 0.1585		判 定			
合計測点数		292				決 定 面 積 (D)		30000.000 m ²		測定閉合比 (H = G ÷ B × 100)		0.0204		0.0204< 0.1585		合 格			
地 区		X (m)		Y (m)		辺 長 (m)		X (m)		Y (m)		辺 長 (m)		X (m)		Y (m)		辺 長 (m)	
		26151.52		-46973.15		2.459		26150.94		-46975.54		8.917		26148.94		-46984.23		3.391	
		26148.16		-46987.53		7.489		26144.53		-46994.08		4.593		26142.50		-46998.20		1.874	
		26141.98		-47000.00		5.170													
六反田		地番 166-1(2/2)				地目 田		面積 702.952 m2											
		26150.50		-47000.00		92.890		26243.39		-47000.00		1.180		26243.41		-46998.82		6.983	
		26245.00		-46992.02		0.410		26244.99		-46991.61		5.077		26245.25		-46986.54		94.673	
		26151.31		-46998.30		0.283		26151.03		-46998.34		0.620		26150.81		-46998.92		1.124	
六反田		地番 174(2/2)				地目 田		面積 1971.323 m2											
		26151.03		-46998.34		0.283		26151.31		-46998.30		94.673		26245.25		-46986.54		2.134	
		26245.38		-46984.41		12.340		26247.48		-46972.25		6.361		26250.00		-46966.41		2.630	
		26250.00		-46963.78		17.667		26232.50		-46966.20		24.883		26207.88		-46969.81		25.052	
		26183.06		-46973.21		25.022		26158.28		-46976.68		2.195		26158.02		-46978.86		2.856	
		26157.41		-46981.65		5.452		26155.68		-46986.82		9.473		26152.05		-46995.57		2.952	
六反田		地番 178(2/2)				地目 田		面積 3151.471 m2											
		26158.28		-46976.68		25.022		26183.06		-46973.21		25.052		26207.88		-46969.81		24.883	
		26232.50		-46966.20		17.667		26250.00		-46963.78		38.300		26250.00		-46925.48		32.025	
		26218.49		-46931.20		49.841		26169.47		-46940.21		4.334		26169.29		-46944.54		3.438	
		26168.56		-46947.90		3.698		26167.13		-46951.31		8.662		26162.78		-46958.80		3.971	
		26161.17		-46962.43		3.083		26160.38		-46965.41		6.986		26159.11		-46972.28		2.962	
		26158.46		-46975.17		1.521													
六反田		地番 180(2/2)				地目 田		面積 1086.925 m2											
		26169.47		-46940.21		49.841		26218.49		-46931.20		32.025		26250.00		-46925.48		12.200	
		26250.00		-46913.28		82.607		26168.34		-46925.75		14.504							
六反田		地番 181(2/2)				地目 田		面積 950.248 m2											
		26168.34		-46925.75		82.607		26250.00		-46913.28		5.300		26250.00		-46907.98		6.013	
		26248.49		-46902.16		83.479		26165.91		-46914.38		6.013		26167.42		-46920.20		5.626	
六反田		地番 182				地目 田		面積 1727.634 m2											
		26165.91		-46914.38		83.479		26248.49		-46902.16		10.960		26246.51		-46891.38		4.534	
		26246.33		-46886.85		5.468		26246.88		-46881.41		80.634		26167.06		-46892.84		5.037	
		26166.45		-46897.84		7.718		26164.36		-46905.27		4.374		26164.54		-46909.64		4.934	
六反田		地番 183(2/2)				地目 田		面積 1180.150 m2											
		26167.06		-46892.84		80.634		26246.88		-46881.41		8.708		26250.00		-46873.28		7.000	
		26250.00		-46866.28		82.325		26168.58		-46878.45		0.413		26168.17		-46878.50		3.309	
		26167.50		-46881.74		4.481		26167.19		-46886.21		6.631							
六反田		地番 184(2/2)				地目 田		面積 1056.844 m2											
		26168.17		-46878.50		0.413		26168.58		-46878.45		82.325		26250.00		-46866.28		2.340	
		26250.00		-46863.94		7.869		26247.85		-46856.37		3.075		26246.72		-46853.51		76.511	

P. 4

市町村コード		40211		市町村名		筑後市		XYは図上座標法による										
図郭番号		D1-33-4		基準座標(左下)		定 面 積 (A)		30000.000 m ²		閉 合 差 (E = A - C)		20.840 m ²		公 差 (0.10+0.0015N)				
縮 尺		1/500		X 26100.000 m		図 郭 測 定 面 積 (B)		29973.047 m ²		閉 合 比 (F = E ÷ A × 100)		0.0695		0.1585				
筆 数 (N)		39		Y -47000.000 m		図 郭 内 合 計 面 積 (C)		29979.160 m ²		測 定 閉 合 差 (G = B - C)		-6.113 m ²		0.0695< 0.1585 判 定				
合 計 測 点 数		292				決 定 面 積 (D)		30000.000 m ²		測 定 閉 合 比 (H = G ÷ B × 100)		0.0204		0.0204< 0.1585 合 格				
地 区	X (m)		Y (m)		辺 長 (m)		X (m)		Y (m)		辺 長 (m)		X (m)		Y (m)		辺 長 (m)	
	26171.03		-46864.69		0.785		26170.25		-46864.78		5.624		26169.85		-46870.39		8.282	
六反田	地番	185		地目	田		面積	1255.657 m2										
	26170.25	-46864.78		0.785	26171.03	-46864.69		76.511	26246.72	-46853.51		1.557						
	26245.91	-46852.18		3.596	26243.25	-46849.76		8.269	26235.84	-46846.09		6.873						
	26230.01	-46842.45		6.033	26225.52	-46838.42		3.048	26222.74	-46837.17		48.658						
	26174.60	-46844.25		0.410	26174.19	-46844.23		18.320	26170.48	-46862.17		2.620						
六反田	地番	186-1		地目	田		面積	534.990 m2										
	26174.19	-46844.23		0.410	26174.60	-46844.25		48.658	26222.74	-46837.17		0.626						
	26222.17	-46836.91		9.629	26214.06	-46831.72		4.098	26210.96	-46829.04		1.226						
	26209.75	-46828.84		9.791	26200.01	-46827.84		9.758	26190.27	-46827.25		9.841						
	26180.43	-46827.14		1.580	26178.85	-46827.17		0.897	26178.39	-46827.94		3.709						
	26176.93	-46831.35		13.168														
六反田	地番	168(2/4)		地目	田		面積	195.421 m2										
	26100.00	-47000.00		41.980	26141.98	-47000.00		1.874	26142.50	-46998.20		4.593						
	26144.53	-46994.08		44.611	26100.00	-46996.77		3.230										
六反田	地番	173(1/2)		地目	田		面積	919.077 m2										
	26100.00	-46996.77		44.611	26144.53	-46994.08		7.489	26148.16	-46987.53		3.391						
	26148.94	-46984.23		8.917	26150.94	-46975.54		1.426	26149.52	-46975.41		31.988						
	26117.54	-46976.11		8.127	26109.46	-46976.98		5.742	26103.83	-46978.11		4.026						
	26100.00	-46979.35		17.420														
六反田	地番	193(1/2)		地目	田		面積	921.649 m2										
	26100.00	-46976.95		3.413	26103.26	-46975.94		6.031	26109.17	-46974.74		8.122						
	26117.25	-46973.92		57.552	26114.38	-46916.44		14.416	26100.00	-46917.46		59.490						
六反田	地番	190(1/2)		地目	田		面積	857.041 m2										
	26100.00	-46917.46		14.416	26114.38	-46916.44		20.731	26135.06	-46914.98		25.727						
	26132.61	-46889.37		0.424	26132.20	-46889.48		1.695	26130.67	-46890.21		3.424						
	26127.26	-46890.52		18.241	26109.03	-46891.15		6.619	26102.48	-46892.10		2.514						
	26100.00	-46892.51		24.950														
六反田	地番	191		地目	田		面積	1372.555 m2										
	26135.06	-46914.98		22.650	26157.65	-46913.33		6.488	26156.27	-46906.99		2.067						
	26156.44	-46904.93		1.651	26156.92	-46903.35		8.116	26159.63	-46895.70		4.709						
	26160.31	-46891.04		5.050	26160.38	-46885.99		15.317	26162.89	-46870.88		12.009						
	26164.35	-46858.96		18.923	26145.80	-46862.70		7.644	26139.22	-46866.59		4.501						
	26135.72	-46869.42		3.000	26133.88	-46871.79		2.372	26132.67	-46873.83		2.483						
	26131.84	-46876.17		5.142	26131.68	-46881.31		8.187	26132.20	-46889.48		0.424						
	26132.61	-46889.37		25.727														

面積測定手簿及び計算簿

P. 5

市町村コード 40211 市町村名 筑後市				X Yは図上座標法による					
図郭番号		基準座標(左下)		定 面 積 (A)		閉 合 差 (E=A-C)		使用機種 武藤 TXE-1600	
縮 尺		X 26100.000m		図郭測定面積(B)		閉 合 比 (F=E÷A×100)		公 差 (0.10+0.0015N)	
筆 数 (N)		Y -47000.000m		図郭内合計面積(C)		測定閉合差 (G=B-C)		0.0695< 0.1585	
合計測点数				決 定 面 積 (D)		測定閉合比 (H=G÷B×100)		0.0204< 0.1585	
判 定								合 格	
地 区	X (m)	Y (m)	辺長 (m)	X (m)	Y (m)	辺長 (m)	X (m)	Y (m)	辺長 (m)
六反田	地番 187-3	地目 田	面積 503.035 m2						
	26146.87	-46861.42	18.039	26164.56	-46857.89	29.897	26171.33	-46828.77	1.350
	26171.76	-46827.49	1.082	26170.68	-46827.56	9.780	26160.94	-46828.44	4.798
	26156.19	-46829.12	10.008	26155.21	-46839.08	3.097	26155.85	-46842.11	2.596
	26153.71	-46843.58	6.872	26147.48	-46846.48	0.958	26147.08	-46847.35	10.655
	26148.06	-46857.96	1.657	26147.82	-46859.60	1.720	26147.14	-46861.18	0.361
長畝町	地番 208(1/2)	地目 田	面積 280.151 m2						
	26152.95	-46800.00	5.446	26154.36	-46805.26	1.586	26155.54	-46806.32	4.109
	26159.41	-46807.70	3.367	26162.73	-46808.26	5.050	26167.78	-46808.24	13.588
	26181.18	-46805.99	1.607	26182.02	-46807.36	2.775	26184.71	-46806.68	8.859
	26193.51	-46805.66	5.660	26193.58	-46800.00	40.630			
六反田	地番 189(1/2)	地目 田	面積 835.521 m2						
	26100.00	-46889.44	2.055	26102.03	-46889.12	6.806	26108.79	-46888.33	18.890
	26127.65	-46887.26	0.949	26128.28	-46886.55	10.614	26128.83	-46875.95	3.456
	26129.39	-46872.54	2.652	26130.56	-46870.16	4.232	26133.43	-46867.05	7.356
	26139.31	-46862.63	8.378	26137.91	-46854.37	0.920	26137.29	-46855.05	4.103
	26134.06	-46857.58	1.762	26132.57	-46858.52	3.005	26129.87	-46859.84	4.262
	26125.75	-46860.93	25.958	26100.00	-46864.21	25.230			
長畝町	地番 202-1(1/2)	地目 田	面積 925.250 m2						
	26100.00	-46863.18	25.789	26125.58	-46859.90	4.058	26129.50	-46858.85	2.904
	26132.14	-46857.64	1.659	26133.52	-46856.72	3.963	26136.65	-46854.29	0.767
	26137.14	-46853.70	7.341	26140.84	-46847.36	4.389	26143.54	-46843.90	4.467
	26146.98	-46841.05	3.674	26150.10	-46839.11	2.395	26151.00	-46836.89	3.534
	26151.31	-46833.37	29.719	26121.84	-46837.21	11.448	26111.07	-46841.09	11.920
	26100.00	-46845.51	17.670						
長畝町	地番 203-4(1/4)	地目 田	面積 715.677 m2						
	26100.00	-46817.58	55.114	26154.52	-46809.51	1.524	26153.37	-46808.51	3.070
	26152.23	-46805.66	5.866	26150.69	-46800.00	50.690	26100.00	-46800.00	17.580
六反田	地番 175-1(2/2)	地目 田	面積 1.491 m2						
	26147.15	-47000.00	1.000	26148.15	-47000.00	1.824	26148.63	-46998.24	0.618
	26148.02	-46998.14	2.053						
長畝町	地番 3006-1(1/2)	地目 道 路	面積 87.012 m2						
	26182.02	-46807.36	1.607	26181.18	-46805.99	13.588	26167.78	-46808.24	5.050
	26162.73	-46808.26	3.367	26159.41	-46807.70	4.109	26155.54	-46806.32	1.586
	26154.36	-46805.26	5.446	26152.95	-46800.00	2.260	26150.69	-46800.00	5.866
	26152.23	-46805.66	3.070	26153.37	-46808.51	1.524	26154.52	-46809.51	1.534
	26155.79	-46810.37	3.266	26159.03	-46809.96	3.553	26162.54	-46810.51	5.450
	26167.99	-46810.56	10.970	26178.82	-46808.81	1.386	26180.19	-46809.02	2.471

市町村コード		40211	市町村名		筑後市		XYは図上座標法による											
図郭番号		D1-33-4	基準座標(左下)		定面積(A)		30000.000 m ²		閉合差(E=A-C)		20.840 m ²		公差(0.10+0.0015N)					
縮尺		1/500	X	26100.000m	図郭測定面積(B)		29973.047 m ²		閉合比(F=E÷A×100)		0.0695		0.1585					
筆数(N)		39	Y	-47000.000m	図郭内合計面積(C)		29979.160 m ²		測定閉合差(G=B-C)		-6.113 m ²		0.0695<0.1585		判定			
合計測点数		292			決定面積(D)		30000.000 m ²		測定閉合比(H=G÷B×100)		0.0204		0.0204<0.1585		合格			
地区	X(m)		Y(m)		辺長(m)		X(m)		Y(m)		辺長(m)		X(m)		Y(m)		辺長(m)	
六反田	地番	3005-3(1/2)		地目	道路		面積	96.014 m2										
	26154.52	-46809.51		9.898	26153.20	-46819.32		10.514	26151.80	-46829.74		3.663						
	26151.31	-46833.37		3.534	26151.00	-46836.89		2.395	26150.10	-46839.11		3.674						
	26146.98	-46841.05		4.467	26143.54	-46843.90		4.389	26140.84	-46847.36		7.341						
	26137.14	-46853.70		0.767	26136.65	-46854.29		3.963	26133.52	-46856.72		1.659						
	26132.14	-46857.64		2.904	26129.50	-46858.85		4.058	26125.58	-46859.90		25.789						
	26100.00	-46863.18		1.030	26100.00	-46864.21		25.958	26125.75	-46860.93		4.262						
	26129.87	-46859.84		3.005	26132.57	-46858.52		1.762	26134.06	-46857.58		4.103						
	26137.29	-46855.05		0.920	26137.91	-46854.37		7.441	26141.55	-46847.88		4.158						
	26144.08	-46844.58		4.379	26147.52	-46841.87		3.943	26150.97	-46839.96		2.909						
	26151.92	-46837.21		27.118	26155.79	-46810.37		1.534										
六反田	地番	4005-6		地目	用悪水路		面積	18.965 m2										
	26164.56	-46857.89		18.039	26146.87	-46861.42		1.668	26145.80	-46862.70		18.923						
	26164.35	-46858.96		1.090														
六反田	地番	4005-7(2/4)		地目	用悪水路		面積	517.177 m2										
	26146.87	-46861.42		0.361	26147.14	-46861.18		1.720	26147.82	-46859.60		1.657						
	26148.06	-46857.96		10.655	26147.08	-46847.35		0.958	26147.48	-46846.48		6.872						
	26153.71	-46843.58		2.596	26155.85	-46842.11		3.097	26155.21	-46839.08		10.008						
	26156.19	-46829.12		10.370	26157.21	-46818.80		5.487	26157.75	-46813.34		1.023						
	26158.40	-46812.55		2.702	26161.05	-46813.08		2.809	26163.79	-46813.70		2.143						
	26165.93	-46813.59		15.639	26181.17	-46810.08		1.444	26180.19	-46809.02		1.386						
	26178.82	-46808.81		10.970	26167.99	-46810.56		5.450	26162.54	-46810.51		3.553						
	26159.03	-46809.96		3.266	26155.79	-46810.37		27.118	26151.92	-46837.21		2.909						
	26150.97	-46839.96		3.943	26147.52	-46841.87		4.379	26144.08	-46844.58		4.158						
	26141.55	-46847.88		7.441	26137.91	-46854.37		8.378	26139.31	-46862.63		7.356						
	26133.43	-46867.05		4.232	26130.56	-46870.16		2.652	26129.39	-46872.54		3.456						
	26128.83	-46875.95		10.614	26128.28	-46886.55		0.949	26127.65	-46887.26		18.890						
	26108.79	-46888.33		6.806	26102.03	-46889.12		2.055	26100.00	-46889.44		3.070						
	26100.00	-46892.51		2.514	26102.48	-46892.10		6.619	26109.03	-46891.15		18.241						
	26127.26	-46890.52		3.424	26130.67	-46890.21		1.695	26132.20	-46889.48		8.187						
	26131.68	-46881.31		5.142	26131.84	-46876.17		2.483	26132.67	-46873.83		2.372						
	26133.88	-46871.79		3.000	26135.72	-46869.42		4.501	26139.22	-46866.59		7.644						
	26145.80	-46862.70		1.668														
六反田	地番	192		地目	田		面積	2498.102 m2										
	26117.25	-46973.92		32.488	26149.73	-46973.21		1.791	26151.52	-46973.15		9.480						
	26152.96	-46963.78		5.228	26154.55	-46958.80		2.665	26155.55	-46956.33		4.374						
	26157.53	-46952.43		8.145	26161.81	-46945.50		1.866	26162.12	-46943.66		15.874						
	26161.78	-46927.79		6.229	26160.73	-46921.65		8.872	26157.65	-46913.33		22.650						
	26135.06	-46914.98		20.731	26114.38	-46916.44		57.552										
六反田	地番	186-4		地目	田		面積	31.946 m2										
	26200.76	-46817.69		4.138	26197.75	-46814.85		1.947	26196.05	-46813.90		5.984						

面積測定手簿及び計算簿

P. 7

市町村コード 40211		市町村名 筑後市		XYは図上座標法による					
図郭番号 D1-33-4		基準座標(左下)		使用機種 武藤 TXE-1600					
縮尺 1/500	X	26100.000m	定面積(A)	30000.000 m ²	閉合差(E=A-C)	20.840 m ²	公差(0.10+0.0015N)		
筆数(N) 39	Y	-47000.000m	図郭測定面積(B)	29973.047 m ²	閉合比(F=E÷A×100)	0.0695	0.1585		
合計測点数 292			図郭内合計面積(C)	29979.160 m ²	測定閉合差(G=B-C)	-6.113 m ²	0.0695<0.1585	判定	
			決定面積(D)	30000.000 m ²	測定閉合比(H=G÷B×100)	0.0204	0.0204<0.1585	合格	
地区	X (m)	Y (m)	辺長 (m)	X (m)	Y (m)	辺長 (m)	X (m)	Y (m)	辺長 (m)
	26190.13	-46814.77	2.979	26187.32	-46815.76	1.040	26187.89	-46816.63	0.742
	26187.36	-46817.15	3.190	26190.55	-46817.19	10.222			
六反田	地番 186-3		地目 道路	面積 236.274 m ²					
	26210.96	-46829.04	1.263	26210.00	-46828.22	5.132	26206.81	-46824.20	5.574
	26203.18	-46819.97	3.325	26200.76	-46817.69	10.222	26190.55	-46817.19	3.190
	26187.36	-46817.15	5.643	26183.32	-46821.09	3.934	26180.74	-46824.06	3.639
	26178.85	-46827.17	1.580	26180.43	-46827.14	9.841	26190.27	-46827.25	9.758
	26200.01	-46827.84	9.791	26209.75	-46828.84	1.226			
六反田	地番 187-1		地目 田	面積 121.238 m ²					
	26177.47	-46817.19	1.115	26178.07	-46816.25	3.105	26180.21	-46814.00	2.940
	26182.72	-46812.47	2.849	26181.17	-46810.08	15.639	26165.93	-46813.59	2.143
	26163.79	-46813.70	2.809	26161.05	-46813.08	2.702	26158.40	-46812.55	1.023
	26157.75	-46813.34	5.487	26157.21	-46818.80	2.568	26159.75	-46818.42	10.307
	26170.01	-46817.44	7.464						
六反田	地番 187-2		地目 道路	面積 179.096 m ²					
	26171.76	-46827.49	2.138	26172.46	-46825.47	3.747	26174.29	-46822.20	5.934
	26177.47	-46817.19	7.464	26170.01	-46817.44	10.307	26159.75	-46818.42	2.568
	26157.21	-46818.80	10.370	26156.19	-46829.12	4.798	26160.94	-46828.44	9.780
	26170.68	-46827.56	1.082						
長畝町	地番 203-3		地目 田	面積 65.030 m ²					
	26151.31	-46833.37	3.663	26151.80	-46829.74	0.571	26151.24	-46829.85	9.808
	26141.61	-46831.71	9.847	26132.04	-46834.03	9.709	26122.74	-46836.82	0.981
	26121.84	-46837.21	29.719						
長畝町	地番 202-2(1/2)		地目 道路	面積 555.720 m ²					
	26151.80	-46829.74	10.514	26153.20	-46819.32	3.705	26149.53	-46819.83	10.306
	26139.42	-46821.83	10.281	26129.43	-46824.26	10.304	26119.56	-46827.22	13.034
	26107.32	-46831.70	7.881	26100.00	-46834.62	10.890	26100.00	-46845.51	11.920
	26111.07	-46841.09	11.448	26121.84	-46837.21	0.981	26122.74	-46836.82	9.709
	26132.04	-46834.03	9.847	26141.61	-46831.71	9.808	26151.24	-46829.85	0.571
長畝町	地番 203-1(1/2)		地目 田	面積 650.581 m ²					
	26153.20	-46819.32	9.898	26154.52	-46809.51	55.114	26100.00	-46817.58	17.040
	26100.00	-46834.62	7.881	26107.32	-46831.70	13.034	26119.56	-46827.22	10.304
	26129.43	-46824.26	10.281	26139.42	-46821.83	10.306	26149.53	-46819.83	3.705