

面積測定精度管理表

市町村コード 40211

市町村名 筑後市

PAGE 1

原図番号	縮尺	筆数 N	定面積 A	測定図郭面積 B	測定合計面積 C	閉合差 A-C = D	測定閉合差 B-C = E	閉合比 D/A*100=F	測定閉合比 E/B*100=G	比較 F G	許容閉合比	判定
D1-25-2	1/ 500	5	30,000.000	29,991.727	29,985.111	14.889	6.616	0.0496	0.0221	< <	0.1150	合格
D1-25-3	1/ 500	10	30,000.000	29,999.848	29,996.905	3.095	2.943	0.0103	0.0098	< <	0.1150	合格
D1-25-4	1/ 500	23	30,000.000	29,976.031	29,975.940	24.060	0.091	0.0802	0.0003	< <	0.1345	合格
D1-32-2	1/ 500	13	30,000.000	29,993.570	29,999.107	0.893	-5.538	0.0030	0.0185	< <	0.1195	合格
D1-32-3	1/ 500	15	30,000.000	29,987.761	29,988.935	11.065	-1.174	0.0369	0.0039	< <	0.1225	合格
D1-32-4	1/ 500	52	30,000.000	29,983.059	29,993.344	6.656	-10.285	0.0222	0.0343	< <	0.1780	合格
D1-33-1	1/ 500	11	30,000.000	29,992.756	29,991.617	8.383	1.139	0.0279	0.0038	< <	0.1165	合格
D1-33-2	1/ 500	7	30,000.000	29,981.748	29,985.718	14.282	-3.970	0.0476	0.0132	< <	0.1150	合格
D1-33-3	1/ 500	47	30,000.000	29,991.356	29,991.169	8.831	0.187	0.0294	0.0006	< <	0.1705	合格
D1-33-4	1/ 500	32	30,000.000	29,973.047	29,979.160	20.840	-6.113	0.0695	0.0204	< <	0.1480	合格
D1-34-2	1/ 500	13	30,000.000	30,006.472	30,004.098	-4.098	2.373	0.0137	0.0079	< <	0.1195	合格
D1-34-3	1/ 500	31	30,000.000	29,994.877	29,987.334	12.666	7.543	0.0422	0.0251	< <	0.1465	合格
D1-34-4	1/ 500	65	30,000.000	29,999.752	30,001.755	-1.755	-2.003	0.0058	0.0067	< <	0.1975	合格
D1-35-1	1/ 500	34	30,000.000	30,000.403	29,999.912	0.088	0.490	0.0003	0.0016	< <	0.1510	合格
D1-35-2	1/ 500	32	30,000.000	29,979.548	29,982.403	17.597	-2.856	0.0587	0.0095	< <	0.1480	合格
D1-35-3	1/ 500	65	30,000.000	29,986.550	29,986.425	13.575	0.125	0.0453	0.0004	< <	0.1975	合格
D1-35-4	1/ 500	87	30,000.000	29,979.414	29,980.547	19.453	-1.133	0.0648	0.0038	< <	0.2305	合格
D1-41-4	1/ 500	6	30,000.000	29,983.556	29,981.426	18.574	2.130	0.0619	0.0071	< <	0.1150	合格
D1-41-1	1/ 500	34	30,000.000	29,985.031	29,985.521	14.479	-0.490	0.0483	0.0016	< <	0.1510	合格
D1-42-2	1/ 500	80	30,000.000	29,989.047	29,986.593	13.407	2.454	0.0447	0.0082	< <	0.2200	合格
D1-42-3	1/ 500	53	30,000.000	29,995.645	29,990.604	9.396	5.041	0.0313	0.0168	< <	0.1795	合格
D1-42-4	1/ 500	74	30,000.000	29,990.363	29,989.536	10.464	0.827	0.0349	0.0028	< <	0.2110	合格
D1-43-1	1/ 500	66	30,000.000	30,005.112	29,995.261	4.739	9.851	0.0158	0.0328	< <	0.1990	合格
D1-43-2	1/ 500	59	30,000.000	30,021.381	30,004.025	-4.025	17.356	0.0134	0.0578	< <	0.1885	合格
D1-43-3	1/ 500	88	30,000.000	29,992.970	29,994.285	5.715	-1.315	0.0191	0.0044	< <	0.2320	合格
D1-43-4	1/ 500	93	30,000.000	30,001.059	29,997.533	2.467	3.525	0.0082	0.0118	< <	0.2395	合格
D1-44-1	1/ 500	63	30,000.000	29,989.296	29,990.964	9.036	-1.669	0.0301	0.0056	< <	0.1945	合格
D1-44-2	1/ 500	53	30,000.000	30,012.277	29,999.172	0.828	13.105	0.0028	0.0437	< <	0.1795	合格
D1-44-3	1/ 500	80	30,000.000	29,987.811	29,981.233	18.767	6.578	0.0626	0.0219	< <	0.2200	合格
D1-44-4	1/ 500	74	30,000.000	30,009.915	29,994.316	5.684	15.599	0.0189	0.0520	< <	0.2110	合格
D1-45-1	1/ 500	68	30,000.000	29,998.766	29,984.467	15.533	14.299	0.0518	0.0477	< <	0.2020	合格
D1-45-2	1/ 500	70	30,000.000	30,003.642	30,000.383	-0.383	3.259	0.0013	0.0109	< <	0.2050	合格
D1-45-3	1/ 500	65	30,000.000	29,993.925	29,984.044	15.956	9.881	0.0532	0.0329	< <	0.1975	合格
D1-45-4	1/ 500	99	30,000.000	29,991.991	29,985.036	14.964	6.955	0.0499	0.0232	< <	0.2485	合格
D1-51-1	1/ 500	2	30,000.000	30,009.100	30,012.254	-12.254	-3.154	0.0408	0.0105	< <	0.1150	合格
D1-51-2	1/ 500	14	30,000.000	30,002.337	30,000.250	-0.250	2.087	0.0008	0.0070	< <	0.1210	合格
D1-51-3	1/ 500	15	30,000.000	30,001.953	30,001.125	-1.125	0.828	0.0038	0.0028	< <	0.1225	合格
D1-51-4	1/ 500	18	30,000.000	29,997.178	30,001.416	-1.416	-4.238	0.0047	0.0141	< <	0.1270	合格
D1-52-1	1/ 500	35	30,000.000	29,999.796	29,989.349	10.651	10.447	0.0355	0.0348	< <	0.1525	合格
D1-52-2	1/ 500	50	30,000.000	29,997.660	29,995.050	4.950	2.610	0.0165	0.0087	< <	0.1750	合格
D1-52-3	1/ 500	3	30,000.000	30,002.816	30,001.863	-1.863	0.953	0.0062	0.0032	< <	0.1150	合格
D1-52-4	1/ 500	30	30,000.000	29,991.750	29,990.213	9.787	1.537	0.0326	0.0051	< <	0.1450	合格
D1-53-1	1/ 500	53	30,000.000	29,985.376	29,993.751	6.249	-8.375	0.0208	0.0279	< <	0.1795	合格
D1-53-2	1/ 500	64	30,000.000	29,995.161	29,992.597	7.403	2.564	0.0247	0.0085	< <	0.1960	合格
D1-53-3	1/ 500	34	30,000.000	30,000.676	29,996.664	3.336	4.013	0.0111	0.0134	< <	0.1510	合格
D1-53-4	1/ 500	14	30,000.000	30,002.897	29,998.550	1.450	4.347	0.0048	0.0145	< <	0.1210	合格
D1-54-1	1/ 500	43	30,000.000	29,981.162	29,979.927	20.073	1.234	0.0669	0.0041	< <	0.1645	合格
D1-54-2	1/ 500	32	30,000.000	29,995.030	29,994.774	5.226	0.256	0.0174	0.0009	< <	0.1480	合格
D1-54-3	1/ 500	4	30,000.000	29,996.220	29,992.909	7.091	3.311	0.0236	0.0110	< <	0.1150	合格
D1-55-1	1/ 500	38	30,000.000	29,994.498	29,997.492	2.508	-2.994	0.0084	0.0100	< <	0.1570	合格
D1-55-2	1/ 500	52	30,000.000	29,988.299	29,986.197	13.803	2.101	0.0460	0.0070	< <	0.1780	合格

許容閉合: 筆数が10以下の時0.1150、筆数が10を越えるとき0.1+0.0015×N

面積測定精度管理表

市町村コード 40211

市町村名 筑後市

PAGE 2

原図番号	縮尺	筆数 N	定面積 A	測定図郭面積 B	測定合計面積 C	閉合差 A-C = D	測定閉合差 B-C = E	閉合比 D/A*100=F	測定閉合比 E/B*100=G	比較 F	比較 G	許容閉合比	判定
E1-21-1	1/ 500	11	30,000.000	29,985.831	29,985.934	14.066	-0.103	0.0469	0.0003	<	<	0.1165	合格
E1-21-2	1/ 500	30	30,000.000	29,989.147	29,986.356	13.644	2.791	0.0455	0.0093	<	<	0.1450	合格
E1-21-3	1/ 500	25	30,000.000	29,985.803	29,989.978	10.022	-4.175	0.0334	0.0139	<	<	0.1375	合格
E1-21-4	1/ 500	20	30,000.000	29,981.214	29,979.791	20.209	1.423	0.0674	0.0047	<	<	0.1300	合格
E1-31-1	1/ 500	60	30,000.000	29,995.379	29,984.798	15.202	10.581	0.0507	0.0353	<	<	0.1900	合格
E1-31-2	1/ 500	39	30,000.000	29,988.756	29,991.255	8.745	-2.500	0.0291	0.0083	<	<	0.1585	合格
E1-31-3	1/ 500	99	30,000.000	29,988.143	29,985.338	14.662	2.805	0.0489	0.0094	<	<	0.2485	合格
E1-31-4	1/ 500	87	30,000.000	29,989.873	29,993.479	6.521	-3.606	0.0217	0.0120	<	<	0.2305	合格
E1-32-3	1/ 500	58	30,000.000	29,977.131	29,982.286	17.714	-5.155	0.0590	0.0172	<	<	0.1870	合格
E1-32-4	1/ 500	4	30,000.000	29,992.178	29,991.425	8.575	0.753	0.0286	0.0025	<	<	0.1150	合格
E1-41-1	1/ 500	56	30,000.000	29,977.194	29,975.942	24.058	1.252	0.0802	0.0042	<	<	0.1840	合格
E1-41-2	1/ 500	74	30,000.000	29,986.242	29,983.639	16.361	2.603	0.0545	0.0087	<	<	0.2110	合格
E1-41-3	1/ 500	20	30,000.000	29,983.980	29,980.674	19.326	3.306	0.0644	0.0110	<	<	0.1300	合格
E1-41-4	1/ 500	70	30,000.000	29,983.687	29,990.155	9.845	-6.468	0.0328	0.0216	<	<	0.2050	合格
E1-42-1	1/ 500	88	30,000.000	29,989.084	29,990.417	9.583	-1.333	0.0319	0.0044	<	<	0.2320	合格
E1-42-2	1/ 500	11	30,000.000	29,983.137	29,979.250	20.750	3.887	0.0692	0.0130	<	<	0.1165	合格
E1-42-3	1/ 500	41	30,000.000	29,971.294	29,973.478	26.522	-2.184	0.0884	0.0073	<	<	0.1615	合格
E1-42-4	1/ 500	2	30,000.000	29,996.729	29,995.358	4.642	1.371	0.0155	0.0046	<	<	0.1150	合格
E1-51-1	1/ 500	48	30,000.000	29,992.164	29,987.017	12.983	5.147	0.0433	0.0172	<	<	0.1720	合格
E1-51-2	1/ 500	11	30,000.000	29,998.198	29,996.472	3.528	1.725	0.0118	0.0058	<	<	0.1165	合格
E1-51-3	1/ 500	2	30,000.000	29,976.702	29,980.660	19.340	-3.958	0.0645	0.0132	<	<	0.1150	合格
G1-11-1	1/ 500	50	30,000.000	30,011.379	30,000.555	-0.555	10.824	0.0019	0.0361	<	<	0.1750	合格
G1-11-2	1/ 500	31	30,000.000	29,996.738	29,990.321	9.679	6.417	0.0323	0.0214	<	<	0.1465	合格
G1-11-3	1/ 500	37	30,000.000	29,984.457	29,981.178	18.822	3.279	0.0627	0.0109	<	<	0.1555	合格
G1-11-4	1/ 500	39	30,000.000	29,997.042	29,998.690	1.310	-1.648	0.0044	0.0055	<	<	0.1585	合格
G1-12-3	1/ 500	9	30,000.000	29,997.488	29,994.123	5.877	3.365	0.0196	0.0112	<	<	0.1150	合格
G1-21-2	1/ 500	21	30,000.000	30,018.484	30,013.914	-13.914	4.570	0.0464	0.0152	<	<	0.1315	合格
G1-22-1	1/ 500	25	30,000.000	29,997.382	29,993.624	6.376	3.758	0.0213	0.0125	<	<	0.1375	合格

許容閉合比：筆数が10以下の時0.1150、筆数が10を越えるとき0.1+0.0015×N